09

DIGITIZER

WATCH YOUR IDEAS TAKE SHAPE

Digitale camera en camcorder:
voor elk wat wils

IN DIT NUMMER:

HP BEELDVERWERKING: VERSCHILLENDE TOEPASSINGEN MOGELIJK PAG 8

hp

photosmart 850

leg uw gevoelens vast met één klik

PAGINA 2

CANON

MVX150i

Met verbeterde prestaties, fraaiere look en grote landscape LCD monitor

PAGINA 6

SONY

DCR-TRV60

Het meest compacte gamma MiniDV in een stijlvolle look

PAGINA 32

hp photosmart digital camera's
leg uw gevoelens vast met één klik

Met de hp photosmart digitale camera's legt u elk detail vast. Elk gevoelen legt u met een ongelooflijk gemak vast in digitaal formaat. Van 2,1 tot 5,3 megapixel, volledig automatisch tot eigen handmatige instellingen. En met de "hp instant share technologie" is het delen van foto's met anderen een fluitje van een cent!

hp photosmart 320

Voor budget bewuste families die voor het eerst in contact komen met de (digitale) fotografie. Geen nood aan speciale kennis, een volledig automatische digitale camera. En daarna: afprinten, mailen of op het web plaatsten…puur eenvoud in gebruik. Iedereen kan meegenieten van hp's eenvoud in het "(ver)delen van beelden"

Enkele specs:
- resolutie: 2,14 megapixel
- geheugen: 8MB via intern vast geheugen
- Zoom: 4x digitaal
- gleuf voor Secure Digital kaart

hp photosmart 320:
199,00 EUR
Recupel: 6,00 EUR

hp photosmart 735

De hp photosmart 735 digitale camera is het nieuwe toestel voor de meer "digitaal"-bewuste gebruikers. Een stijlvol compact toestel voor de beeld geörienteerde gebruiker die zonder kwaliteitsverlies foto's wil afdrukken tot 20x30cm. Zelfs een video met geluid opnemen behoort tot de mogelijkheden en dit enkel beperkt tot het geheugen dat gebruikt wordt.

Enkele specs:
- resolutie: 3,34 megapixel
- geheugen: 16MB via intern vast geheugen
- 15x zoom: 3x optisch & 5xdigitaal
- gleuf voor Secure Digital kaart

hp photosmart 735:
299,00 EUR
hp photosmart 735 met docking:
379,00 EUR
Recupel: 6,00 EUR

hp photosmart 850

Deze digitale camera is voor de creatieveling die op zoek gaat naar top specs. Een foto-enthousiasteling die als (semi)professional de kneepjes van het vak wel kent en zelf de touwtjes in handen wil houden. Trouwens een toestel met een leuke vormgeving en een ongelooflijke 8x optische zoom!

Enkele specs:
- resolutie: 4,13 megapixel
- geheugen: 16MB Secure Digital kaart
- 56x zoom: 8x optisch & 7x digitaal
- gleuf voor Secure Digital kaart

hp photosmart 850:
649,00 EUR
hp photosmart 850 met docking:
699,00 EUR
Recupel: 6,00 EUR

hp photosmart 935

De photosmart 935 is hp's eerste ultieme hoge resolutie digitale camera van 5 megapixel. Perfect voor wie beelden wil afdrukken die al eens groter moeten zijn, bv. tot A2 formaat. Ook hier vinden we heel wat manuele mogelijkheden terug zodat ieder zijn eigen gevoelens in de lens kan vastleggen.

Enkele specs:
- resolutie: 5,3 megapixel
- geheugen: 32MB Secure Digital kaart
- 21x zoom: 3x optisch & 7x digitaal
- gleuf voor Secure Digital kaart

hp photosmart 935:
599,00 EUR
hp photosmart 935 met docking:
679,00 EUR
Recupel: 6,00 EUR

Why Buy?

1. hp memories disc: dé tool om snel, creatief en spelenderwijs uw eigen foto slideshow te maken tot max. 499 foto's. Zelfs met muziek erbij. Dit alles wordt weggeschreven in video cd formaat.
2. instant share technology: deze technolgie laat je toe om foto's direct toe te wijzen aan bepaalde functies: e-mail (met verschillende adressen), print of share-to-web. Eens je camera geconnecteerd wordt met de pc worden de taken automatisch uitgevoerd.
3. er is ook nog de optionele dockingstation waarmee je de hp photosmart digital camera snel kan verbinden met pc of mac; de meegeleverde oplaadbare batterijen direct in de camera kan opladen en beelden tonen op je tv met de meegeleverde kabels. De docking station van de hp photosmart 735/935 wordt geleverd met afstandsbediening. Rustig zitten en uw foto's bekijken dus.
4. of wat dacht je van CUE of Common User Experience: dit geeft je één software interface tussen verschillende hp producten. Voordelen: éénmaal leren gebruiken, alle nodige software onder één noemer en sneller werken.
5. hp's totale beeld oplossing rond digital camera – print – scanning – papier & inkt

hp invent

CONTENT

DIGITIZER

Digital Cameras — pag 04
Voor elk wat wils p.04
Olympus: Oeps, batterijen leeg? p.05
Canon's nieuwste topmodellen in digitale video/camera p.06

Solutions — pag 07
Fuji: Printpix: printen zonder inkt, toner of chemie!? p.07
Uw beeldverwerking… met hp haalt u alles in huis p.08
Pinnacle: de Studio MovieBox p.09
Apple: plots past alles in elkaar p.10

Printers — pag 11
EPSON, de complete oplossing voor het afdrukken van digitale foto's p.11

Projectors — pag 12
Philips: als we zeggen stil, dan bedoelen we echt stil! p.12
De Sony VPL-CS5 en VPL-CX5 zijn eenvoudig in gebruik, helder en licht p.12
Philips: als we zeggen stil, dan bedoelen we echt stil! p.13
Nec: no Miracle - just performance! p.13

Accessories — pag 14
hp supplies: wegwijs in de jungle van het fotopapier p.14
Sony Micro Vault p.15
Maxell X-Drive p.15
EPSON - Maxell: rechtstreeks printen op CD-R met EPSON Stylus 900 ....p.15
Microsoft Picture It p.15
Logitech: uw toegang tot uw Digitale wereld p.15
Samsung: DigitAll expansion! p.16
Hier waakt Kensington! p.16
Belkin roept vakantieherinneringen op p.16
WACOM Home Photo Studio Collection 2 ....p.16
Waarom heeft u een WACOM Intuos2 Tablet nodig? p.16

Overview — pag 18
Digital Camcorders p.18
Digital Cameras p.20
Scanners p.25
Projectors p.27

COLOFON

De prijzen in deze folder zijn enkel bedoeld als richtprijs, zijn niet bindend en zijn inclusief BTW, exclusief Recupel en Reprobel. Vermelde Recupel of Reprobel bijdrage is inclusief BTW. De prijzen zijn geldig van 15/05/2003 tot 31/10/2003, onder voorbehoud. Elke Digitizer reseller is vrij om zijn eigen prijs te bepalen. De uitgever is niet verantwoordelijk voor mogelijke drukfouten. De afbeeldingen in deze folder zijn evenmin bindend.

Verantwoordelijke uitgever:
B.Raspoet, Assesteenweg 117/1, 1740 Ternat.

Cheese…

Zomerse temperaturen in maart en april zorgden al voor leuke 'buiten'taferelen, maar met de vakantiemaanden in het vooruitzicht is het beste nog op komst. Spelende kinderen in de tuin of aan 't strand, BBQ-party's met vrienden of familie, communiefeestjes, maak al deze momenten onvergetelijk met een digitale camera of camcorder.

Keuze te over... bepaal zelf wat u wil qua mogelijkheden en volgens uw budget. Digitizer 9 is uw gids en samen met de kennis van uw reseller zorgt hij ervoor dat de zomer niet meer stuk kan.

Succes ermee !

Uw Digital Imaging Team

Voor elk wat wils

Digitale camera heeft meer te bieden dan megapixels

De digitale fotografie raakt op alle fronten in een stroomversnelling. Amper twee jaar geleden waren camera's met 1,3 miljoen pixels (1280 x 1024) de beste. Nu is 3,2 miljoen pixels de norm, maar er zijn al camera's die foto's in 5 of 6 miljoen pixels kunnen vastleggen. Met de meeste digitale camera's kan je overigens meer dan alleen maar kiekjes maken. Vaak kan je de beelden reeds in het toestel in beperkte mate bewerken of klaarstomen om af te drukken. Met heel wat apparaten kan je ook video-opnamen maken. En al dat moois is nu ook écht betaalbaar. Alleen kiezen is moeilijk maar daarvoor hebben we deze Digitizer 09. Kiezen wordt gemakkelijk.

Hoeveel pixels heb je nodig?
Tegenwoordig kan je 1 megapixelcamera's beschouwen als eenvoudige instapmodellen en 6 megapixel als high-end. Daartussen zit een heel gamma van 2, 3, 4, en 5 megapixelcamera's. Resolutie mag dan inderdaad de meest voor de hand liggende manier zijn om onderscheid te maken tussen de verschillende digitale camera's... je kan pas juist kiezen als je vooraf bepaalt hoe je de camera gaat gebruiken.

Als je je foto's alleen op je computermonitor bekijkt, op je website plaatst of mailt, dan is een 1 megapixelcamera perfect. Meer zelfs: een lagere resolutie is voor internetnetgebruik een stuk handiger. Maar wees realistisch: ervaring leert dat de meeste mensen hun leukste foto's toch ook willen uitprinten. En dan volstaat een 1 megapixelcamera net niet, tenzij je geen hoge eisen stelt. Wil je mooi afgedrukte foto's of zelfs vergrotingen, dan maakt een megapixel meer of minder echt wel het verschil.

Hoe sterk moet je zoom zijn?
Digitale camera's hebben vrijwel allemaal een optische en een digitale zoom. Wat fotografen onder 'inzoomen' verstaan, wordt door de optische zoom bereikt: die haalt het beeld dichterbij. De digitale zoom doet dat niet, maar vergroot slechts een deel van het bestaande beeld. Hoe verder je ermee inzoomt, hoe beter je de beeldpuntjes ziet. Uiteindelijk wordt de foto dan opgebouwd met zichtbare kleine vierkantjes ('jaggies').
Het verschil is dat bij optische zoom de afbeelding door de lens zelf vergroot wordt. Bij digitale zoom vergroot de software in de camera de foto. Wees er dus zeker van dat je camera ook een 'optische' zoomlens heeft, niet alleen een 'digitale' zoom. En hou rekening met volgend eenvoudig principe: hoe hoger de zoomratio, hoe kwaliteitsvoller het ingezoomde beeld blijft. De doorsnee digitale camera's hebben een zoomratio van 3x; veel compacte modellen halen slechts 2x. Semi-professionele modellen halen zoomratio's tot wel 8x.

Wat wil je doen met je camera?
Tot voor een paar jaar was de digitale fotografie het domein van de dtp-er en van een enkele experimentele vakfotograaf. Vandaag worden er steeds meer digitale en minder analoge apparaten verkocht. Zowel door de amateur die er zijn vakantiekiekjes mee maakt en er zijn website mee verfraait als door de professionele fotograaf, voor wie compleet manueel bedienbare en betaalbare high-end toestellen beschikbaar zijn.

De digitale fotograaf vergelijkt dus niet alleen de kwaliteit, maar ook de mogelijkheden. Want sommigen willen niet alleen fotograferen, maar ook minivideoclipjes maken en de camera gebruiken als webcam, geluidsrecorder, dictafoon of MP3-speler. Vandaag kan het allemaal, tegen heel betaalbare prijzen.

BUZZWORDS

■ **Mega Pixel** 1 miljoen pixels. Hoe hoger het aantal pixels des te beter is de kwaliteit van een afbeelding. Afbeeldingen met (meerdere) megapixels worden gewoonlijk geproduceerd door digitale camera's en scanners van hoge kwaliteit. ■ **Pixel** De pixel is het kleinste element van een gedigitaliseerde afbeelding. Wordt ook gebruikt om de grootte en resolutie van een afbeelding aan te geven, b.v. 640 x 480 is de resolutie van de meeste VGA beeldschermen. (Opmerking: pixels zijn in computers vierkant en rechthoekig voor video.) ■ **Geheugenkaarten** Vrijwel alle digitale camera's slaan hun data op in een uitneembare geheugenkaart. Deze geheugenkaarten zijn verkrijgbaar in groottes variërend van 8MB tot 1GB. Een upgrade voor je geheugen is dus erg simpel, je schuift gewoon een nieuwe geheugenkaart in je camera. Je kunt natuurlijk ook meerdere kaarten gebruiken en ze verwisselen als ze vol zijn, net als bij gewone filmrolletjes. Geheugenkaarten heb je in verschillende merken, modellen en capaciteiten of 'groottes'. Ter info: op een 128MB kaart kunnen ongeveer 100 hoge-resolutie afbeeldingen van een 3-megapixel-camera opgeslagen worden. Dit is meer dan de meeste gebruikers ooit nodig zullen hebben, doorsnee-fotograven hebben vaak genoeg aan een 64MB kaart.

OLYMPUS

Oeps, batterijen leeg?

Het bestaat wel degelijk, een totaaloplossing met extra geheugenkaart, herlaadbare batterijen en de obligate batterijlader.

Olympus brengt met dit klassetoestel de betaalbare digitale fotografie bij de gewone man. Nu ja gewone man, eens we de technische specificaties van naderbij bekijken beseffen we dat het hier eigenlijk gaat om een semi-professionele camera aan zeer democratische prijs. We durven zelfs te stellen dat het om een communicatief toestel gaat.

De **CAMEDIA C-4000ZOOM** is gebaseerd op een CCD met 4,0 megapixels, een 3x optische zoom en een 3,5x digitale zoom. De zoom stemt overeen met een 32-320mm conventionele lens. Diverse instellingen waarvan onze inbeelding de enige beperking is: witbalans, scherpte , contrast, diafragma-keuze, macro-opname, motion Jpeg, u kunt het zo gek niet bedenken of dit toestel heeft het allemaal.

Nu uitzonderlijk uitgerust met herlaadbare batterijen, lader en een extra geheugenkaart van 32Mb. De lenskap, USB-kabel en de nodige software zitten er nog steeds standaard in. Als dit geheel voor u nog niet voldoende is, heeft Olympus voor u nog wat extra's in petto: teleconverter (verlengt de brandpuntsafstand 1,45x), groothoekconverter (verkort de brandpuntsafstand met 0,8x), macroconverter (object tot 1cm benaderen), externe flitser (richtgetal 40 voor tele). Het toestel is eveneens voorzien van een statiefaansluiting wat weer mogelijkheden biedt bij lange sluitertijden.

Bent u jaloers op uw buurman's perfecte vakantiekiekjes? Geef hem nu een koekje van eigen deeg en rust u uit met deze leuke promotie.

Specifications:
- 4 megapixels
- 1/1.8 inchCCD met 4,13 miljoen pixels
- F2.8 objectief
- 3x optische zoom / 3.5x digitale zoom
- Digitaal ESP meetsysteem
- 7 Themaprogramma's
- Scherpstelbereik: 0.2m - oneindig
- Beeldeffecten / Filmmodus / True Pic
- Ruisonderdrukking voor lange belichtingstijden
- Afmetingen (l x h x b): 110 x 76 x 70 mm.
- Gewicht: 290 gram.

FACTS & FIGURES

Systeemvereisten: Windows 98 (2nd) or higher, Mac OS 8.6 or higher
Artnr.: 824167
Partnr.: 4017386134515
Richtprijs: 739,00 EUR
Recubel: 6,00 EUR

OLYMPUS
THE VISIBLE DIFFERENCE

OPTIONS

OLYMPUS teleconverter — OLYMPUS groothoekconverter

Een stijlvol uiterlijk en grote, ergonomisch ontworpen knoppen zorgen ervoor dat u met de Coolpix 2100 en 3100 snel en eenvoudig fantastische foto's maakt. Ideaal voor beginners!

NIKON Coolpix 3100

Specifications:
Artnr.: 820106 - Partnr.: 0018208900213
(3,2 Megapixels Effectief; 3x Zoom)
Ongecompliceerd en leuk! Compact, licht en elegant, ontworpen om hoge kwaliteit te bieden. Met de COOLPIX 3100 beleef je het plezier van digitaal fotograferen!
Bestaat ook in Coolpix 2100 (2 megapixel)
Artnr.: 820105 - Partnr.: 0018208900282

BUZZWORDS

■ **CCD** Bij een digitale fotocamera is de fotografische film vervangen door een CCD (Charged Coupled Device). Dit is een chip met een groot aantal lichtgevoelige lichtsensoren. De lichtsensoren zetten het beeld om in stroompjes die bijvoorbeeld magnetisch opgeslagen kunnen worden op een diskette. ■ **Shutterspeed of sluitertijd** De sluiter is een schermpje tussen de lens en de CCD-sensor dat open gaat om licht door te laten. Sluitertijd wordt uitgedrukt in fracties van een seconde, bijvoorbeeld 1/25 voor een sluitertijd van één vijfentwintigste seconde. Voor actieopnames zijn sluitertijden van 1/500 of sneller nodig; voor nachtopnames van de sterrenhemel zijn sluitertijden van meerdere seconden nodig.■ **Opslagformaat** Je kunt de informatie die je digitale camera maakt op 2 manieren opslaan: als JPEG of als TIFF. JPEG is het 'standaard'formaat, waarmee vrijwel elke camera werkt. Het is een bestandformaat waarbij de afbeelding wordt gecomprimeerd. Comprimeren is een techniek waardoor bestanden zo veel mogelijk verkleind worden zonder al te veel kwaliteit te verliezen. MPEG is het compressieformaat van bewegende beelden.

CANON

Canon's nieuwste topmodellen in digitale video/camera

Met verbeterde prestaties, extra functies, fraaiere look en direct print functie

FACTS & FIGURES

PowerShot S50
Systeemvereisten: Win/Mac
Artnr.: 817222
Partnr.: 8399A007
Richtprijs: 913,00 EUR
Recupel: 6,00 EUR
you can Canon

FACTS & FIGURES

BubbleJet S830D
Systeemvereisten: Win/Mac
Artnr.: 803283
Partnr.: 7887A012
Richtprijs: 473,00 EUR
Recupel: 2,00 EUR
you can Canon

FACTS & FIGURES

MVX150i
Systeemvereisten: Win/Mac
Artnr.: 827449
Partnr.: 8530A009
Richtprijs: 1.443,00 EUR
Recupel: 6,00 EUR
you can Canon

FACTS & FIGURES

MV-650i
Systeemvereisten: Win/Mac
Artnr.: 817226
Partnr.: 8430A004
Richtprijs: 1.143,00 EUR
Recupel: 6,00 EUR
you can Canon

Canon lanceerde zijn nieuwe MV600-reeks, die bestaat uit vier modellen. Elk model werd uitgerust met geoptimaliseerde functies, verbeterde connectiviteit en verhoogde performantie. Bovendien introduceerden ze ook twee nieuwe, hoog performante Megapixel camcorders - de MVX100i en de MVX150i, populair dankzij hun grote, landscape LCD monitor. En last but not least, bracht Canon de nieuwe Powershot S50 op de markt, een 5 Megapixel camera die elke ervaren gebruiker onder u zal aanspreken.

De MV-600 reeks vormt een optimale combinatie van functionaliteit, verhouding prijs/kwaliteit en performantie. De koploper, de DM-MV650i, beschikt over de grootste keuze aan features. Iedereen vindt zijn gading in dit gamma, want de MV-600 reeks biedt camcorders voor beginners op het vlak van Digitale Video of camcorders, voor ervaren reizigers en voor gezinnen.

De MVX100/150 werden ontworpen voor gebruikers die hoge kwaliteit eisen. Naast de uitstekende filmkwaliteit zijn de MVX100i en MVX150i ook bijzonder doeltreffende digitale fotocamera's. Deze multifunctionaliteit wordt mogelijk gemaakt door de aparte verwerking van LSI-signalen voor films en foto's.

De hooggespecialiseerde 5 Megapixel camera, Powershot S50, voert de top van de S-reeks aan en beschikt over een 3x f/2.8-4.9 optische zoom met een brandpuntafstand van 35-105mm en veel fotografische mogelijkheden voor de professionals onder jullie.
Hij biedt u een controleniveau dat uitzonderlijk is voor elke camera en een beeldkwaliteit waarmee u probleemloos afdrukken tot A3 kan maken.

MV600/600i/650i (zie tabel pag.18)
- 1/6 inch, 800.000 pixel CCD
- MV650i realiseert XGA stilstaande beelden
- Alle modellen beschikken over tweezijdige asferische lens (combineert optisch en digitale zoom), kleuren LCD en kleuren-EVF, analoge en DV
- MV600(i) 18x optisch, 360x digitaal objectief, MV650i 22x digitaal, 440x optische zoom
- MV650i beschikt over Secure Digital (SD) en Multimedia card (MMC) slot
- MV650i kan Motion JPEG video clips opnemen en XGA stilstaande beelden afdrukken.

MVX100i/MVX150i (zie tabel pag. 19)
- 16 x optisch zoomobjectief (1/4 inch, 1.33 Megapixel CCD)
- LCD monitor van 3,5 inch in MVX150i met kleurenzoeker
- Rechtstreeks afdrukken
- Verbeterde functies voor Super Night Mode (alleen MVX150i) – Webcam DV Messenger

Powershot S50 (zie tabel pag. 22)
- 5 Megapixel camera
- 9 punts Ai-AF systeem
- 3x f/2.8-4.9 optische zoom
- Brandpuntafstand 35-105mm
- DIGIC processor
- 13 opnameprogramma's
- Filmclips + geluid opname
- Direct print functie
- 32 MB CF-kaart standaard

Bubble Jet S830D
- Print uw foto's direct vanaf uw digitale Canon camera/video of geheugenkaart met Exif Print ondersteuning
- Professionele fotokwaliteit 2.400 x 1.200 dpi, gevanceerde MicroFine Droplet Technology, 6 kleuren inktsysteem
- Separate inkttanks houden de printkosten laag
- Print een 1.200 dpi, A4 foto in ca. 2 minuten
- Print randloos
- 25 jaar lichtvast

WHY BUY?
- Direct Print-functies (aansluiting op pc, printer of video-apparatuur mogelijk)

Enkel voor MV-650i/MVX100i/MVX150i
- Niet te evenaren OPTISCHE resolutie dankzij Canon's 70 jarenlange know-how
- De camcorders kunnen ook dienst doen als webcam met behulp van DV Messenger software
- 'i' modellen beschikken over een digitale in- en uitgang
- Design en ergonomie

FUJI

Printpix: printen zonder inkt, toner of chemie!?

FACTS & FIGURES

FUJI Printpix
Website: http://home.fujifilm.com
Artnr.: 812103
Partnr.: 45179
Richtprijs: 799,00 EUR
Recupel: 2,00 EUR
FUJI

FACTS & FIGURES

FUJI Printpix papier
Website: http://home.fujifilm.com
Artnr.: 812093
Partnr.: 45180
Richtprijs: 18,59 EUR
FUJI

FACTS & FIGURES

FUJI FinePix F700
Website: http://home.fujifilm.com
Contacteer uw Digitizer reseller voor artnr., partnr. en richtprijs
Recupel: 6,00 EUR
FUJI

Gedaan met lekkende cartridges

Om de stijgende lijn in de verkoop van digitale fototoestellen te volgen, ontwikkelde Fujifilm de Printpix. Met deze printer kunnen op eenvoudige wijze foto's van digitale bestanden afgedrukt worden.

Het merk Printpix, dat de TA benaming (Thermo Autochrome) vervangt, biedt een heel gamma aan afdrukmogelijkheden voor thuis, op bureau of in een handelszaak. Bovendien kan het systeem ook gebruikt worden voor medische toepassingen, onderzoeken of voor het afdrukken van pasfoto's.

Het Printpix systeem vergt een relatief kleine investering voor een procédé dat aan de vraag van bijna alle handelaars tegemoet komt.

Enkel Printpix papier en electriciteit zijn nodig, dus geen inkt, geen toner, geen lint en geen chemie! De werkingskosten blijven dus miniem.

De Printpix is een volledig droog en proper afdruksysteem. Het speciale Printpix papier bevat gele, rode en blauwe kleurlagen, die door middel van de thermische energie van de Printpix en het UV-licht de kleuren en beelden fixeert.

Met het Printpix systeem worden foto's afgedrukt gelijkwaardig aan die van een echt fotolabo, met rijke kleurschakeringen, duidelijke contrasten en schitterende kleuren, op een puur wit glanzend papier.

Kortom de perfecte, ultra-compacte en kwalitatief sublieme printer. Wij kunnen het weten!

Viervoudige uitbreiding van het dynamisch bereik door de 4de Generatie Super CCD SR

Fujifilm kondigt met de Fujifilm FinePix F700 een digitale camera aan, die zelfs voor de meeste kwaliteitsbewuste fotografen zeer goed inzetbaar is.

Fujifilm's nieuwste Super CCD is bijzonder geschikt voor moeilijke lichtomstandigheden.

De camera is uitgerust met de nieuwste Super CCD SR chip, die is opgebouwd uit twee verschillende pixel groepen: 3,1 miljoen S-pixels voor het optekenen van de donkere beeldelementen en 3,1 miljoen R-pixels voor het optekenen van de heldere beeldelementen. Zo worden ook onder moeilijke lichtomstandigheden uitgebalanceerde en contrastrijke foto's gemaakt, waarbij zowel in de lichte als in de donkere gedeelten nog details zichtbaar zijn. In navolging van de "CIPA" (Camera and Imaging Products Association), die de classificatie van de pixel categorieën regelt, wordt de Super CCD SR ingedeeld in de categorie 6,2 Effectieve Megapixels (3,1 miljoen S-pixels + 3,1 miljoen R-pixels).

WHY BUY?
- Minimale investering, kleine werkingskosten en gemakkelijk in onderhoud
- Droog en proper systeem
- Fotolabo kwaliteitsbeelden en uitstekende houdbaarheid

■ **Schermresolutie** Een term om de kwaliteit en scherpte van het beeld uit te drukken. De resolutie geeft het aantal pixels (puntjes) op het scherm weer. Hoe hoger de resolutie, hoe meer beeldoppervlak u heeft. De standaard resolutie is nog steeds 640 x 480 (VGA), dus 640 pixels breed en 480 pixels lang. Voor moderne toepassingen is dit te weinig. Hogere resoluties zijn bijvoorbeeld 800 x 600 (SVGA) of 1024 x 768 (XGA), 1280 x 1024 (SXGA) en 1600 x 1280 (UXGA). Als u zo'n resolutie 'draait', heeft u minstens een 15 inch scherm nodig, omdat anders het detail te veel verloren gaat. ■ **Multimedia kaarten (MMC)** zijn veel kleiner: 32 bij 24 mm en maar 1,4 mm dik. Ongeveer zo groot als een postzegel dus. Ze zijn enkel verkrijgbaar in 32 en 64 MB en zijn dus trager dan CF. ■ **Secure Digital (SD)** is de opvolger van de Multimedia kaart. Ze hebben hetzelfde formaat (32 bij 24, 1,4 mm dik), maar zijn in meerdere groottes te krijgen: 16, 32, 64, 128, 256 en 512 MB. Het grote verschil is dat SD de mogelijkheid heeft om encrypted te worden, waardoor je er bijvoorbeeld betaalde MP3's op kan zetten. Ook zijn ze veel sneller dan MMC.

hp

Uw beeldverwerking… met hp haalt u alles in huis

Beelden kunnen op verschillende manieren benaderd worden: scanner, digital camera, web, e-mail, papier, projectie, cd/dvd,… hp heeft in elk van die domeinen een oplossing om beelden snel & doeltreffend te verwerken. Een totaal oplossing dus!

hp photosmart 130/230

De hp photosmart 130/230 is zo'n handige totaal oplossing. Het is een digital camera optie puur voor het afdrukken van foto's op 10x15cm fotopapier. Geen pc nodig, kaartje instoppen bv. Secure Digital en afdrukken maar. En zelfs randloos. Compact & steeds bij de hand.

FACTS & FIGURES

hp photosmart 130
Artnr.: 758433
Partnr.: C8442A#ACA
Richtprijs: 199,00 EUR
Recupel 2,00 EUR

FACTS & FIGURES

hp photosmart 230
met lcd beeldscherm
Artnr.: 780240
Partnr.: Q3000A#ACU
Richtprijs: 299,00 EUR
Recupel: 2,00 EUR

hp photosmart 7550

De hp photosmart 7550 is een echt foto-labo: tot 7 verschillende kleuren, lcd scherm om foto's te bekijken, foto's afdrukken zonder pc, randloos afdrukken op 10x15cm fotopapier, speciale 2° fotolade, front USB ingang voor directe hp digitale camera verbinding, indexprinting, kiezen afdrukformaat… en uiterst stil. Het summum die elke foto enthousiasteling nodig heeft.

FACTS & FIGURES

hp photosmart 7550
Artnr. NL:769430 - Artnr. FR: 769431
Partnr.: Q1605A
Richtprijs: 399,00 EUR
Recupel: 2,00 EUR

Vergeet uw originele hp fotopapier al niet te bestellen bij beide toestellen. U zult versteld staan met welk ongelooflijk gemak foto's worden afgedrukt. Zie verder in deze editie (pag. 14) voor de originele hp supplies mogelijkheden.

FACTS & FIGURES

hp scanjet 5500
Artnr.: 768237
Partnr.: C9929A#UUR
Richtprijs: 399,00 EUR
Recupel: 2,00 EUR

hp scanjet 5500

En ander fotowonder is de hp scanjet 5500. Waarom? Wie heeft er thuis geen oude foto's liggen van het 10x15cm formaat. Sommigen misschien zelfs in minder goede staat? Leuk om uw nieuwe foto's digitaal te hebben, maar wat doen we met die schoendozen vol oude foto's? Laten liggen? Neen toch, we digitaliseren deze gewoon. Met de hp scanjet 5500 gaat dat als vanzelf. Reden hiervoor is, dat dit toestel over een automatische foto feeder beschikt voor 10x15cm foto's. Tot 24 foto's tegelijk kunnen worden ingescant. En u kan er ook andere documenten mee inscannen want het is ook een gewone A4 scanner.

Nu met tijdelijk gratis hp iPAQ pocket PC 1915

FACTS & FIGURES

hp iPAQ MP3800
Artnr.: speciaal kitnummer
Partnr.: speciaal kitnummer
Richtprijs: 4.159,00 EUR
Recupel: 2,00 EUR

hp iPAQ mp3800

Van een heel ander kaliber is de hp digital projector MP3800. Beeldprojectie op het hoogste niveau.

- extreem laag gewicht en beperkte omvang (slechts 1,6 kg)
- support voor hoge resolutie (tot XGA)
- geïntegreerde luidspreker
- hoge lichtsterkte (1300 Lumens)
- aantrekkelijk ontwerp (silver & carbon) in tower-vorm (neemt minder plaats in)
- ogenblikkelijke installatie (automatische instellingen)

Nu een speciale promotie.
Bij elke hp iPAQ mp3800 - gekocht tussen 1 mei en 30 juni 2003 - krijgt u gratis een hp iPAQ pocket pc 1915. Deze exclusieve promotie is enkel geldig van 1 mei tem. 30 juni 2003.

WHY BUY?
- hp photo imaging & printing software bij hp photosmarts & scanners geeft een hoog gebruiksgemak door eenzelfde software te gebruiken voor verschillende toestellen.
- innoverende functies voor eenvoud in gebruik bv.: automatische fotofeeder, printer met ingebouwd lcd, speciale fotolade, …
- jaren lange ervaring in beeldverwerking
- sterk imago gekoppeld aan budget vriendelijke prijzen
- een oplossing voor elk budget

PINNACLE

De Studio MovieBox

Dé externe oplossing om je analoog en digitaal videomateriaal te bewerken en te delen

Pinnacle Studio MovieBox bestaat uit twee versies. De MovieBox USB laat je toe snel én gemakkelijk video op je PC over te brengen en met de bekroonde Studio 8 software die gratis bijgeleverd wordt, maak en creeër je je eigen videofilms. De tweede versie is MovieBox DV: een volledige oplossing die zowel analoge als digitale video op je PC importeert via de FireWire poort. Uiteraard ook geleverd met Studio 8 software.

Studio MovieBox USB

In tegenstelling tot MovieBox DV richt dit product zich op mensen zonder enige ervaring in videobewerking en een beperkte kennis van de digitale wereld. Mensen met een analoge camcorder denken er vaak niet aan om hun camera aan te sluiten op hun PC. Ook hebben zij vaak schrik van de computertechnologie. Dankzij USB en zijn ware Hot Plug & Play mogelijkheden is het aansluiten van electronisch materiaal een fluitje van een cent! Daarnaast richt de MovieBox USB zich tot mensen met meerdere PC's. Deze externe oplossing zorgt ervoor dat ze de camera op alle toestellen kan gebruiken. Ook aansluiten op een portable is super eenvoudig.

Gebruiksvriendelijkheid alom
Zonder de PC open te maken, zonder een ingewikkelde installatie. Het enige wat je moet doen is je camcorder op de MovieBox aansluiten en sluit die laatste aan op de USB poort van je PC. MovieBox levert hoge kwaliteit op de standaard USB poort, daarnaast is de MovieBox compatibel met USB2.0 voor de meest veeleisende prestaties. MovieBox USB kopieert in real time de inhoud van alle videocassettes (Hi8, VHS, SVHS, DV, enz.) op je PC. Vervolgens kopieer je je tape met één druk op de knop naar de harde schijf; integraal of gedeeltelijk. Tijdens dit proces wordt het materiaal gecompresseerd waardoor er enorm veel ruimte op je harde schijf gespaard wordt zonder kwaliteitsverlies. Vervolgens kan je de film bewerken met de gelauwerde Studio 8 software. Tenslotte heb je meerdere opslagmogelijkheden: kopieer hem terug naar je camcorder cassette of op VHS of brand hem op een CD die je op de meeste DVD spelers kan afspelen. Als je ook over een DVD brander beschikt, kan je met Studio 8 ook DVD's met professionele kwaliteit branden.

Specificaties:
Externe USB 2.0 box. Analoog In/Uit, Pinnacle Studio 8.0 incl. CD/DVD maken (VCD, SVCD,DVD), 3D, titels, slowmotion, MP3, MPEG1&2, web, incl. USB kabel en voeding

FACTS & FIGURES

Artnr. MovieBox USB NL: 825810
Partnr. MovieBox USB NL: 202261333
Artnr. MovieBox USB FR: 825811
Partnr. MovieBox USB FR: 202261332
Richtprijs: 249,00 EUR

Systeemvereisten:
MovieBox USB & DV
- Pentium II of Athlon 500MHz of hoger (1.5GHz of hoger aanbevolen)
- 128MB RAM (256MB RAM aanbevolen)
- Windows 98SE, Me, 2000 of XP (Windows XP aanbevolen)
- DirectX 8 of betere compatibele geluid en grafische kaarten
- muis
- CD-ROM
- 300MB ruimte op harde schijf

MovieBox USB
- USB 1.1 poort (USB 2.0 aanbevolen)
- 1-15MB vrije ruimte voor elke minuut captured video

Studio MovieBox DV

Dit product richt zich vooral tot gebruikers die zoeken naar een hoogstaande en geavanceerde oplossing. Hobbyisten en occassionele professionele gebruikers met een eerste ervaring in videobewerking zullen hun gading zeker vinden in dit product. MovieBox DV is ideaal voor DV Camcorder gebruikers die al videomateriaal bewerken via een FireWire poort en die nu hun mogelijkheden wensen uit te breiden. Dit product wordt immers aangesloten via een FireWire/IEEE1394 connectie en is daardoor uiterst geschikt voor bijvoorbeeld mensen die al een interne Studio oplossing of een concurrerend product gebruiken op hun desktop of portable. Ook voor ervaren camcorder gebruikers die zowel met analoge als digitale formaten werken is dit een uiterst geschikt product.

Uiterst gebruiksvriendelijk
Alle materiaal van zowel analoge als digitale videobronnen (TV kanalen, VHS cassettes, niet-beveiligde DVD's, analoge en digitale camcorders) wordt via de MovieBox DV geencodeerd in DV formaat, de garantie voor de hoogste videokwaliteit. Met de Studio 8 software mix je probleemloos DV en analoog materiaal tot één film. Eens je film bewerkt is, brand je het materiaal op CD of DVD. Echter, je vrienden zonder DVD speler blijven niet in de kou staan: je kan je materiaal ook bewaren op VHS en S-VHS. Je kan je films zelfs archiveren op miniDV cassettes.

Specificaties:
Externe FireWire box. DV In/uit en Analoog In/Uit, Pinnacle Studio 8.0 incl. CD/DVD maken (VCD, SVCD, DVD), 3D, titels, slowmotion, MP3, MPEG1&2, web. Incl DV kabel en voeding. Ook voor stand-alone conversie gebruik.

FACTS & FIGURES

Artnr. MovieBox DV NL: 825812
Partnr. MovieBox DV NL: 202261322
Artnr. MovieBox DV FR: 825813
Partnr. MovieBox DV FR: 202261321
Richtprijs: 299,00 EUR

Systeemvereisten:
MovieBox DV
- 1394/FireWire poort
- 210MB vrije ruimte voor elke minuut captured video. Harde schijf moet capabel zijn om minimaal 3.5MB per seconde te transfereren (afzonderlijke harde schijf voor video bewerking aanbevolen)

WHY BUY?
- hoogstaande oplossing met ergonomisch en esthetisch design door FA Porsche
- Hot Plug & Play
- real time
- oplossing op maat: analoog of analoog/digitaal
- gebruiksvriendelijk: externe aansluiting, geen montage in de PC

CANON Powershot S50

APPLE iPOD

APPLE iLife Box

CANON MVX 150i

CANON s820d

APPLE

Plots past alles in elkaar...

It's a wonderful digital life! Met iLife van Apple begint je digitale leven pas echt. iLife integreert Apple's bekroonde software voor digitale muziek (iTunes), digitale fotografie (iPhoto), het maken van digitale films (iMovie) en eigen dvd's (iDVD) zodanig dat ze naadloos met elkaar samenwerken. Gewoon je camera aansluiten en de Mac start automatisch één van de vier gratis meegeleverde iLife-programma's op. Just plug & play.

Alle iLife-programma's zijn zo intuïtief en gebruiksvriendelijk, dat je er meteen mee aan de slag kan. En het unieke aan iLife is wel dat alle programma's perfect met elkaar samenwerken. Zo kan je in iPhoto al je digitale foto's beheren en bewerken, de helderheid, het contrast en de scherpte aanpassen, rode ogen of krassen en vlekken verwijderen. En dankzij de integratie van iLife kan je ze met iMovie zelfs vlotjes importeren in je eigen homevideo. Je brengt ze tot leven met speciale bewegingseffecten en je voegt er je favoriete muziek uit iTunes aan toe. En het resultaat zet je met enkele muisklikken op dvd, compleet met eigen achtergronden en thema's. Je eigen dvd kan je vervolgens afspelen op vrijwel alle dvd-videospelers.

iTunes 3: meteen in de juiste stemming met je favoriete nummer
Met iTunes 3 kan je duizenden muzieknummers bewaren, beheren en omzetten in mp3-formaat. Dankzij de SoundCheck-functie in iTunes kan je eenvoudig het opnamevolume van al je nummers gelijkstellen. iTunes beschikt over intelligente afspeellijsten op basis van je eigen muziekvoorkeuren en de meest afgespeelde muzieknummers. Een cd branden is kinderspel: zodra je een afspeellijst selecteert in je bibliotheek, verandert de knop 'Blader' automatisch in de knop 'Brand cd'. Klik vervolgens op 'Brand cd', plaats een lege cd in de speler en iTunes doet de rest. Kijk ook even naar de speciale visuele effecten die in iTunes zijn ingebouwd. Een streling voor oog en oor.

iMovie 3: je eigen filmklassieker maken met jezelf in de hoofdrol
Met iMovie importeer je in een handomdraai al je digitale videobeelden. Deze worden automatisch geknipt en gecatalogeerd per opgenomen scène. Eens deze scènes op de harde schijf staan, kan je beginnen "monteren". De volgorde van de af te spelen scènes bepaal je zelf met de eenvoudige 'drag & drop' functie van iMovie. De overgangen tussen de verschillende scènes sleep je al even eenvoudig tussen de twee scènes die je op de tijdslijn terugvindt. Voorts kan je speciale effecten, titels, achtergrondgeluiden of zelfs je mooiste digitale foto's of je favoriete muzieknummers toevoegen.

iPhoto 2: je digitale leven in beeld
Met iPhoto kan je al je digitale foto's beheren, ordenen en bewaren. Rode ogen verwijderen, onder- of overbelichte foto's bijwerken, schrammen of vlekken verwijderen. Afgelopen dus met die overvolle schoendoos vol foto's. Importeer ze in iPhoto, stuur ze via e-mail naar je vrienden of plaats ze op je eigen homepage. Met hetzelfde gemak zet je ze gewoon op cd of dvd.

iDVD 3: je eigen dvd's maken was nooit zo eenvoudig
Met iDVD kan je je eigen homevideo's, digitale foto's en je lievelingsnummers eenvoudig branden op een DVD, compleet met eigen hoofdstukken, achtergronden en thema's.

Final Cut Express: professioneel monteren
En voor wie niet genoeg krijgt van digitale videobewerking, heeft Apple Final Cut Express ontworpen. Final Cut Express is gebaseerd op het met een Emmy-award bekroonde Final Cut Pro van Apple. Het staat synoniem voor professioneel monteren aan een extreem lage prijs. Of je nu digitale video's maakt in je vrije tijd, voor je werk of tijdens speciale gelegenheden, het nieuwe, veelzijdige dv-bewerkingsprogramma van Apple is je op het lijf geschreven. Final Cut Express is geoptimaliseerd voor het dv-formaat en biedt alle functies voor het monteren van fragmenten, het maken van titels en het toevoegen van effecten die je nodig hebt om professionele video's te maken. Vanaf nu ben jij de Steven Spielberg van de familie.

APPLE Final Cut Express

CANON DM-XL1S

FACTS & FIGURES

Artnr.	Partnr	Omschrijving	Adviesprijs
		iLife	
803608	M9063Z/A	iLife UK iMovie3/iPhoto2/iDVD3/iTunes3	**59,00 EUR**
803841	M9063N/A	iLife NL iMovie3/iPhoto2/iDVD3/iTunes3	**59,00 EUR**
803607	M9063F/A	iLife FR iMovie3/iPhoto2/iDVD3/iTunes3	**59,00 EUR**
		Final Cut Express	
803586	M8987Z/A	Final Cut Express UK	**399,00 EUR**
803585	M8987F/A	Final Cut Express FR	**399,00 EUR**

EPSON

EPSON, de complete oplossing voor het afdrukken van digitale foto's

EPSON is toonaangevend in inkjetafdrukken. Met het nieuwe gamma is de grens alweer verlegd. De afdrukkwaliteit is onovertroffen en voorziet hiermee volledig in de behoefte van de creatieve fotograaf. Door de enorme veelzijdigheid en flexibiliteit vormen EPSON's fotoprinters de complete oplossing voor lang houdbare fotoafdrukken om in te lijsten, naar familie en/of vrienden te sturen of in albums te bewaren.

De nieuwe EPSON Stylus Photo 830U richt zich tot de enthousiaste thuisgebruiker die grote waarde hecht aan een hoge afdrukkwaliteit en gemak in gebruik. De Stylus Photo 935 daarentegen biedt de professionele gebruiker en de ambitieuze amateurfotograaf de mogelijkheid om foto's zonder tussenkomst van een computer af te drukken. Zonder dat daarbij de geheugenkaart hoeft te worden verwisseld.

FACTS & FIGURES

Stylus Photo 935
Systeemvereisten: Win/Mac via USB-interface
Artnr.: vraag dealer
Partnr.: vraag dealer
Richtprijs: 329,00 EUR
Recupel: 2,00 EUR
EPSON

Stylus Photo 935

- Standalone afdrukken door geïntegreerde kaartsleuven voor Compact Flash (I & II), Smart Media, Memory Stick, SD, MultiMedia en MicroDrive-opslagmedia
- USB-DIRECT PRINT van foto's zonder tussenkomst van PC
- Optionele Bluetooth interface
- Resolutie van max. 5760 dpi
- Snelheid tot 8,5ppm in zwart-wit en kleur
- Directe opslag van geheugenkaarten op CD-ROM via externe USB-interfaces
- Optioneel 2,5 inch preview monitor om foto's voor het afdrukken te bekijken
- Randloze afdruk voor snelle output
- Automatische papiersnijder
- Standaard 6 kleureninktsysteem
- EPSON PIM II software voor getrouwe reproducties van digitale foto's
- Intelligente chip voor een intelligente controle van het inktverbruik
- EPSON Software PhotoQuicker 3.4 vereenvoudigt de afdruklayout en de afsluitende fotobewerking

FACTS & FIGURES

Stylus Photo 830U
Systeemvereisten: Win/Mac via USB-interface
Artnr.: 825784
Partnr.: C11C525051
Richtprijs: 160,00 EUR
Recupel: 2,00 EUR
EPSON

Stylus Photo 830U

- 2e USB-interface voor een Direct-Print-verbinding met een digitale camera
- Optimale resolutie van max. 5760dpi voor fotoafdrukken van topkwaliteit
- Randloze afdrukken
- Standaard 6 kleureninktsysteem
- Hoge afdruksnelheid: tot 14ppm in zwart/wit en tot 13,7ppm in kleur
- EPSON PIM II software voor getrouwe reproducties van digitale foto's
- 25 jaar lichtechtheid met EPSON media
- EPSON 4pl microdots voor fotoscherpe en fijne details
- Intellidge chip voor een intelligente controle van het inktverbruik
- EPSON Software PhotoQuicker 3.4 vereenvoudigt de afdruklayout en de afsluitende fotobewerking

PRINT Image Matching

Stylus Photo 900
- Randloos vanaf 10 cm tot A4
- Print op CD

Stylus Photo 915
- Randloos vanaf 10 cm tot A4

Stylus Photo 950
- Randloos vanaf 10 cm tot A4
- Print op CD
- 7 verschillende cartridges en dye based inkten

Stylus Photo 1290S
- Randloos vanaf 10 cm tot A3+

Stylus Photo 2100
- Randloos vanaf 10 cm tot A3
- 7 verschillende cartridges en UltraChrome inkten op pigmentbasis
- automatische papiersnijder

WHY BUY?
- 6 kleureninktsysteem
- Randloze afdrukken
- USB-Direct print technologie
- Lichtbestendigheid tot 25 jaar met EPSON media
- Ondersteunt PIM II voor een getrouwe weergave van digitale opnamen

BUZZWORDS

■ **Memorysticks** zijn speciaal ontwikkeld voor Sony camera's. Memorysticks zijn langwerpig, ongeveer 50 bij 21 mm en zijn 2,8 mm dik. Ze zijn verkrijgbaar in de groottes 16,32, 64 en 128 Mb. De nieuwe generatie Memory Stick Pro is verkrijgbaar in 256MB, 512MB en 1GB. xD-Picture card is de geheugenkaart van Fuji (20 x 25 mm).

PHILIPS

De Philips PXG30 familie: projectoren met high-end specificaties voor professionele presentaties.

De Philips Proscreen PXG30 boardroom projectoren vormen de top van het uitgebreide Philips projectorenassortiment. Zij zijn uiterst krachtig (2500 en 3200 ANSI lumen), en toch geruisloos. Dankzij hun talrijke aansluitingen zijn ze ultra-compatibel met alle bestaande video- en datasignalen. Deze projectoren worden bovendien geleverd met de Pronto Neo universele, programmeerbare afstandsbediening (incl. PC-link & touchscreen). Met deze afstandsbediening kan u, naast uw projector, ook alle andere A/V-apparatuur (ook de niet-Philips toestellen) bedienen.

Proscreen PXG30

- XGA projector
- Lichtsterkte: 2500 ANSI Lumen
- Optimale resolutie: 1024x768
- Weergave tot en met SXGA (1280x1024)
- Lamp: 250W UHP, gemiddelde levensduur tot 1000 uur
- Contrast: 700:1
- Geluidsniveau: <31 dBA
- 3D geluidsreductie, 3D Y/C separatie, 3D 'color uniformity correction', user selectable data in/output
- Digitale keystone correctie
- Met universele Pronto Neo IR afstandsbediening
- Gewicht: 7,9 kg
- Garantie: 3 jaar waarvan 1ste jaar on-site

FACTS & FIGURES

Artnr.: 816813 - Partnr.: LC1341
Richtprijs: 6048,79 EUR
Recupel: 6,00 EUR

PHILIPS

Proscreen PXG30 Impact

- XGA projector
- Lichtsterkte: 3200 ANSI Lumen
- Optimale resolutie: 1024x768
- Weergave tot en met SXGA (1280x1024)
- Lamp: 250W UHP, gemiddelde levensduur tot 1000 uur
- Contrast: 800:1
- Geluidsniveau: <31 dBA
- 3D geluidsreductie, 3D Y/C separatie, 3D 'color uniformity correction', user selectable data in/output
- Digitale keystone correctie
- Met universele Pronto Neo IR afstandsbediening
- Gewicht: 7,9 kg
- Garantie: 3 jaar waarvan 1ste jaar on-site

FACTS & FIGURES

Artnr.: 816814 - Partnr.: LC1345
Richtprijs: 7016,79 EUR
Recupel: 6,00 EUR

PHILIPS

Voor meer specificaties zie tabellen op pagina 30

WHY BUY?
- 2500 of 3200 ANSI lumen (PXG30/PXG30impact)
- Gemotoriseerde lens shift, zoom en focus
- Inputs: 3x Data (VGA DSub), 3x video (composite, S-video, component)
- RS232 sturing
- Pronto Neo afstandsbediening

PHILIPS

Als we zeggen stil, dan bedoelen we echt stil!

De Philips bSure familie; uw stille troef voor schitterende presentaties. Blink uit in beeldkwaliteit en niet in storende geluiden.

De bSure LCD projectoren garanderen u niet alleen een perfecte beeldkwaliteit en een hoge lichtopbrengst. Zij beschikken over een lamp met een uitzonderlijk lange levensduur en zijn eenvoudig in gebruik. U neemt deze compacte projectoren zonder zorgen overal mee naartoe, want met hun robuuste design kunnen ze tegen een stootje. Bovendien zijn deze toestellen beveiligd met de unieke Security Max software en hebben ze een aansluiting voor een Kensington slot. Of verkiest u projecties vanop een vaste locatie? Dan biedt een ceiling mount de oplossing.

bSure SV2

- SVGA projector
- Lichtsterkte: 1500 ANSI Lumen
- Optimale resolutie: 800x600
- Lamp: 132W, gemiddelde levensduur tot 6000 uur
- Contrast: 300:1
- Geluidsniveau: slechts 27dBA
- Digitale keystone correctie
- Gewicht: 3,7 kg
- Garantie: 3 jaar waarvan 1ste jaar on-site

FACTS & FIGURES

Artnr.: 816815 - Partnr.: LC3132
Richtprijs: 2418,79 EUR
Recupel: 6,00 EUR

PHILIPS

bSure XG2

- XGA projector
- Lichtsterkte: 1500 ANSI Lumen
- Optimale resolutie: 1024x768
- Lamp: 150W, gemiddelde levensduur tot 3000 uur
- Contrast: 300:1
- Geluidsniveau: slechts 29dBA
- Digitale keystone correctie
- Gewicht: 3,7 kg
- Garantie: 3 jaar waarvan 1ste jaar on-site

FACTS & FIGURES

Artnr.: 811692 - Partnr.: LC3142
Richtprijs: 3206,50 EUR
Recupel: 6,00 EUR

PHILIPS

bSure SV1 Impact

- SVGA projector
- Lichtsterkte: 1800 ANSI Lumen
- Optimale resolutie: 800x600
- Lamp: 150W, gemiddelde levensduur tot 3000 uur
- Contrast: 300:1
- Geluidsniveau: slechts 29dBA
- Digitale keystone correctie
- Gewicht: 3,7 kg
- Garantie: 3 jaar waarvan 1ste jaar on-site

FACTS & FIGURES

Artnr.: 811692 - Partnr.: LC3135
Richtprijs: 3023,79 EUR
Recupel: 6,00 EUR

PHILIPS

Vanaf juni nieuwe modellen beschikbaar!
- **bSure XG2 Brilliance - LC3146,**
- **bSure SV2 Brilliance – LC3136.**

Voor meer specificaties zie tabellen op pagina 28 + 29

WHY BUY?
- Ideale prijs/kwaliteitsverhouding
- Uiterst stille projector
- Heel hoge levensduur van de lamp
- Compact design

SONY

De Sony VPL-CS5 en VPL-CX5 zijn eenvoudig in gebruik, helder en licht

FACTS & FIGURES

VPL-CX5
Artnr.: 763843 - Partnr.: VPL-CX5
Richtprijs: 3865,00 EUR
Recupel: 6,00 EUR

SONY

FACTS & FIGURES

VPL-CS5
Artnr.: 763842 - Partnr.: VPL-CS5
Richtprijs: 2170,00 EUR
Recupel: 6,00 EUR

SONY

Eenvoudig in gebruik:
dankzij de intelligente Auto Setup worden projectiehoekcorrectie, trapeziumcorrectie en bronselectie automatisch ingesteld.
Helder:
met een lichtopbrengst tot 2000 Ansi lumen kan u scherpe, heldere beelden projecteren in de lichtste ruimtes.
Licht:
met een gewicht van slechts 2.7kg zijn deze compacte Sony projectoren eenvoudig te vervoeren van de ene naar de andere kantoorruimte of naar een externe locatie.

WHY BUY?
- Compact
- Eenvoudig in gebruik
- Helder

VPL-CX5

- Memory Stick projector voor presentaties zonder PC
- 2000 ANSI lumen
- Intelligente Auto Setup
- XGA- resolutie
- 2.7kg
- Bijgeleverde draagtas

VPL-CS5

- Compacte projector op instapniveau
- 1800 ANSI lumen
- Intelligente Auto Setup
- SVGA- resolutie
- 2.7kg
- Bijgeleverde draagtas

■ **Ceiling mount** accessoire dat aan het plafond wordt bevestigd. Op die ceiling mount kan dan een projector geplaatst worden die vanaf het plafond projecteert. In sommige gevallen kan de projector ook onder de ceiling mount worden bevestigd. ■ **PIP** Picture in picture. Op het scherm kunnen tegelijk twee beelden worden weergegeven. Dit is vooral het geval bij monitoren en plasma's met TV-tuner, waarbij de gebruiker bijvoorbeeld de normale computerapplicatie bekijkt en tegelijkertijd in een kleiner kader op het scherm een televisiebeeld bekijkt.

NEC

No Miracle - just performance!

De nieuwe VT-serie lichtgewicht projectoren.

Deze nieuwe VT460, VT560 en VT660 zijn nog beter dan hun VT voorgangers. U wenst een kwalitatieve projector voor presentaties in leslokalen, vergaderruimtes of bij u thuis? De Nec VT- projector biedt dé oplossing dankzij een compact design met een hoge lichtopbrengst en een hoge gebruiksvriendelijkheid. Met het handige handvat kan je deze lichte projectoren bovendien gemakkelijk verplaatsen. Dankzij de Nec ECO modus, worden de gebruikskosten en het energieverbruik tot een minimum beperkt. Bovendien herkent de projector automatisch schuine verticale projectieranden en zorgt hij voor visuele correctie. Een Kensington slot zorgt voor anti-diefstal beveiliging. Er is een ceiling mount beschikbaar voor permanente installaties.

VT 460

- SVGA projector
- Lichtsterkte: 1500 ANSI Lumen
- Optimale resolutie: 800x600
- Kan resoluties weergeven tot 1600x1200 (UXGA) dankzij Advanced Accublend
- Lamp: 200W NSH lamp, levensduur tot 3000 uur
- Contrast: 400:1
- Digitale zoom tot 400%
- Automatische verticale keystone correctie tot 30°
- Geluidsniveau: < dan 32dBA
- Gewicht: 2,9 kg
- 3 jaar garantie on site, 6 maanden garantie op de lamp

VT 560

- XGA projector
- Lichtsterkte: 1300 ANSI Lumen
- Optimale resolutie: 1024x768
- Kan resoluties weergeven tot 1600x1200 (UXGA) dankzij Advanced Accublend
- Lamp: 200W NSH lamp, levensduur tot 3000 uur
- Contrast: 400:1
- Digitale zoom tot 400%
- Automatische verticale keystone correctie tot 30°
- Geluidsniveau: < dan 32dBA
- Gewicht: 2,9 kg
- 3 jaar garantie on site, 6 maanden garantie op de lamp

VT 660

- XGA projector
- Lichtsterkte: 1700 ANSI Lumen
- Optimale resolutie: 1024x768
- Kan resoluties weergeven tot 1600x1200 (UXGA) dankzij Advanced Accublend
- Lamp: 200W NSH lamp, levensduur tot 3000 uur
- Contrast: 400:1
- Digitale zoom tot 400%
- Automatische verticale keystone correctie tot 30°
- Geluidsniveau: < dan 32dBA
- Gewicht: 2,9 kg
- 3 jaar garantie on site, 6 maanden garantie op de lamp

FACTS & FIGURES

VT 460
Artnr.: 809758 - Partnr.: 50022670
Richtprijs: 2452,67 EUR
Recupel: 6,00 EUR

VT 560
Artnr.: 809792 - Partnr.: 50022922
Richtprijs: 3344,44 EUR
Recupel: 6,00 EUR

VT 660
Artnr.: 809793 - Partnr.: 50022672
Richtprijs: 3956,70 EUR
Recupel: 6,00 EUR

NEC

WHY BUY?
- 3 jaar on-site garantie en 6-maand op de lamp
- "Eco-Mode" functie verlengt de levensduur van de lamp en vermindert het energieverbruik en het werkingsgeluid

■ **Trapziumcorrectie** Tijdens een presentatie wordt een beamer vaak op een tafel gezet met de stelpootjes uit, zodat de beamer schuin naar boven projecteert. Hierdoor komt het beeld schuin vervormd op het scherm. Dat noemt men keystone effect (trapezium- of 'emmer'effect). De mogelijkheid om het schuin geprojecteerde beeld recht te zetten wordt trapeziumcorrectie genoemd.

HP SUPPLIES

Wegwijs in de jungle van het fotopapier

Hoe het juiste papier kiezen?
- Bepalen hoe de geprinte media gebruikt zal worden.
- Identificeren welk hp papier past bij het project.
- Bevestigen of het papier compatibel is met de gebruikte printer.
- Voorstellen van ander hp papier dat het project kan verruimen.

overzicht hp fotopapier

HP PREMIUM PLUS PHOTO PAPER, GLOSSY

Specs
- grammage: 240g/m²
- witheid: 102
- helderheid: 89
- Duisternis: 95

Kenmerken
A4:
- Uitzonderlijk bestand tegen het verbleken- blijft langer mooi dan traditioneel ontwikkelde foto's
- Speciale coating laag die het kleven moet tegengaan

A4 en 10x15:
- Zelfde gewicht als professioneel foto papier
- Glad, premium high-gloss afwerking
- Éénzijdig printen
- Hoogstaande kleur en realistische weergave van de tonen van de huidskleur
- Swellable coating

10x15 is voorgesneden met zachte randen en geperforeerd afscheurstrookje voor gemakkelijk gebruik

Boodschap
A4:
- Gaat vervaging tegen voor generaties lang met het nieuwe hp 6 en 7 inkt printing systeem.

A4 en 10x15:
- Voor de look en feel van professioneel geprinte foto's is hp premium plus glossy het beste all-round papier van hp. Levert vibrerende kleuren en glanzend zwart voor foto's die in het oog springen.

Applicatie
- Ideaal voor hoge resolutie digitale fotografie, herdrukken en vergroting.
- Album prints.
- Business foto's.

FACTS & FIGURES

Artnr: 425231 - Partnr: c6832a - A4 (20shts)
Artnr: 723408 - Partnr: q1786a – A4 (50shts)
Artnr: 780349 - Partnr: q1979a – 10x15 (20shts)
Artnr: 780361 - Partnr: q1980a – 10x15 (60shts)

HP PREMIUM PHOTO PAPER, GLOSSY

Specs
- c6040a/c7040a/c6059a: grammage 230g/m²
- q1991a/q1992a: grammage 240g/m²
- witheid: 103
- helderheid: 88
- duisternis: 94

Kenmerken
- Goed bestand tegen het verbleken – blijft even lang mooi als traditioneel ontwikkelde foto's
- Traditioneel glossy afwerking
- Eenzijdig geprint
- Hoogstaande kleur en realistische weergave van de tonen van de huidskleur
- Swellable coating

Boodschap
Lichtjes dunner dan het hp premium plus papier. Hp premium papier levert verbluffende beeldkwaliteit voor minder dan de kost van traditionele foto afwerking.

Applicatie
- 10x15: digitale foto herdrukken en foto's om te delen.
- A4: Medium en high resolution beelden van scanners en digitale camera's.
- A3: Foto's, posters, reclame materiaal, grafics, print proeven.

FACTS & FIGURES

Artnr: 249859 - Partnr: c6040a – A4 (15 shts)
Artnr: 613751 - Partnr: c7040a – A4 (50 shts)
Artnr: 287562 - Partnr: c6059a – A3 (20 shts)
Artnr: 780363 - Partnr: q1991a – 10x15 (20 shts)
Artnr: 780365 - Partnr: q1992a – 10x15 (60 shts)

WHY BUY?
- Gouden driehoek
- Ruime keuze: voor ieder project een passende papiersoort
- Garantie op de produkten
- Marketshare and market image of hp
- Pereniteit van het gamma, binnen 20 jaar verzorgt HP nog altijd het gamma.

HP PREMIUM PLUS PHOTO PAPER, MATT

Specs
- grammage: 240g/m²
- witheid: 102
- helderheid: 89
- Duisternis: 95

Kenmerken
- Uitzonderlijk bestand tegen het verbleken- blijft langer mooi dan traditioneel ontwikkelde foto's
- Speciale coating laag die het kleven moet tegengaan
- Zelfde gewicht als professioneel foto papier
- Glad, premium high-gloss afwerking
- Éénzijdig printen
- Hoogstaande kleur en realistische weergave van de tonen van de huidskleur
- Swellable coating

Boodschap
Ontworpen om dezelfde hoogstaande kwaliteit te bieden als de glossy tegenhanger. De hp premium plus photo paper matt is voor klanten die een professioneel papier willen met een subtielere afwerking.

Applicatie
- Ideaal voor hoge resolutie digitale fotografie, herdrukken en vergroting.
- Album prints.
- Business foto's.

FACTS & FIGURES

Artnr: 425233 - Partnr: c6951a – A4 (20shts)

HP PHOTO PAPER, GLOSSY

Specs
- grammage 175g/m²
- witheid: 109
- helderheid: 86
- Duisternis: 96

Kenmerken
- Glossy, instant dry afwerking
- Eenzijdig geprint
- Entry level, lage kost foto printing
- Paper base
- Poreuze coating

Boodschap
Het hp foto papier is ietsjes zwaarder dan het photo quality papier voor een zwaardere gewaarwording.

Applicatie
- Ideaal voor digitale foto's en herdrukken
- Kalenders
- School rapporten
- Plakboeken

FACTS & FIGURES

Artnr: 167827 - Partnr: c1847a – A4 (20 shts)
Artnr: 763788 - Partnr: c7897a – A4 (50 shts)
Artnr: 642981 - Partnr: c7891a – 10x15 (20 shts)
Artnr: 642977 - Partnr: c7894a – 10x15 (60 shts)

HP PHOTO QUALITY PAPER, SEMI-GLOSSY

Specs
- Grammage: 160g/m²
- Witheid: 110
- Helderheid: 89
- Duisternis: 98

Kenmerken
- Semi-gloss afwerking
- Snel drogend
- Tweezijdig printen
- Paper base
- Poreuze coating

Boodschap
Dit papier is dikker en hiermee speciaal ontworpen voor colorrich foto printing voor goede beeldkwaliteit en schitterende kleuren. Alternatief voor het printen van foto's op gewoon papier.

Applicatie
- Gewone alledaagse foto's van huis, school en werk.
- Printen en delen van foto's van e-mail en internet.

FACTS & FIGURES

Artnr: 491253 - Partnr.: c6984a – A4 (25shts)

VOOR RICHTPRIJZEN CHECK MET UW DEALER

SONY

Micro Vault

Niet groter dan een autosleutel combineert de Micro Vault hoge snelheid met een hoge prestatie en dit allemaal in een stijlvol kleedje. Onmiddellijk aansluitbaar op de USB poort van uw pc. De nieuwe high-end Micro Vault, met een capaciteit van 256MB levert dezelfde capaciteit op als 180 floppy disks en dit allemaal in een draagbaar toestelletje dat perfect in een broekzak past.

Specificaties:
- Micro Vault 256MB USB 2.0

FACTS & FIGURES

Sony Micro Vault
Artnr.: 786681
Partnr.: USM256A
Richtprijs: 225,00 EUR

MAXELL

X-Drive

Ideaal voor de opslag van uw digitale foto's en andere gegevens…
Maxell heeft onlangs de Maxdrive op de markt gebracht. Je sluit hem gewoon op de USB-aansluiting van je computer aan en zodoende beschik je over een harde schijf die zo klein is dat je hem in je zak kunt stoppen, een schijf met een capaciteit die van 32 tot 256 megabyte kan gaan (wat overeenkomt met 22 tot 180 diskettes!). Geen voedingsbatterijen, geen mechanische delen, geen interface die je met veel moeite installeert, evenmin trouwens als onoverzichtelijke software. Alles werkt meteen en perfect! Eindelijk een pientere en makkelijke manier om bestanden en gegevens van de ene computer naar de andere over te brengen. En zonder gepruts! Een belangrijk voordeel dat de behoeften van de consument tegemoet treedt.

FACTS & FIGURES

X-Drive 256MB
Artnr.: 791325
Partnr.: 905635
Richtprijs: 255,00 EUR

WHY BUY?
- Hoge capaciteit
- Klein formaat
- Plug and play
- Trendy and easy to use

MICROSOFT

Picture It!

Digitale beeldvorming krijgt een nieuw gezicht.

Picture It! Photo Premium v.7.0
Iedereen kan voortaan zijn creativiteit botvieren, met fotoprojecten zoals fotobriefkaarten, fotoalbums op het Web of kalenders. Met Picture It! Photo kunnen zelfs beginners vanaf dag één creatief aan de slag met hun zelfgemaakte foto's, die ze ook probleemloos leren corrigeren. Met wat hulp van de ingebouwde wizards en instructievideo's ben je meteen vertrokken.

Picture It! Digital Image Pro
De gebruiker beschikt over krachtige digitale beeldvormingstools en zet zonder problemen een professioneel ogend resultaat neer. Met behulp van de handige sjablonen creëert hij werkelijk alles: briefhoofden voor bedrijven, adreskaartjes, tijdschriftencovers en nog veel meer.

FACTS & FIGURES

Systeemvereisten:
Microsoft Windows 98, Me, 2000 of XP

Photo Premium (NL)
Artnr.: 760671
Partnr.: E12-00075
Richtprijs : 49,99 EUR

Digital Image Pro (UK)
Artnr 760467
Partnr.: L68-00003
Richtprijs : 89,99 EUR

WHY BUY?
- Krachtige digitale beeldvormingstools
- Verbeterd gebruiksgemak
- Met Photo Templates en Projects ga je creatief aan de slag als een echte prof
- Ondersteuning Adobe Photoshop Plug-in Filters
- Compatibel met de meeste digitale camera's, scanners, printers en opslagdevices, JPG, MIX, PNG, TIF, BMP, GIF, FPX en talloze andere bestandsindelingen voor beelden

EPSON - MAXELL

Rechtstreeks printen op CD-R met EPSON Stylus 900

Specificaties:
- Snelheid: tot 9ppm in zwart/wit, tot 8,8ppm in kleur, tot 1,8ppm voor tekst en foto
- Resolutie: 5760 x 720 geoptimaliseerde dpi
- Compatibiliteit: Win 9x/ME/2000/XP en MacOS 8.1, Mac OS X 10.1 of hoger
- Interfaces: USB 1.1, bi-di parallelle I/F
- Opties: 10/100 Base-TX externe printserver of EpsonNet 802.11B draadloze externe printserver
- Papierrolhouder en CD-R/DVD houder standaard
- Garantie: 1 jaar carry-in

Stapsgewijze instructies voor afdrukken op CD's
- Plaats de te bedrukken cd met een diameter van 8 cm of 12 cm in de CD-rom-houder aan de voorzijde van de printer
- Selecteer de gewenste afbeelding met behulp van de EPSON Print CD-software
- Voeg tekst of foto's toe om het CD-ontwerp te voltooien en de CD te bedrukken

FACTS & FIGURES

Stylus Photo 900 + 10 CDR's MAXELL
Systeemvereisten: Win/Mac
Artnr.: 812204
(tot einde voorraad met CDR's incl.)
Partnr.: C11C501041
Richtprijs 275,00 EUR
Recupel: 6,00 EUR

WHY BUY?
- Randloze afdrukken op rol, papier en CD-R/DVD
- Media tot 1,3mm dikte mogelijk
- Resolutie tot 5760 dpi

LOGITECH

Uw toegang tot uw Digitale wereld

Pocket digital: deel de pret!
Ultracompact, zodat u geen moment meer hoeft te missen
- Intern geheugen: 16MB
- 52 afbeeldingen, 1,3 megapixels
- USB aansluiting

FACTS & FIGURES

Artnr 743771
Partnr.: 961234-0914
Richtprijs : 99,95 EUR

Cordless Presenter
Het perfecte presentatiegereedschap met Bluetooth.
- De krachtige draadloze controller voor presentaties die ervoor zorgt dat u zich op uw publiek concentreert en niet op uw computer

FACTS & FIGURES

Artnr 726903
Partnr.:966167-0914
Richtprijs : 249,95 EUR

WHY BUY?
- Compact creditcardformaat, met lithiumpolymeerbattterij
- Gestroomlijnd en zeer stijlvolle aluminium omslag past in elke zak
- Verander van modus en uw Presenter transformeert in een accurate draadloze optisch muis
- Ingebouwde laser-aanwijzer
- Draadloze Bluetooth-technologie

SAMSUNG

DigitAll expansion!

De nieuwe professionele plasma schermen maken een grote indruk met 'Digital Natural Image Engine'.

De nieuwe plasma's werden speciaal ontwikkeld voor elke toepassing. De 63", 50" en 42" zijn uitgerust met pivot- en videowall functies om dynamische, ultragrote schermoppervlaktes te kunnen bekomen. Samsung's unieke DNIE technologie garandeert hoogstaande, levensechte digitale beelden. Met een laag energieverbruik, een stille werking en een uitgebreide levensduur bieden de Samsung plasma's de juiste keuze voor al uw professionele toepassingen.

PPM-42 S3

- 106cm screen diagonal
- contrast: 1500:1
- brightness: 800 cd/m²
- native resolution: 852x480
- compressed: 1024x768
- superslank design: slechts 79mm diep
- Fanless operation
- Pivot function
- video-wall ready
- multi-display control via RS232C in/out
- multiple B2B connection incl. DVI
- Built-in sound amplifier (2x10 W RMS)
- PIP, double, and multi-sreen
- On/off timer
- Key lock incl. power control

FACTS & FIGURES

Artnr.: new - Partnr.: PPM-42 S3
Richtprijs: new
Recupel: 11,00 EUR

PPM-50 H3

- 127cm screen diagonal
- Contrast: 1000:1
- Brightness: 800 cd/m²
- Native resolution: 1366x768
- superslank design: slechts 79mm diep
- Fanless operation
- Pivot function
- Video-wall ready
- Multi-display control via RS232C in/out
- Multiple B2B connection incl. DVI
- Built-in sound amplifier (2x10 W RMS)
- PIP, double and multi-sreen
- On/off timer
- Key lock incl. power control

FACTS & FIGURES

Artnr.: new - Partnr.: PPM-50 H3
Richtprijs: new
Recupel: 11,00 EUR

PPM-63 H3

- 160cm screen diagonal
- Contrast: 1200:1
- Brightness: 700 cd/m²
- Native resolution: 1366x768
- superslank design: slechts 79mm diep
- Fanless operation
- Pivot function
- video-wall ready
- multi-display control via RS232C in/out
- multiple B2B connection incl. DVI
- Built-in sound amplifier (2x10 W RMS)
- PIP, double and multi-sreen
- On/off timer
- Key lock incl. power control

FACTS & FIGURES

Artnr.: new - Partnr.: PPM-63 H3
Richtprijs: new
Recupel: 11,00 EUR

WHY BUY?
- de ideale plasma voor single,double of multi-screen toepassingen
- unieke DNIE technologie voor perfecte visuele reproductie
- stijlvol, slank design
- een uitgebreid pakket accesoires: speakers (die op de plasma kunnen geklikt worden of op speaker stands kunnen geplaatst worden), wall mount, ceiling mount

KENSINGTON

Hier waakt Kensington!

Dé oplossing voor Desktops PC's, notebooks, Projectoren en schermen
Slim Microsaver: Sterkste slot en kabel
Nieuw dunner slot past op de meeste smalle notebooks, projectors, TFT monitors, CPU's, scanners,…
Twin Microsaver: Vergrendel twee computerapparaten (Notebook, projector, TFT-monitor,…)
Combosaver:
Variant op de originele Microsaver met combinatieslot

FACTS & FIGURES

Slim Microsaver
Artnr.: 678935 - Partnr.: 64020
Richtprijs: 66,59 EUR

Twin Microsaver
Artnr.: 726917 - Partnr.: 64025
Richtprijs: 84,79 EUR

Combosaver
Artnr.: 614877 - Partnr.: 64050
Richtprijs: 44,89 EUR

WHY BUY?
- Goede beveiliging van uw kostbare computerapparatuur en vertrouwelijke data is essentieel vandaag de dag
- Kensington is wereldwijd marktleider op het gebied van fysieke en visuele computer beveiliging
- De kwaliteit en veiligheidsgraad van onze Kensington MicroSaver beveiligingsproducten is ongeevenaard

BELKIN

Belkin roept vakantieherinneringen op…

Met de innovatieve producten van belkin kan u uw vakantiebeelden verwerken op uw pc en dit allemaal op een zeer gebruiksvriendelijke manier.

HI-Speed USB 2.0 DVD creator
- Opnemen van videocamera, webcam, videorecorder of andere analoge videobronnen met uw PC beelden.
- Maak uw eigen dvd's voor thuisbioscoop of computer
- Met ondersteuning voor CD- en DVD-branders
- Geschikt voor apparaten met composiet of S-Video aansluiting, NTSC, PAL en SECAM
- Met Ulead VideoStudio 6.0 SE DVD-software
- Meer kenmerken: www.belkin.com

FACTS & FIGURES

HI-Speed USB 2.0 DVD creator
Artnr.: 678935
Partnr.: F5U228DF
Richtprijs: 139,00 EUR

HI-Speed USB 2.0 Upgrade Kit
Alles-in-één uitbreiding voor uw computer
Inhoud: Hi-speed USB 2.0 2-poorts PCI-kaart, Hi-Speed USB 2.0 4-poorts hub, Hi-Speed USB 2.0 Gold USB aansluitkabel 1.8m

USB-Flashdrive
Voor snel opslaan van documenten, muziek hoge resolutie-foto's en bestanden. Opslaan en verplaatsen van data is nu gemakkelijker dan ooit! Ideaal voor het opslaan van presentaties, gedownloade muziek, video's, hoge resolutie-foto's en alle andere bestanden op te slaan en mee te nemen. Beschikbaar in 64MB, 128MB, 256MB en 512MB. Inhoud verpakking: USB-Flashdrive, Halsband, Cd met software, handleiding en stuurprogramma's, USB verlengkabel
USB 8-in-1 Media Reader & Writer
- Bestanden overdragen met snelheden tot
- Met speciaal slot voor CompactFlash I, II, SmartMedia, Secure Digital, Multi-MediaCard, IBM Microdrive, Memory Stick en MagicGate Memory Stick
- Met gratis sofware

FACTS & FIGURES

HI-Speed USB 2.0 Upgrade Kit
Artnr.: 764008
Partnr.: F5U900DF
Richtprijs: 85,00 EUR

WHY BUY?
- Totaal oplossing voor al uw videobewerkingsproblemen
- Gebruiksvriendelijk
- Bruikbaar voor verschillende IT producten

FACTS & FIGURES

USB-Flashdrive - 64, 128, 256, 526 MB
Voor prijzen contacteer uw dealer

USB 8-in-1 Media Reader & Writer
Artnr.: 796964
Partnr.: PN F5U148DF
Richtprijs: 59,00 EUR

WACOM

Home Photo Studio Collection 2

Het ultieme gereedschap voor digital imaging

Graphire² pen en muis set
Met de drukgevoelige pen kunt u uw foto's snel, gemakkelijk en met plezier bewerken!

plus Adobe Photoshop Elements
Toegankelijke geavanceerde beeldbewerkingssoftware

plus penPallete LE
digitale filtereffecten voor toepassing met de Graphire² pen

plus procreate Painter Classic
het schilderprogramma voor stiften, structuren en kleuren

plus TETENAL spectrajet photopaper
kwaliteitsfotopapier om uw bewerkte foto's af te drukken

Specifications:
The Graphire2 Pen:
- Weight: 11g
- Technology: Cordless, battery-free, pressure sensitive
- Switches: Two programmable side switches and eraser

The Graphire2 Mouse:
- Weight: approx. 90g
- Technology: Cordless, battery-free, ball free, 3 buttons
- Scroll Wheel: With IntelliMouse-Function

The Graphire2 Tablet:
- Active Area (approx. A6): 127.6 x 92.8 mm
- Physical size: 216.1 x 218 x 26.3 mm (incl. pen stand)
- Weight: 426 g
- Resolution: 1000 dpi, 39.4 lpmm
- Interface: USB only

FACTS & FIGURES

Systeemvereisten:
- Mac: iMac of PowerMac, met CD-ROM en aktieve USB poort. MacOS 8.51, MacOS 10.1 of hoger.
- PC: PC met Windows 95/98/ME/NT/2000 or XP, aktieve USB poort en CD-ROM

Artnr.: 783904
Partnr.: ET-0405A2
Richtprijs: 154,99 EUR

WHY BUY?
- snel en gemakkelijk bewerken van foto's
- creëer zelf effecten met de bijgeleverde software
- druk uw foto's af op het meegeleverd kwaliteitsfotopapier

WACOM

Waarom heeft u een WACOM Intuos2 Tablet nodig?

Meer mogelijkheden, meer creativiteit en meer vrijheid!

Met een WACOM Intuos2 zijn uw projecten sneller klaar!
- geeft uw productiviteit een BOOST!
- werken met WACOM Intuos bespaart geld omdat u met een pen sneller en intuïtiever werkt in vergelijking tot een muis.
- uit onderzoek is gebleken dat 86% van de WACOM gebruikers sneller werken met de pen.

Als "PIXELS" tot uw dagelijks werk behoren heb je een WACOM Intuos2 nodig!
- Alleen met een pen kunt u écht aanwijzen en écht tekenen!
- Alleen met een pen kunt u druk uitoefenen: door harder te drukken op de WACOM pen "vloeit" er meer inkt of een dikkere lijn uit uw pen op het scherm. Onmogelijk met een gewone muis!
- Alleen met een pen kunt u echt "Photoshoppen"; er zijn meerdere softwarepakketten waar een WACOM Intuos2 tablet onmisbaar is, maar Adobe Photoshop is het meest sprekende voorbeeld. Binnen Photoshop krijgt u 20 extra drukgevoelige gereedschappen door gebruik van het WACOM tablet.

Haal het hoogst haalbare uit Adobe Photoshop met een WACOM tablet!
- Binnen Adobe Photoshop 7 heeft u de beschikking over de gloednieuwe "brush engine". Alleen in combinatie met een WACOM Intuos tablet komt deze prachtige brush engine écht tot zijn recht.
- Met WACOM Itntuos voegt u een nieuwe dimensie toe aan tekenen. Voor het eerst is het ook mogelijk om de pen te kantelen waardoor nieuwe, spectaculaire effecten ontstaan.

Een WACOM Intuos2 tablet met pen zorgt goed voor uw "gouden handen"
U heeft maar twee handen. Geen enkele creatieve gebruiker kan zich een "muisarm" veroorloven: door muis en pen af te wisselen en voornamelijk met de pen te werken, verlaagt u de kans op RSI of "muisarm" aanzienlijk.

Specifications:
WACOM Intuos2 Tablet A4 2540lpi +Pen +4D Mouse DTP configuration Multilingual Mac/Win USB version

(andere formaten dan A4 zijn eveneens verkrijgbaar)

FACTS & FIGURES

Systeemvereisten:
- Mac:iMac of PowerMac, met CD-ROM en aktieve USB poort. MacOS 8.51, MacOS 10.1 of hoger.
- PC:PC met Windows 95/98/ME/NT/2000 or XP, aktieve USB poort en CD-ROM

Artnr.: 684576
Partnr.: XD-1212U-D
Richtprijs: 719,95 EUR

WHY BUY?
- Sneller en creatiever werken
- Drukgevoelige gereedschappen ondersteund in o.a.Photoshop
- Voorkomt RSI (repetitive Strain Injury of "muisarm")
- Geen batterijen in pen en muis
- 2 jaar garantie

DIG THIS!

Thomas Herbrich is een van de beste professionele fotografen in Europa. Hij gebruikt de Intuos A4 van WACOM voor zijn schitterende foto composities. Met de Intuos pen heeft Herbrich het gebruiksgemak van de gereedschappen die een professional nodig heeft. "mijn afbeeldingen 'spreken' door de perfecte combinatie van verschillende elementen." Meer info op: www.herbrich.com.

OVERVIEW

CANON

MODEL	MV-650i/MV-600(i)
PRICE EUR	693,00 EUR (DM-MV600) 792,99 EUR (DM-MV600i) 1143,00 EUR (DM-MV650i)
RECUPEL	6,00 EUR
PARTNR.	8433A003 (DM-MV600); 8432A004 (DM-MV600i); 8430A004 (DM-MV650i)
ARTNR.	817224 (DM-MV600); 817225 (DM-MV600i); 817226 (DM-MV650i)
IMAGE SIZE	Mini DV
CCD (PIXELS GROSS)	800k
LCD MONITOR	2,5" LCD
OPTICAL/DIGITAL ZOOM	22xo/440xd / 18xo/360xd
MEMORY MODE	MMC/SD (MV650i)
PHOTO MODE	Progressive Photo (MV650i)
STEADY SHOT	SXGA/VGA (MV650i)
AUDIO	16/12 bit
SPECIAL FEATURES	Analogue digital converter, super night mode, direct print capability
INTERFACE	USB/Firewire (Mv600i no USB)
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.canon.be
PACKAGE CONTENTS	Camcorder, lenscap, lithium battery, wireless controller, 2x AA batteries, CA-570, AC cable, BP512 battery, shoulder strap, USB cable, S/V cable, scart adapter, solution disk PC/Mac, IB, SD 8 MB
WHY BUY?	***Optical experience*** ***FlexiZone Control*** ***Direct print***

SONY

MODEL	DCR-TRV250
PRICE EUR	799,00 EUR
RECUPEL	6,00 EUR
PARTNR.	DCR-TRV250
ARTNR.	809274
IMAGE SIZE	Digital8
CCD (PIXELS GROSS)	540k CCD
LCD MONITOR	2,5" LCD, 123k
OPTICAL/DIGITAL ZOOM	20x optical / 700x digital zoom
MEMORY MODE	N/A
PHOTO MODE	Photo Mode
STEADY SHOT	Steady Shot
AUDIO	16/12 bit PCM
SPECIAL FEATURES	i.Link (DV in/out)
INTERFACE	USB / i.Link
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.sony.be
PACKAGE CONTENTS	Ac adaptor, Battery, Wireless remote comander, Stereo AV cable, Lens Cap, USB driver, USB cable, PhotoSuite, VideoWave
WHY BUY?	***USB streaming*** ***Manual Focus*** ***Fader***

SONY

MODEL	DCR-TRV345
PRICE EUR	825,00 EUR
RECUPEL	6,00 EUR
PARTNR.	DCR-TRV345
ARTNR.	808375
IMAGE SIZE	Digital8
CCD (PIXELS GROSS)	800k CCD
LCD MONITOR	2,5" LCD, 123k
OPTICAL/DIGITAL ZOOM	20x optical / 700x digital zoom
MEMORY MODE	N/A
PHOTO MODE	Photo Mode
STEADY SHOT	Super Steady Shot
AUDIO	16/12 bit PCM
SPECIAL FEATURES	i.Link (DV in/out)
INTERFACE	USB / i.Link
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.sony.be
PACKAGE CONTENTS	Ac adaptor, Battery, Wireless remote comander, Stereo AV cable, Lens Cap, USB driver, USB cable, PhotoSuite, VideoWave
WHY BUY?	***Playback-zoom*** ***Built-in light*** ***Analogue in/out***

SONY

MODEL	DCR-TRV355
PRICE EUR	877,00 EUR
RECUPEL	6,00 EUR
PARTNR.	DCR-TRV355
ARTNR.	808376
IMAGE SIZE	Digital8
CCD (PIXELS GROSS)	800k CCD
LCD MONITOR	2,5" LCD, 123k
OPTICAL/DIGITAL ZOOM	20x optical / 700x digital zoom
MEMORY MODE	Memory Stick
PHOTO MODE	Photo Mode
STEADY SHOT	Super Steady Shot
AUDIO	16/12 bit PCM
SPECIAL FEATURES	i.Link (DV in/out)
INTERFACE	USB / i.Link
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.sony.be
PACKAGE CONTENTS	Ac adaptor, Battery, Wireless remote comander, Stereo AV cable, Lens Cap, 8MB Memory Stick, USB driver, USB cable, PhotoSuite, VideoWave
WHY BUY?	***MPEG Movie EX*** ***Memory Stick Slot*** ***Playback-zoom***

SONY

MODEL	DCR-TRV22
PRICE EUR	1.025,00 EUR
RECUPEL	6,00 EUR
PARTNR.	DCR-TRV22
ARTNR.	809302
IMAGE SIZE	Mini DV
CCD (PIXELS GROSS)	800k CCD
LCD MONITOR	2,5" LCD, 123k
OPTICAL/DIGITAL ZOOM	10xoptical / 120x digital zoom
MEMORY MODE	Memory Stick
PHOTO MODE	Photo Mode
STEADY SHOT	Super Steady Shot
AUDIO	16/12 bit PCM
SPECIAL FEATURES	i.Link (DV in/out)
INTERFACE	USB / i.Link
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.sony.be
PACKAGE CONTENTS	Ac adaptor, Battery, Wireless remote comander, Stereo AV cable, Lens Cap, 8MB Memory Stick, USB driver, USB cable, PhotoSuite, VideoWave
WHY BUY?	***Playback-zoom*** ***MPEG EX*** ***Precision CVF***

SONY

MODEL	DCR-PC103
PRICE EUR	1.125,00 EUR
RECUPEL	6,00 EUR
PARTNR.	DCR-PC103
ARTNR.	815625
IMAGE SIZE	Mini DV
CCD (PIXELS GROSS)	1070k CCD
LCD MONITOR	2,5" LCD, 210k
OPTICAL/DIGITAL ZOOM	10xoptical / 120x digital zoom
MEMORY MODE	N/A
PHOTO MODE	Photo Mode
STEADY SHOT	Super Steady Shot
AUDIO	16/12 bit PCM
SPECIAL FEATURES	i.Link (DV out)
INTERFACE	USB / i.Link
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.sony.be
PACKAGE CONTENTS	Ac adaptor, Battery, Wireless remote comander, Stereo AV cable, Lens Cap, USB driver, USB cable, PhotoSuite, VideoWave
WHY BUY?	***Hybrid LCD*** ***2 Picture Effects*** ***Precision CVF***

SONY

MODEL	DCR-TRV33
PRICE EUR	1.145,00 EUR
RECUPEL	6,00 EUR
PARTNR.	DCR-TRV33
ARTNR.	809304
IMAGE SIZE	Mini DV
CCD (PIXELS GROSS)	1070k CCD
LCD MONITOR	2,5" LCD, 123k
OPTICAL/DIGITAL ZOOM	10xoptical / 120x digital zoom
MEMORY MODE	Memory Stick
PHOTO MODE	New Photo Mode
STEADY SHOT	Super Steady Shot
AUDIO	16/12 bit PCM
SPECIAL FEATURES	i.Link (DV in/out)
INTERFACE	USB / i.Link
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.sony.be
PACKAGE CONTENTS	Ac adaptor, Battery, Wireless remote comander, Stereo AV cable, Lens Cap, 8MB Memory Stick, USB driver, USB cable, PhotoSuite, VideoWave
WHY BUY?	***14bit DXP*** ***new 16:9 wide mode*** ***Analogue in/out***

CANON

MODEL	DM-MV5/-5i/-5i MC
PRICE EUR	1.192,99 EUR (DM-MV5) 1.292,99 EUR (DM-MV5i) 1.393,00 EUR (DM-MV5i MC)
RECUPEL	6,00 EUR
PARTNR.	7804010 (DM-MV5); 7805A012 (DM-MV5i); 7803A009 (DM-MV5i MC)
ARTNR.	773082 (DM-MV5); 773084 (DM-MV5i); 773085 (DM-MV5i MC)
IMAGE SIZE	MiniDV
CCD (PIXELS GROSS)	1/6" interlace, 420000 pixels
LCD MONITOR	2.0"
OPTICAL/DIGITAL ZOOM	10x/200x
MEMORY MODE	N/A
PHOTO MODE	M Xga 800Ko
STEADY SHOT	Electronic image stabilizer
AUDIO	PCM Digital Stereo 16bit-48kHz 2ch 12bit-32kHz 4ch
SPECIAL FEATURES	N/A
INTERFACE	N/A
PLATFORM	W95/98/M + Mac
WARRANTY	1 year carry-in
WEBSITE	www.canon.be
PACKAGE CONTENTS	Body, lens cap/cord, lithium battery, wireless controller, AA batteries, compact power adapter, AC cables, battery pack, terminal cap, battery charger (interface cable, 8M SD mem. Card, softcase for mem. Card only with MV5iMC), stereo/video cable, scart adapter, digital video solution disk, manual, SD 8MB
WHY BUY?	***Lightweight*** ***Stylish design***

SONY

MODEL	DCR-PC105
PRICE EUR	1.210,00 EUR
RECUPEL	6,00 EUR
PARTNR.	DCR-PC105
ARTNR.	815624
IMAGE SIZE	Mini DV
CCD (PIXELS GROSS)	1070k CCD
LCD MONITOR	2,5" LCD, 210k
OPTICAL/DIGITAL ZOOM	10xoptical / 120x digital zoom
MEMORY MODE	Memory Stick
PHOTO MODE	New Photo Mode
STEADY SHOT	Super Steady Shot
AUDIO	16/12 bit PCM
SPECIAL FEATURES	i.Link (DV in/out)
INTERFACE	USB / i.Link
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.sony.be
PACKAGE CONTENTS	Ac adaptor, Battery, Wireless remote comander, Stereo AV cable, Lens Cap, 8MB Memory Stick, USB driver, USB cable, PhotoSuite, VideoWave
WHY BUY?	***Intelligent Pop-up flash*** ***Analogue in/out*** ***Hybrid LCD***

CANON

MODEL	MV-X100i
PRICE EUR	1.292,99 EUR
RECUPEL	6,00 EUR
PARTNR.	8531A009
ARTNR.	827448
IMAGE SIZE	Mini DV
CCD (PIXELS GROSS)	1330k
LCD MONITOR	2,5" LCD
OPTICAL/DIGITAL ZOOM	16x optical/320x digital
MEMORY MODE	SD/MMC
PHOTO MODE	Progressive Photo
STEADY SHOT	EIO
AUDIO	N/A
SPECIAL FEATURES	Analogue digital converter, continuous shooting, simultaneous photorecording
INTERFACE	USB/FireWire
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.canon.be
PACKAGE CONTENTS	Camcorder, lenscap, lithium battery, wireless controller, 2x AA batteries, S/V cable, compact power adaptor, AC cable, BP512 battery, shoulder strap, USB cable, scart, solution disk PC/Mac, IB, SD 8MB
WHY BUY?	***Slim&Low design/1,33 megapixel/ Super night Mode/Direct Print capability/Webcam via DV Messenger***

CANON

MODEL	MV-X150i
PRICE EUR	1.442,99 EUR
RECUPEL	6,00 EUR
PARTNR.	8530A009
ARTNR.	827449
IMAGE SIZE	Mini DV
CCD (PIXELS GROSS)	1330k
LCD MONITOR	3,5" LCD
OPTICAL/DIGITAL ZOOM	16x optical/320x digital
MEMORY MODE	SD/MMC
PHOTO MODE	Progressive Photo
STEADY SHOT	EIO
AUDIO	SXGA/VGA 16/12 bit
SPECIAL FEATURES	Analogue digital converter, continuous shooting, simultaneous photorecording
INTERFACE	USB/FireWire
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.canon.be
PACKAGE CONTENTS	Camcorder, lenscap, lithium battery, wireless controller, 2x AA batteries, S/V cable, compact power adaptor, AC cable, BP512 battery, shoulder strap, USB cable, scart, solution disk PC/Mac, IB
WHY BUY?	***Slim&Low design/1,33 megapixel/ Super night Mode/Direct Print capability/Webcam via DV Messenger***

SONY

MODEL	DCR-TRV60
PRICE EUR	1.665,00 EUR
RECUPEL	6,00 EUR
PARTNR.	DCR-TRV60
ARTNR.	815627
IMAGE SIZE	Mini DV
CCD (PIXELS GROSS)	2110k CCD
LCD MONITOR	2,5" LCD, 210k
OPTICAL/DIGITAL ZOOM	10xoptical / 120x digital zoom
MEMORY MODE	Memory Stick
PHOTO MODE	New Photo Mode
STEADY SHOT	Super Steady Shot
AUDIO	16/12 bit PCM
SPECIAL FEATURES	i.Link (DV in/out)
INTERFACE	USB / i.Link
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.sony.be
PACKAGE CONTENTS	Ac adaptor, Battery, Wireless remote comander, Stereo AV cable, Lens Cap, 8MB Memory Stick, USB driver, USB cable, PhotoSuite, VideoWave
WHY BUY?	***Progressive recording mode*** ***Intelligent Pop-up flash*** ***Hologram AF***

SONY

MODEL	DCR-TRV80
PRICE EUR	1.800,00 EUR
RECUPEL	6,00 EUR
PARTNR.	DCR-TRV80
ARTNR.	815626
IMAGE SIZE	Mini DV
CCD (PIXELS GROSS)	2110k CCD
LCD MONITOR	3,5" LCD 184k
OPTICAL/DIGITAL ZOOM	10xoptical / 120x digital zoom
MEMORY MODE	Memory Stick
PHOTO MODE	New Photo Mode
STEADY SHOT	Super Steady Shot
AUDIO	16/12 bit PCM
SPECIAL FEATURES	i.Link (DV in/out)
INTERFACE	USB / i.Link
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.sony.be
PACKAGE CONTENTS	Ac adaptor, Battery, Wireless remote comander, Stereo AV cable, Lens Cap, 8MB Memory Stick, USB driver, USB cable, PhotoSuite, VideoWave
WHY BUY?	***3,5" LCD*** ***Carl Zeiss T lens*** ***Network/Album***

CANON

MODEL	DM-MVX2i
PRICE EUR	1.842,99 EUR
RECUPEL	6,00 EUR
PARTNR.	7934A008
ARTNR.	780399
IMAGE SIZE	MiniDV
CCD (PIXELS GROSS)	1/4" interlace, 1230000 pixels
LCD MONITOR	2.5"
OPTICAL/DIGITAL ZOOM	10x/200x
MEMORY MODE	Multimedia card / SD Card
PHOTO MODE	Super mode night
STEADY SHOT	Electronic image stabilizer
AUDIO	PCM Digital Stereo 16bit-48kHz 2ch 12bit-32kHz 4ch
SPECIAL FEATURES	N/A
INTERFACE	USB
PLATFORM	W95/98/M + Mac
WARRANTY	1 year carry-in
WEBSITE	www.canon.be
PACKAGE CONTENTS	Body, lens cap/cord, lens hood, SD memory card, softcase for mem.card, lithium battery, wireless controller, AA batteries, compact power adapter, AC cable, battery pack, stereo/video cable, scart adapter, interface cable, digital video solution disk, manual
WHY BUY?	***Sophisticated, compact*** ***Easy-to-use features*** ***PC connection kit (including Motion JPEG and still image solution disk)***

SONY

MODEL	DCR-PC120
PRICE EUR	2.088,00 EUR
RECUPEL	6,00 EUR
PARTNR.	DCR-PC120
ARTNR.	679422
IMAGE SIZE	Mini DV
CCD (PIXELS GROSS)	1550k CCD
LCD MONITOR	2,5" LCD
OPTICAL/DIGITAL ZOOM	10xoptical / 120x digital zoom
MEMORY MODE	Memory Stick
PHOTO MODE	Photo Mode
STEADY SHOT	Super Steady Shot
AUDIO	16/12 bit PCM
SPECIAL FEATURES	i.Link (DV in/out)
INTERFACE	USB / i.Link
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.sony.be
PACKAGE CONTENTS	Ac adaptor, Battery, Wireless remote comander, Stereo AV cable, 21pin adaptor, Lens Cap, 8MB Memory Stick, USB driver, USB cable, PhotoSuite, VideoWave
WHY BUY?	***Movie MPEG*** ***Bleutooth*** ***Carl Zeiss lens***

SONY

MODEL	DCR-TRV950
PRICE EUR	3.216,00 EUR
RECUPEL	6,00 EUR
PARTNR.	DCR-TRV950
ARTNR.	742172
IMAGE SIZE	Mini DV
CCD (PIXELS GROSS)	1070k CCD
LCD MONITOR	3,5" LCD, Hybrid
OPTICAL/DIGITAL ZOOM	12x optical /150x digital
MEMORY MODE	Memory Stick
PHOTO MODE	New Photo Mode
STEADY SHOT	Super Steady Shot, optical
AUDIO	16/12 bit PCM
SPECIAL FEATURES	i.Link (DV in/out)
INTERFACE	USB / i.Link
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.sony.be
PACKAGE CONTENTS	Ac adaptor, Battery, Wireless remote comander, Stereo AV cable, Lens Cap, 8MB Memory Stick, USB driver, USB cable, PhotoSuite, VideoWave
WHY BUY?	***Intelligent Pop-up flash*** ***Hologram AF*** ***Analogue in/out***

CANON

MODEL	DM-XM2
PRICE EUR	3.343,00 EUR
RECUPEL	6,00 EUR
PARTNR.	7921A007
ARTNR.	780355
IMAGE SIZE	MiniDV
CCD (PIXELS GROSS)	3x 1/4" 3CCD pixel shift ; 440000 x 3
LCD MONITOR	2.5"
OPTICAL/DIGITAL ZOOM	20x/100x
MEMORY MODE	Multimedia card / SD Card
PHOTO MODE	N/A
STEADY SHOT	Electronic image stabilizer
AUDIO	PCM Digital Stereo 16bit-48kHz 2ch 12bit-32kHz 4ch
SPECIAL FEATURES	Fluorite lens system
INTERFACE	USB
PLATFORM	W95/98/M + Mac
WARRANTY	1 year carry-in
WEBSITE	www.canon.be
PACKAGE CONTENTS	Body, lens hood, large eye cup, lithium battery, wireless controller, AA batteries, stereo/video cable, S-video cable, interface cable, shoulder strap, compact power adapter, AC cable, DC coupler, battery pack, 8MB SD card, softcase for mem. card, scart adapter, video solution disk, manual
WHY BUY?	***High-performance DV*** ***Fluorite lens system*** ***-> exceptional sharpness*** ***Many manual adjustments***

CANON

MODEL	DM-XL1S
PRICE EUR	4.692,99 EUR
RECUPEL	6,00 EUR
PARTNR.	7047A006
ARTNR.	764546
IMAGE SIZE	MiniDV
CCD (PIXELS GROSS)	300 000
LCD MONITOR	N/A
OPTICAL/DIGITAL ZOOM	16x/32x
MEMORY MODE	N/A
PHOTO MODE	N/A
STEADY SHOT	Optical Image Stabilizer
AUDIO	PCM Digital Stereo 16bit-48kHz 2ch 12bit-32kHz 4ch
SPECIAL FEATURES	DV-out and DV-in
INTERFACE	IEEE-1394
PLATFORM	W95/98/M + Mac
WARRANTY	1 year carry-in
WEBSITE	www.canon.be
PACKAGE CONTENTS	N/A
WHY BUY?	***Broadcast quality Digital camcorder*** ***1/3" 3 CCD*** ***XL interchangeable lens system***

hp

MODEL	photosmart 320
PRICE EUR	199,00 EUR
RECUPEL	6,00 EUR
PARTNR.	Q2180A
ARTNR.	752524
CCD RESOLUTION	2,3 Megapixel
VIEWFINDER	Optical & LCD
LCD MONITOR	3,8 cm
MEMORY INCLUDED	8 MB internal memory
MEMORY TYPE	Internal & Secure Digital Card slot
NUMBER OF IMAGES	7 - 100
FILE FORMAT	JPEG & AVI
DIGITAL/OPTICAL ZOOM	4 x digital zoom
LENS FOCAL LENGTH	5,9 mm - 35mm equivalent
FOCUS DISTANCE	0,75m to infinity
SHUTTER SPEED	1/1,5 - 1/1000 secs
POWER	4 AA bat (incl.)
VIDEO OUT	N/A
INTERFACE	USB/Secure Digital slot
PLATFORM	Win 98/ME/2000/XP - Mac OS 9,1 /X/10,1,2
WARRANTY	1 year carry-in
WEBSITE	www.hp.be
PACKAGE CONTENTS	includes 4 AA Lithium-ion batteries/ USB-cable/wrist strap/hp imaging & software incl. hp momories disk CD/ quick starter guide and manual/ manuals on CD
WHY BUY?	***User friendley hp photo imaging software (IST) instant share technology (e-mail/ print/save) video recording (no sound)***

FUJI

MODEL	FinePix A202
PRICE EUR	259,00 EUR
RECUPEL	6,00 EUR
PARTNR.	45054
ARTNR.	774339
CCD RESOLUTION	2,11 Megapixel
VIEWFINDER	Optical & LCD
LCD MONITOR	1,5" colour TFT LCD, 55.000 pixels
MEMORY INCLUDED	16 MB
MEMORY TYPE	XD-Picture Card
NUMBER OF IMAGES	1 - 49 (with 16 MB xD-Picture Card)
FILE FORMAT	Still image: JPEG (Exif Ver 2.2) Movie: AVI (Motion JPEG)
DIGITAL/OPTICAL ZOOM	2,5 x digital zoom
LENS FOCAL LENGTH	36 mm
FOCUS DISTANCE	Normal: 80 cm-infinity; Macro: 8 cm-13 cm
SHUTTER SPEED	1/2 - 1/1000 seconds
POWER	2 x AA alkaline/Ni-MH batteries, AC power adapter (optional)
VIDEO OUT	N/A
INTERFACE	USB 1.1
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	http://home.fujifilm.com
PACKAGE CONTENTS	FinePix A202, 16 MB xD-Picture Card, 2 AA-size alkaline batteries, Hand Strap, USB Cable, CD-ROM
WHY BUY?	***Long battery life Movie & webcam recording function Superb image quality High quality TFT-monitor***

hp

MODEL	photosmart 735
PRICE EUR	299,00 EUR - 379,00 EUR
RECUPEL	6,00 EUR
PARTNR.	Q2210A - Q2213A
ARTNR.	821776 - 821777
CCD RESOLUTION	3,34 Megapixel
VIEWFINDER	Optical & LCD
LCD MONITOR	3,8 cm
MEMORY INCLUDED	16 MB internal memory
MEMORY TYPE	Internal & Secure Digital Card slot
NUMBER OF IMAGES	N/A
FILE FORMAT	JPEG & MPEG
DIGITAL/OPTICAL ZOOM	15x zoom: 3x optisch & 5x digitaal
LENS FOCAL LENGTH	38-114mm
FOCUS DISTANCE	N/A
SHUTTER SPEED	15 to 1/2000 sec
POWER	2 AA bat (incl)
VIDEO OUT	Video & audio out on docking station
INTERFACE	USB 2.0/Secure Digital slot
PLATFORM	Win 98/ME/2000/XP - Mac OS 9.1 /X/10.1.5
WARRANTY	1 year carry-in
WEBSITE	www.hp.be
PACKAGE CONTENTS	Q2210a = 2 AA batteries, neck strap, soft-ware CD, user maual, USB-cable, Tiffen catalogue, accessories flyer, warranty card, dock insert Q2213A = idem + c8886a digital camera dock with remote control
WHY BUY?	***Unlimited video & sound recording (up to max. memory that is used) - IST (e-mail/print/save) - sit back and view images via remote controlled docking sta-tion - a lot of professional manual controls***

CANON

MODEL	Powershot A300
PRICE EUR	313,00 EUR
RECUPEL	6,00 EUR
PARTNR.	8402A007
ARTNR.	N/A
CCD RESOLUTION	3,2 Megapixel
VIEWFINDER	Inverted Galilean viewfinder
LCD MONITOR	1,5" tft LCD
MEMORY INCLUDED	16 MB
MEMORY TYPE	Compact Flash type I
NUMBER OF IMAGES	N/A
FILE FORMAT	Still images : JPEG Movie : AVI (Motion JPEG + Wave)
DIGITAL/OPTICAL ZOOM	5,1digital
LENS FOCAL LENGTH	5.0mm (35mm equivalent)
FOCUS DISTANCE	20cm-infinity
SHUTTER SPEED	1-1/2,000 sec
POWER	A300, CF-card 16MB, 2xAA batteries, wrist strap, USB cable, 2 manuals, software, zoombrowser
VIDEO OUT	N/A
INTERFACE	USB
PLATFORM	Win 98/2000/ME/XP, Mac OS 9.0/Mac OS X v10.1/10.2
WARRANTY	1 year carry-in
WEBSITE	www.canon.be
PACKAGE CONTENTS	A300, CF 16 MB, 2 x AA batteries, CF cable, wirst strap, USB cable, 2 manuals, software, zoombrowser
WHY BUY?	***Direct Print DIGIC processor Optical experience***

SONY

MODEL	DSC-P32
PRICE EUR	328,00 EUR
RECUPEL	6,00 EUR
PARTNR.	DSC-P32
ARTNR.	815619
CCD RESOLUTION	3.2 Megapixel
VIEWFINDER	Optical & LCD
LCD MONITOR	1,6" TFT LCD, 61k
MEMORY INCLUDED	16 MB Memory Stick
MEMORY TYPE	Memory Stick / Memorystick Pro
NUMBER OF IMAGES	10-240/16MB 20-488/ 32MB 40-983/64MB 80-1966/128MB
FILE FORMAT	JPEG, GIF, MPEG1
DIGITAL/OPTICAL ZOOM	Smartzoom
LENS FOCAL LENGTH	5mm (35mm conversion: 33mm)
FOCUS DISTANCE	AF: 100mm- infinity Macro AF: W:100mm-infinity
SHUTTER SPEED	Auto (2 - 1/1000)
POWER	AA nickel metal hybride batteries
VIDEO OUT	AV out
INTERFACE	USB
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.sony.be
PACKAGE CONTENTS	NH-AA-DA battery, Memorystick 16MB, battery charger,Video connecting cable, USB cable, strap, PIXELA ImageMixer Ve1.5 for Sony + USB Drive
WHY BUY?	***Compact Ease of use***

NIKON

MODEL	Coolpix 2100
PRICE EUR	339,00 EUR
RECUPEL	6,00 EUR
PARTNR.	0018208900282
ARTNR.	820105
CCD RESOLUTION	2,0 Megapixel
VIEWFINDER	Optical & LCD
LCD MONITOR	N/A
MEMORY INCLUDED	8 MB
MEMORY TYPE	CompactFlash
NUMBER OF IMAGES	8-72 (8 MB)
FILE FORMAT	Still image: TIFF, JPEG Movie picture: QuickTime Motion JPEG
DIGITAL/OPTICAL ZOOM	3x optical, 4x digital
LENS FOCAL LENGTH	36-108mm
FOCUS DISTANCE	Macro: 8-infinity
SHUTTER SPEED	N/A
POWER	Rechargeable Ni-MH batterij EN-MH1
VIDEO OUT	Video out
INTERFACE	USB
PLATFORM	Windows / Mac
WARRANTY	2 year carry-in
WEBSITE	www.nikon.be
PACKAGE CONTENTS	Wrist Cord, 8MB Compact Flash Card, rechargeable Ni-MH battrey EN-MH1, USB cable, video cable, battery charger MH-70 and Nikon View CD-rom
WHY BUY?	N/A

FUJI

MODEL	FinePix A204
PRICE EUR	359,00 EUR
RECUPEL	6,00 EUR
PARTNR.	45075
ARTNR.	774340
CCD RESOLUTION	2,11 Megapixel
VIEWFINDER	Optical & LCD
LCD MONITOR	1,5" colour TFT LCD, 55.000 pixels
MEMORY INCLUDED	16 MB
MEMORY TYPE	XD-Picture Card
NUMBER OF IMAGES	1 - 49 (with 16 MB xD-Picture Card)
FILE FORMAT	Still image: JPEG (Exif Ver 2.2) Movie: AVI (Motion JPEG)
DIGITAL/OPTICAL ZOOM	3 x optical zoom; 2,5 x digital zoom
LENS FOCAL LENGTH	38 - 114 mm
FOCUS DISTANCE	Normal: 80 cm-infinity; Macro: 10 cm-80 cm
SHUTTER SPEED	1/2 - 1/1000
POWER	2 x AA alkaline/Ni-MH batteries, AC power adapter (optional)
VIDEO OUT	N/A
INTERFACE	USB 1.1
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	home.fujifilm.com
PACKAGE CONTENTS	FinePix A204, 16 MB xD-Picture Card, 2 AA-size alkaline batteries, Hand Strap, USB Cable, CD-ROM
WHY BUY?	***3 x optical zoom Lens protection cover Very agressive price***

SONY

MODEL	DSC-P52
PRICE EUR	388,00 EUR
RECUPEL	6,00 EUR
PARTNR.	DSC-P52
ARTNR.	813774
CCD RESOLUTION	3.2 Megapixel
VIEWFINDER	Optical & LCD
LCD MONITOR	1,6" TFT LCD, 61k
MEMORY INCLUDED	16 MB Memory Stick
MEMORY TYPE	Memory Stick / Memorystick Pro
NUMBER OF IMAGES	10-240/16MB 20-488/ 32MB 40-983/64MB 80-1966/128MB
FILE FORMAT	JPEG, GIF, MPEG1
DIGITAL/OPTICAL ZOOM	2x optical / Smartzoom
LENS FOCAL LENGTH	6.3-12,6mm (35mm conversion: 41-82mm)
FOCUS DISTANCE	AF: W:80mm- infinity T:400mm-infinity Macro AF: W:80mm-infinity T:400mm-infinity
SHUTTER SPEED	Auto (2 - 1/1000)
POWER	AA nickel metal hybride batteries
VIDEO OUT	AV out
INTERFACE	USB
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.sony.be
PACKAGE CONTENTS	NH-AA-DA battery, Memorystick 16MB, battery charger,Video connecting cable, USB cable, strap, PIXELA ImageMixer Ve1.5 for Sony + USB Drive
WHY BUY?	***2x optical zoom compact ease of use***

CANON

MODEL	Powershot A60/A70
PRICE EUR	392,99 EUR (A60) 493,00 EUR (A70)
RECUPEL	6,00 EUR
PARTNR.	8401A007 (A60); 8400A007 (A70)
ARTNR.	817210 (A60); 817211 (A70)
CCD RESOLUTION	2 Megapixel (A60), 3,2 Megapixel (A70)
VIEWFINDER	Real image zoom viewfinder
LCD MONITOR	1,5" TFT LCD
MEMORY INCLUDED	16 MB
MEMORY TYPE	Compact Flash type I
NUMBER OF IMAGES	N/A
FILE FORMAT	JPEG, DPOF, AVI (motion JPEG & wave)
DIGITAL/OPTICAL ZOOM	3x optical, 2,5x digital (PS A60), 3,2x digital (PS A70)
LENS FOCAL LENGTH	35-105mm (35mm equivalent)
FOCUS DISTANCE	46cm-infinity, 3-46 cm (W), 26-46 cm (T)
SHUTTER SPEED	15-1/2,000 sec
POWER	4x Alkaline Size AA batteries, 4xNiMH Size AA batteries, optional AC adapter
VIDEO OUT	PAL/NTSC
INTERFACE	USB
PLATFORM	Win 98/2000/ME/XP, Mac OS X(v10.1/10.2)
WARRANTY	1 year carry-in
WEBSITE	www.canon.be
PACKAGE CONTENTS	A60/A70, CF 16MB, wrist strap, 4x AA, AV cable, USB cable, 2 manuals, software
WHY BUY?	***Direct Printing - Video up to 3min. Connection to Canon Image Gateway (=online service to create and send digital photo albums) Optical experience - 5 points AF***

OLYMPUS

MODEL	C-350
PRICE EUR	429,00 EUR
RECUPEL	6,00 EUR
PARTNR.	0050332141803
ARTNR.	820149
CCD RESOLUTION	3,2 Megapixel
VIEWFINDER	Optical & LCD
LCD MONITOR	1,8" tft LCD
MEMORY INCLUDED	16MB
MEMORY TYPE	XD
NUMBER OF IMAGES	1-165/16MB
FILE FORMAT	JPEG, TIFF
DIGITAL/OPTICAL ZOOM	3x optical - 3,3 digital
LENS FOCAL LENGTH	2,8-17,4mm (35-350mm)
FOCUS DISTANCE	0.2 – infinity
SHUTTER SPEED	2 – 1/1000 sec.
POWER	3 x AA alkaline batteries
VIDEO OUT	Video out
INTERFACE	DC input terminal, USB Auto Connect interface (storage class), Video output terminal
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.olympus.be
PACKAGE CONTENTS	Strap, 16 MB xD-Picture Card, USB cable, video cable, two AA alkaline-magnese batteries, CAMEDIA Master 4.1.
WHY BUY?	N/A

SONY

MODEL	DSC-P72
PRICE EUR	442,00 EUR
RECUPEL	6,00 EUR
PARTNR.	DSC-P72
ARTNR.	813772
CCD RESOLUTION	3.2 Megapixel
VIEWFINDER	Optical & LCD
LCD MONITOR	1,5" TFT LCD, 1231k
MEMORY INCLUDED	16MB Memory Stick
MEMORY TYPE	Memory Stick / Memorystick Pro
NUMBER OF IMAGES	10-240/16MB 20-488/ 32MB 40-983/64MB 80-1966/128MB
FILE FORMAT	JPEG, GIF, MPEG1
DIGITAL/OPTICAL ZOOM	3x optical / Smartzoom
LENS FOCAL LENGTH	6-18mm (35mm conversion: 39-117mm)
FOCUS DISTANCE	AF: W:500mm- infinity T:500mm-infinity Macro AF: W:100mm-infinity T:500mm-infinity
SHUTTER SPEED	Auto (2 - 1/2000)
POWER	AA nickel metal hybride batteries
VIDEO OUT	AV out
INTERFACE	USB
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.sony.be
PACKAGE CONTENTS	NH-AA-DA battery, Memorystick 16MB, battery charger,Video connecting cable, USB cable, strap, PIXELA ImageMixer Ve1.5 for Sony + USB Drive
WHY BUY?	***3 x optical zoom 123k dots LCD screen compact***

NIKON

MODEL	Coolpix 3100
PRICE EUR	449,00 EUR
RECUPEL	6,00 EUR
PARTNR.	0018208900213
ARTNR.	820106
CCD RESOLUTION	3,2 Megapixel
VIEWFINDER	N/A
LCD MONITOR	1,5" LCD
MEMORY INCLUDED	16MB
MEMORY TYPE	CompactFlash
NUMBER OF IMAGES	16-147 (16MB)
FILE FORMAT	Still image: TIFF, JPEG / Movie picture: QuickTime Motion JPEG
DIGITAL/OPTICAL ZOOM	3x optical, 4x digital
LENS FOCAL LENGTH	38-115mm
FOCUS DISTANCE	4 cm to infinity
SHUTTER SPEED	4 sec to 1/3000 sec
POWER	Rechargeable Ni-MH battery EN-MH1
VIDEO OUT	N/A
INTERFACE	USB
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.nikon.be
PACKAGE CONTENTS	Wrist wrap, 16MB Compact Flash Card, Rechargeable Ni-MH battery EN-MH1, USB cable, video cable, battery charger MH-70, Nikon View 6 CD-rom, Adobe Photoshop Elements
WHY BUY?	N/A

Fuji

MODEL	FinePix F402
PRICE EUR	473,00 EUR
RECUPEL	6,00 EUR
PARTNR.	45194
ARTNR.	786188
CCD RESOLUTION	2,11 Megapixel; 3,98 Megapixel output
VIEWFINDER	Optical & LCD
LCD MONITOR	1,5" colour TFT LCD, 117.000 pixels
MEMORY INCLUDED	16 MB
MEMORY TYPE	XD-Picture Card
NUMBER OF IMAGES	1 - 49 (with 16 MB xD-Picture Card)
FILE FORMAT	Still image: JPEG (Exif Ver 2.2) Movie: AVI (Motion JPEG)
DIGITAL/OPTICAL ZOOM	3,6 x digital zoom
LENS FOCAL LENGTH	39 mm
FOCUS DISTANCE	Normal: 50 cm-infinity; Macro: 6 cm - 65 cm
SHUTTER SPEED	1/2 - 1/2000 seconds
POWER	Rechargeable Li-ion battery NP-40, AC Power Adapter included
VIDEO OUT	N/A
INTERFACE	USB 1.1
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	home.fujifilm.com
PACKAGE CONTENTS	FinePix F402, 16 MB xD-Picture Card, Rechargeable Lithium-ion battery NP-40, AC-5VS/5VHS, Shoulder Strap, USB Cable, CD-ROM
WHY BUY?	***Superstylish design: only 22 mm thick Very agressive price New xD card technology***

FUJI

MODEL	FinePix A303
PRICE EUR	499,00 EUR
RECUPEL	6,00 EUR
PARTNR.	45056
ARTNR.	774342
CCD RESOLUTION	3,34 Megapixel
VIEWFINDER	Optical & LCD
LCD MONITOR	1,5" colour TFT LCD, 60.000 pixels
MEMORY INCLUDED	16 MB
MEMORY TYPE	XD-Picture Card
NUMBER OF IMAGES	1 - 49 (with 16 MB xD-Picture Card)
FILE FORMAT	Still image: JPEG (Exif Ver 2.2) Movie: AVI (Motion JPEG)
DIGITAL/OPTICAL ZOOM	3 x optical zoom; 3,2 x digital zoom
LENS FOCAL LENGTH	38 - 114 mm
FOCUS DISTANCE	Normal: 60 cm - infinity; Macro: 10 cm - 80 cm
SHUTTER SPEED	1/2 - 1/2000 seconds
POWER	2 x AA alkaline/Ni-MH batteries, AC power adapter (optional)
VIDEO OUT	N/A
INTERFACE	USB 1.1
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	home.fujifilm.com
PACKAGE CONTENTS	FinePix A303, 16 MB xD-Picture Card, 2 AA-size alkaline batteries, Hand Strap, USB Cable, CD-ROM
WHY BUY?	***3,2 megapixel with 3 x optical zoom Stylish design, only 34mm thick Good market price***

SONY

MODEL	DSC-P8
PRICE EUR	553,00 EUR
RECUPEL	6,00 EUR
PARTNR.	DSC-P8
ARTNR.	815620
CCD RESOLUTION	3.2 Megapixel
VIEWFINDER	Optical & LCD
LCD MONITOR	1,5" TFT LCD, 1231k
MEMORY INCLUDED	16MB Memory Stick
MEMORY TYPE	Memory Stick / Memorystick Pro
NUMBER OF IMAGES	10-240/16MB 20-488/ 32MB 40-983/64MB 80-1966/128MB
FILE FORMAT	JPEG, GIF, MPEG1
DIGITAL/OPTICAL ZOOM	3x optical / Smartzoom
LENS FOCAL LENGTH	6-18mm (35mm conversion: 39-117mm)
FOCUS DISTANCE	AF: 500mm- infinity Macro AF: W:100mm-infinity T:500mm-infinity
SHUTTER SPEED	Auto (1/8,1/2000) Program Auto (1- 1/2000) High Speed Shutter (1/250,1/2000)
POWER	InfoLithium NP-FC11, NP-FC10 Power pack
VIDEO OUT	AV out
INTERFACE	USB
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.sony.be
PACKAGE CONTENTS	NP-FC11 battery, Memorystick 16MB, battery charger,Video connecting cable, USB cable, strap, PIXELA ImageMixer Ve1.5 for Sony + USB Drive
WHY BUY?	***InfoLithium - Burst x3 - Sharpness/Contrast/Saturation setting***

SONY

MODEL	DSC-P92
PRICE EUR	599,00 EUR
RECUPEL	6,00 EUR
PARTNR.	DSC-P92
ARTNR.	815621
CCD RESOLUTION	5.2 MegaPixel
VIEWFINDER	Optical & LCD
LCD MONITOR	1,5" TFT LCD, 1231k
MEMORY INCLUDED	16MB Memory Stick
MEMORY TYPE	Memory Stick / Memorystick Pro
NUMBER OF IMAGES	10-240/16MB 20-488/ 32MB 40-983/64MB 80-1966/128MB
FILE FORMAT	JPEG, GIF, MPEG1
DIGITAL/OPTICAL ZOOM	3x optical / Smartzoom
LENS FOCAL LENGTH	8-24mm (35mm conversion: 39-117mm)
FOCUS DISTANCE	AF: W:500mm- infinity T:600mm-infinity Macro AF: W:100mm-infinity T:600mm-infinity
SHUTTER SPEED	Auto (2 - 1/2000)
POWER	AA nickel metal hybride batteries
VIDEO OUT	AV out
INTERFACE	USB
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.sony.be
PACKAGE CONTENTS	NH-AA-DA battery, Memorystick 16MB, battery charger,Video connecting cable, USB cable, strap, PIXELA ImageMixer Ve1.5 for Sony + USB Drive
WHY BUY?	***5.2 MegaPixel- 3x optical zoom - compact***

FUJI

MODEL	F-410
PRICE EUR	579,00 EUR
RECUPEL	6,00 EUR
PARTNR.	N/A
ARTNR.	N/A
CCD RESOLUTION	3,14 Megapixel
VIEWFINDER	Real image optical
LCD MONITOR	1,8" tft lcd
MEMORY INCLUDED	16MB
MEMORY TYPE	XD-Picture Card
NUMBER OF IMAGES	2 - 49 (with 16 MB xD-Picture Card)
FILE FORMAT	Still image: JPEG (Exif Ver 2.2) Movie: AVI (Motion JPEG)
DIGITAL/OPTICAL ZOOM	3x optical, 4,4 digital
LENS FOCAL LENGTH	38-114mm
FOCUS DISTANCE	10cm-infinity
SHUTTER SPEED	1/4 to 1/2000 sec.
POWER	Lithium-Ion-Accu NP-60
VIDEO OUT	N/A
INTERFACE	DC/USB
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	home.fujifilm.com
PACKAGE CONTENTS	16MB xD picture card, Lithium-Ion-Accu NP-60, AC-5VHS power adapter/charger, Hand strap, USB cable,CD-ROM:USB-driver,FinePixViewer,ImageMixer VCD
WHY BUY?	N/A

OLYMPUS

MODEL	MJU-300
PRICE EUR	599,00 EUR
RECUPEL	6,00 EUR
PARTNR.	0050332140219
ARTNR.	820618
CCD RESOLUTION	3,24 Megapixel
VIEWFINDER	Optical & LCD
LCD MONITOR	1,5" TFT LCD
MEMORY INCLUDED	16MB xD-card
MEMORY TYPE	XD-card
NUMBER OF IMAGES	1-165/16MB
FILE FORMAT	JPEG, TIFF
DIGITAL/OPTICAL ZOOM	3x optical, 5x digital
LENS FOCAL LENGTH	5,8-17,4 (35-500mm)
FOCUS DISTANCE	0,2m-infinity
SHUTTER SPEED	1/2 – 1/1000 sec.
POWER	Rechargeable lithium-ion battery (Li-10B).
VIDEO OUT	PAL/NTSC
INTERFACE	DC input terminal, USB Auto Connect interface (storage class), Video output terminal (PAL/NTSC selectable).
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.olympus.be
PACKAGE CONTENTS	Strap, 16 MB xD-Picture Card, USB cable, video cable, one lithium-ion rechargeable battery (Li-10B), battery charger, AC cable for charger, remote controller RM-2, AC cable for charger, remote controller RM-2, CAMEDIA Master 4.1.
WHY BUY?	N/A

NIKON

MODEL	Coolpix SQ
PRICE EUR	599,00 EUR
RECUPEL	6,00 EUR
PARTNR.	0018208900428
ARTNR.	820107
CCD RESOLUTION	3,1 Megapixel
VIEWFINDER	LCD
LCD MONITOR	1.5" LCD monitor
MEMORY INCLUDED	16MB
MEMORY TYPE	CompactFlash
NUMBER OF IMAGES	9-34 (16MB)
FILE FORMAT	Still image: TIFF, JPEG / Movie picture: QuickTime Motion JPEG
DIGITAL/OPTICAL ZOOM	3x optical, 4x digital
LENS FOCAL LENGTH	37-111mm
FOCUS DISTANCE	4cm to infinity
SHUTTER SPEED	2 sec to 1/2000 sec
POWER	Rechargeable Li-ion batterij EN-EL2
VIDEO OUT	audio/video out
INTERFACE	USB
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.nikon.be
PACKAGE CONTENTS	Wrist wrap, 16MB Compact Flash Card, Cool-Station MV-10 Base Station, Power Adapter EH-61, Rechargeable Li-on battery EN-EL2, USB Cable, Audio/Video Vable, Power Cable, Lens Cap, Nikon View CD-rom & Photoshop Elements 2
WHY BUY?	N/A

hp

MODEL	photosmart 935
PRICE EUR	599,00 EUR - 679,00 EUR
RECUPEL	6,00 EUR
PARTNR.	Q2214A - Q2217A
ARTNR.	818655 - 818656
CCD RESOLUTION	5,3 Megapixel
VIEWFINDER	Optical & LCD
LCD MONITOR	3,8 cm
MEMORY INCLUDED	32MB via SD
MEMORY TYPE	Secure Digital Card
NUMBER OF IMAGES	35370
FILE FORMAT	JPEG & MPEG
DIGITAL/OPTICAL ZOOM	21x zoom: 3x optisch & 7x digitaal
LENS FOCAL LENGTH	N/A
FOCUS DISTANCE	0,5m to infinity
SHUTTER SPEED	15 to 1/2000 sec
POWER	2 AA bat (incl)
VIDEO OUT	video & audio out on docking station
INTERFACE	USB 2.0/Secure Digital slot
PLATFORM	Win 98/ME/2000/XP - Mac OS 9.1 /X/10.1.5
WARRANTY	1 year carry-in
WEBSITE	www.hp.be
PACKAGE CONTENTS	Q2214a = 32 MB Secure Digital Card, 2 AA batteries, neck strap, software CD, quick start poster, user maual, USB-cable, Tiffen catalogue, accessories flyer, warranty card, dock insert Q2217A = idem + c8886a digital camera dock with remote control
WHY BUY?	*hp first 5,3 MP camera - 120 sec. video & sound recording - IST (e-mail/print/save) - sit back and view images via remote controlled docking station - a lot of professional manual controls*

CANON

MODEL	Digital IXUS V3
PRICE EUR	622,99 EUR
RECUPEL	6,00 EUR
PARTNR.	8186A006
ARTNR.	780351
CCD RESOLUTION	3,2 Megapixel
VIEWFINDER	Real image zoom viewfinder
LCD MONITOR	1,5" tft LCD
MEMORY INCLUDED	16MB
MEMORY TYPE	Compact Flash type I
NUMBER OF IMAGES	N/A
FILE FORMAT	JPEG, AVI, WAVE
DIGITAL/OPTICAL ZOOM	3 x optical, 3,2x digital
LENS FOCAL LENGTH	5.4 (W) - 10.8 (T) mm (35mm film equivalent)
FOCUS DISTANCE	47cm-infinity
SHUTTER SPEED	15-1/5,000 sec
POWER	Rechargeable Li-ion battery NB-1LH (battery and charger supplied), optional AC adapter
VIDEO OUT	PAL/NTSC
INTERFACE	USB, A/V output, NTSC, PAL
PLATFORM	Win 98/2000/ME/XP, Mac OS X(v10.1/10.2)
WARRANTY	1 year carry-in
WEBSITE	www.canon.be
PACKAGE CONTENTS	V3, wrist strap, AV cable, battery charger, AC cable, battery HB1LH, USB cable, CF 16MB, IB, software
WHY BUY?	*Direct Printing* *Stylish design* *Movie mode with sound up to 3min.*

hp

MODEL	photosmart 850
PRICE EUR	649,00 EUR - 699,00 EUR
RECUPEL	6,00 EUR
PARTNR.	Q2190A - Q2192A
ARTNR.	769452 - 769382
CCD RESOLUTION	4,13 Megapixel
VIEWFINDER	Optical & LCD
LCD MONITOR	5 cm
MEMORY INCLUDED	16 MB via SD
MEMORY TYPE	Secure Digital Card
NUMBER OF IMAGES	5-71
FILE FORMAT	JPEG & MPEG
DIGITAL/OPTICAL ZOOM	56x zoom: 8x optical - 7x digital zoom
LENS FOCAL LENGTH	7,6/61 mm - 37/300 equivalent
FOCUS DISTANCE	0,1m tot infinity
SHUTTER SPEED	16 to 1/2000 sec
POWER	2 AA bat (incl)
VIDEO OUT	video & audio out on docking station
INTERFACE	USB 2.0/Secure Digital slot
PLATFORM	Win 98/ME/2000/XP - Mac OS 9,1 /X/10,1,2
WARRANTY	1 year carry-in
WEBSITE	www.hp.be
PACKAGE CONTENTS	Q2190a = 16 MB Secure Digital Card, 2 AA titanium batteries, wrist strap, software CD, quick start poster, user maual, USB-cable, tiffen catalogue, accessories flyer, warranty card, dock insert Q2192A = idem + C8884a docking station
WHY BUY?	*User friendley hp photo imaging software - 60sec. video & sound recording - IST (e-mail/print/save) - also in combination with docking station - a lot of professional manual controls*

FUJI

MODEL	FinePix S304
PRICE EUR	655,00 EUR
RECUPEL	6,00 EUR
PARTNR.	45057
ARTNR.	774343
CCD RESOLUTION	3,34 Megapixel
VIEWFINDER	Optical & LCD
LCD MONITOR	1,8" colour TFT LCD, 62.000 pixels
MEMORY INCLUDED	16 MB
MEMORY TYPE	XD-Picture Card
NUMBER OF IMAGES	1 - 49 (with 16 MB XD-Picture Card)
FILE FORMAT	Still image: JPEG (Exif Ver 2.2) Movie: AVI (Motion JPEG)
DIGITAL/OPTICAL ZOOM	6 x optical zoom ; 3,2 x digital zoom
LENS FOCAL LENGTH	38 - 228 mm
FOCUS DISTANCE	Normal: 80 cm - infinity; Macro: 10 cm - 80 cm
SHUTTER SPEED	3 - 1/1500 seconds
POWER	4 x AA alkaline or Ni-MH batteries, AC power adapter (optional)
VIDEO OUT	N/A
INTERFACE	USB 1.1
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	home.fujifilm.com
PACKAGE CONTENTS	FinePix S304, 16 MB xD-Picture Card, 4 x AA-size alkaline batteries, Adapter ring, Shoulder Strap, USB Cable, CD-ROM
WHY BUY?	*6 x optical zoom* *Portrait mode incl. sport - landscape, etc…"*

OLYMPUS

MODEL	C-740
PRICE EUR	699,00 EUR
RECUPEL	6,00 EUR
PARTNR.	0050332140943
ARTNR.	820150
CCD RESOLUTION	3,18 Megapixel
VIEWFINDER	Optical & LCD
LCD MONITOR	1,5" TFT LCD
MEMORY INCLUDED	16 MB
MEMORY TYPE	XD
NUMBER OF IMAGES	1-165/16Mb
FILE FORMAT	JPEG, TIFF
DIGITAL/OPTICAL ZOOM	10x optical, 3 digital
LENS FOCAL LENGTH	6.3–63mm (38–380m)
FOCUS DISTANCE	0.3 – infinity
SHUTTER SPEED	16 – 1/1000 sec.
POWER	4 x AA alkaline batteries
VIDEO OUT	N/A
INTERFACE	DC input terminal, USB Auto Connect interface (storage class/sdk), Video output terminal (PAL/NTSC selectable)
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.olympus.be
PACKAGE CONTENTS	Strap, 16 MB xD-Picture Card, USB cable, video cable, 2 x CR-V3 batteries, CAMEDIA Master 4.1
WHY BUY?	N/A

OLYMPUS

MODEL	MJU-400
PRICE EUR	699,00 EUR
RECUPEL	6,00 EUR
PARTNR.	0050332140233
ARTNR.	820617
CCD RESOLUTION	4,23 Megapixel
VIEWFINDER	Optical & LCD
LCD MONITOR	1,5" TFT LCD
MEMORY INCLUDED	16 MB xD-card
MEMORY TYPE	XD-card
NUMBER OF IMAGES	1-165/16 MB
FILE FORMAT	JPEG, TIFF
DIGITAL/OPTICAL ZOOM	3x optical, 5x digital
LENS FOCAL LENGTH	5,8-17,4 (35-500mm)
FOCUS DISTANCE	0,2m-infinity
SHUTTER SPEED	1/2 – 1/1000 sec.
POWER	Rechargeable lithium-ion battery (Li-10B)
VIDEO OUT	PAL/NTSC
INTERFACE	DC input terminal, USB Auto Connect interface (storage class), Video output terminal (PAL/NTSC selectable).
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.olympus.be
PACKAGE CONTENTS	Strap, 16 MB xD-Picture Card, USB cable, video cable, one lithium-ion rechargeable battery (Li-10B), battery charger, AC cable for charger, remote controller RM-2, CAMEDIA Master 4.1.
WHY BUY?	N/A

SONY

MODEL	DSC-P10
PRICE EUR	719,00 EUR
RECUPEL	6,00 EUR
PARTNR.	DSC-P10
ARTNR.	815622
CCD RESOLUTION	5.2 Megapixel
VIEWFINDER	Optical & LCD
LCD MONITOR	1,5" TFT LCD, 1231k
MEMORY INCLUDED	32MB Memory Stick
MEMORY TYPE	Memory Stick / Memorystick Pro 10-240/16MB 20-488/ 32MB 40-983/64MB 80-1966/128MB
NUMBER OF IMAGES	JPEG, GIF, MPEG1
FILE FORMAT	3x optical / Smartzoom
DIGITAL/OPTICAL ZOOM	7,9-23,7mm (35mm conversion: 38-114mm)
LENS FOCAL LENGTH	AF: W:500mm- infinity T:600mm-infinity Macro AF: W:100mm-infinity T:600mm-infinity
FOCUS DISTANCE	Auto (1/8,1/2000) Program Auto (1- 1/2000) High Speed Shutter (1/250,1/2000)
SHUTTER SPEED	InfoLithium NP-FC11, NP-FC10 Power pack
POWER	AV out
VIDEO OUT	USB
INTERFACE	Windows / Mac
PLATFORM	1 year carry-in
WARRANTY	www.sony.be
WEBSITE	NP-FC11 battery, Memorystick 32MB, battery charger,Video connecting cable, USB cable, strap, PIXELA ImageMixer Ve1.5 for Sony + USB Drive
PACKAGE CONTENTS	*InfoLithium, 5 Megapixels Super HAD CCD, Burst x3*
WHY BUY?	

CANON

MODEL	Digital IXUS 400
PRICE EUR	722,99 EUR
RECUPEL	6,00 EUR
PARTNR.	8393A005
ARTNR.	817212
CCD RESOLUTION	4 Megapixel
VIEWFINDER	Real image zoom viewfinder
LCD MONITOR	1,5" tft lcd
MEMORY INCLUDED	32 MB
MEMORY TYPE	Compact Flash type I
NUMBER OF IMAGES	N/A
FILE FORMAT	JPEG, DPOF, Motion JPEG, WAVE
DIGITAL/OPTICAL ZOOM	3x optical, 3.6x digital
LENS FOCAL LENGTH	7.4 (W) - 22.2 (T) mm (35mm film equivalent)
FOCUS DISTANCE	46cm-infinity
SHUTTER SPEED	15-1/2,000 sec
POWER	Rechargeable Li-ion battery NB-1LH (battery and charger supplied)
VIDEO OUT	PAL/NTSC
INTERFACE	USB (PTP) A/V output, PAL, NTSC
PLATFORM	Win 98/2000/ME/XP, Mac OS X(v10.1/10.2)
WARRANTY	1 year carry-in
WEBSITE	www.canon.be
PACKAGE CONTENTS	IXUS 400, wrist strap, NB1LH battery, USB cable, AV cable, battery charger, AC cable, CF 32MB, IB's, software
WHY BUY?	*Direct Printing - Video up to 3min.* *Orientation sensor - 9 point Ai/AF* *Digic processor - Canon image Gateway*

OLYMPUS

MODEL	C-4000KIT
PRICE EUR	739,00 EUR
RECUPEL	6,00 EUR
PARTNR.	4017386134515
ARTNR.	824167
CCD RESOLUTION	4,1 Megapixel
VIEWFINDER	Optical & LCD
LCD MONITOR	1,8" tftLCD
MEMORY INCLUDED	16+32 MB
MEMORY TYPE	SmartMedia
NUMBER OF IMAGES	1-165/16 MB
FILE FORMAT	JPEG, TIFF
DIGITAL/OPTICAL ZOOM	3x optical, 3,5 digital
LENS FOCAL LENGTH	6,5-19,5(32-320mm)
FOCUS DISTANCE	32-96mm 0,8-infinity
SHUTTER SPEED	4-1/1000 sec
POWER	4 Ni-MH batteries
VIDEO OUT	yes
INTERFACE	USB
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.olympus.be
PACKAGE CONTENTS	Wrist wrap, lenscap, 32MB Smartmedia, USB Cable, Video Cable, rechargeable batteries, battery charger
WHY BUY?	N/A

NIKON

MODEL	CoolPix 4300
PRICE EUR	749,00 EUR
RECUPEL	6,00 EUR
PARTNR.	18208900022
ARTNR.	779221
CCD RESOLUTION	4,1 Megapixel
VIEWFINDER	Optical & LCD
LCD MONITOR	1,5 inch colour TFT LCD, 110.000 pixels
MEMORY INCLUDED	16 MB
MEMORY TYPE	CompactFlash
NUMBER OF IMAGES	1-59 (with 16 MB Compact Flash)
FILE FORMAT	Still image: TIFF, JPEG / Movie picture: QuickTime Motion JPEG
DIGITAL/OPTICAL ZOOM	3 x optical zoom ; 4 x digital zoom
LENS FOCAL LENGTH	38 mm - 114 mm
FOCUS DISTANCE	Standard: 30 cm - infinity; Macro: 4 cm - infinity
SHUTTER SPEED	1/1000 to 8 seconds
POWER	1 rechargeable Li-ion battery EN-EL1, 1 x 6V 2CR5/DL245 lithium battery, AC adaptor (optional)
VIDEO OUT	NTSC/PAL
INTERFACE	USB
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.nikon.be
PACKAGE CONTENTS	CoolPix 4300, Lens Cap, Hand Strap, AV Cable, 16 MB CompactFlash Card, USB Cable UC-E1, Rechargeable Li-ion battery EN-EL1, Battery Charger MH-53, Nikon View 5 CD-ROM
WHY BUY?	*Multi AF system of 5 patterns* *Macro function of 4 cm* *Easy image tranfer to computer*

CANON

MODEL	Powershot S45/S50
PRICE EUR	792,99 EUR (S45) 912,99 EUR (S50)
RECUPEL	6,00 EUR
PARTNR.	8117A009 (S45); 8399A007 (S50)
ARTNR.	772428 (S45); 817222 (S50)
CCD RESOLUTION	4 Megapixel (S45), 5 Megapixel (S50)
VIEWFINDER	Real image zoom viewfinder
LCD MONITOR	1,8" tft lcd
MEMORY INCLUDED	32MB
MEMORY TYPE	Compact Flash type I/II
NUMBER OF IMAGES	N/A
FILE FORMAT	JPEG, DPOF, Motion JPEG/Wave
DIGITAL/OPTICAL ZOOM	3 x optical ; 4,1 digital
LENS FOCAL LENGTH	7.1 (W) - 21.3 (T) mm (35 mm film equivalent)
FOCUS DISTANCE	50cm-infinity, macro 0,1 (w), 0,3 (T), 0,5m
SHUTTER SPEED	15-1/5,000 sec
POWER	Rechargeable Li-ion battery NB-2L (battery and charger supplied)
VIDEO OUT	PAL/NTSC
INTERFACE	USB, A/V output
PLATFORM	Win 98/2000/ME/XP, Mac OS X(v10.1/10.2)
WARRANTY	1 year carry-in
WEBSITE	www.canon.be
PACKAGE CONTENTS	Camera, wrist strap, battery NB2L, battery charger, AC cable, AV cable, USB cable, CF-32MB, IB's, software
WHY BUY?	*Direct Printing - Movie mode - Connection to Canon Image Gateway (=online service to create and send digital photo albums)* *Digic processor - 9 point Ai/AF*

FUJI

MODEL	F-700
PRICE EUR	800,00 EUR
RECUPEL	6,00 EUR
PARTNR.	N/A
ARTNR.	N/A
CCD RESOLUTION	6,2 Megapixel
VIEWFINDER	Real image optical
LCD MONITOR	1,8" tft lcd
MEMORY INCLUDED	16MB
MEMORY TYPE	XD-Picture Card
NUMBER OF IMAGES	3 - 49 (with 16 MB xD-Picture Card)
FILE FORMAT	Still image: JPEG (Exif Ver 2.2) Movie: AVI (Motion JPEG)
DIGITAL/OPTICAL ZOOM	3x optical
LENS FOCAL LENGTH	35-105mm
FOCUS DISTANCE	9cm-infinity
SHUTTER SPEED	3 to 1/2000 sec.
POWER	Lithium-Ion-Accu NP-40
VIDEO OUT	Video out
INTERFACE	AV/USB
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	home.fujifilm.com
PACKAGE CONTENTS	16 MB xD-Picture Card Lithium-Ion-Accu NP-40, AC-5VHS lichtnetadapter/lader, draagriem, USB-Kabel, AV-Kabel, Picture Cradle CP-FX700, CD-ROM: USB-driver, FinePixViewer, ImageMixer VCD, RAW-File converter LE
WHY BUY?	N/A

FUJI

MODEL	FinePix M603
PRICE EUR	820,00 EUR
RECUPEL	6,00 EUR
PARTNR.	N/A
ARTNR.	N/A
CCD RESOLUTION	3,3 Megapixel; 6,03 Megapixel output
VIEWFINDER	Optical & LCD
LCD MONITOR	2,5" colour TFT LCD, 118.000 pixels
MEMORY INCLUDED	16 MB
MEMORY TYPE	XD-Picture Card, CompactFlash, Microdrive
NUMBER OF IMAGES	1 - 49 (with 16 MB XD-Picture Card)
FILE FORMAT	Still image: JPEG (Exif Ver 2.2) Movie: AVI (Motion JPEG)
DIGITAL/OPTICAL ZOOM	2 x optical zoom; 4,4 x digital zoom
LENS FOCAL LENGTH	38 - 76 mm
FOCUS DISTANCE	Normal: 60 cm - infinity; Macro: 20 cm - 80 cm
SHUTTER SPEED	1/4 - 1/2000 seconds
POWER	Rechargeable Lithium-ion battery NP-60 (included), Rechargeable Lithium-ion battery NP-120 (optional), AC-5V AC adapter (included)
VIDEO OUT	NTSC, PAL
INTERFACE	USB 1.1
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	home.fujifilm.com
PACKAGE CONTENTS	FinePix M603, 16 MB xD-Picture Card, Li-ion battery NP-60, AC Power Adapter AC-5VHS/AC-5VS, Hand Strap, Handgrip, LCD monitor hood, USB Cable, AV Cable, CD-ROM
WHY BUY?	*Combination of digital camera and video* *Very big TFT-monitor of 2,5""* *Innovative design and concept* *Dual media slots incl xD-card and MicroDrive*

OLYMPUS

MODEL	C-50
PRICE EUR	839,00 EUR
RECUPEL	6,00 EUR
PARTNR.	0050332137967
ARTNR.	779232
CCD RESOLUTION	5,36 Megapixel
VIEWFINDER	Optical & LCD
LCD MONITOR	1,5" tft LCD
MEMORY INCLUDED	32MB
MEMORY TYPE	XD-card
NUMBER OF IMAGES	1-165/16MB
FILE FORMAT	JPEG, TIFF
DIGITAL/OPTICAL ZOOM	3x optical, 5 digital
LENS FOCAL LENGTH	7,8mm-23,4mm
FOCUS DISTANCE	50cm-infinity Macro: 20cm-50cm
SHUTTER SPEED	1/2s-1/1000s
POWER	Special Lithium ion battery. Optional power adapter
VIDEO OUT	Yes
INTERFACE	USB
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.olympus.be
PACKAGE CONTENTS	Lithium-ion battery, battery charger
WHY BUY?	N/A

SONY

MODEL	DSC-V1
PRICE EUR	876,00 EUR*
RECUPEL	6,00 EUR
PARTNR.	DSC-V1
ARTNR.	815623
CCD RESOLUTION	5,2 Megapixel
VIEWFINDER	Optical & LCD
LCD MONITOR	1,5" TFT LCD, 1231k
MEMORY INCLUDED	32MB Memory Stick
MEMORY TYPE	Memory Stick / Memorystick Pro 10-240/16MB 20-488/ 32MB 40-983/64MB 80-1966/128MB
NUMBER OF IMAGES	JPEG, GIF, TIFF, MPEG1
FILE FORMAT	4x optical / Smartzoom
DIGITAL/OPTICAL ZOOM	7-28mm (35mm conversion: 34-136mm)
LENS FOCAL LENGTH	AF: 500mm- infinity Macro AF: W:200mm-infinity T:400mm-infinity
FOCUS DISTANCE	Auto (1/8-1/2000)/P-Auto(1-1/2000)/Shutter priority (30-1/2000)/Manual (30-1/1000)
SHUTTER SPEED	InfoLithium NP-FC11, NP-FC10 Power pack
POWER	AV out
VIDEO OUT	USB
INTERFACE	Windows / Mac
PLATFORM	1 year carry-in
WARRANTY	www.sony.be
WEBSITE	NP-FC11 battery, Memorystick 32MB, battery charger,Video connecting cable, USB cable, strap, PIXELA ImageMixer Ve1.5 for Sony + USB Drive
PACKAGE CONTENTS	*Carl Zeiss Lens Vario Sonnar - Stamina InfoLithium - 5,0 effective Megapixel Sony Super HAD CCD - 4x optical zoom*
WHY BUY?	

*available from June

CANON

MODEL	Powershot G3
PRICE EUR	963,00 EUR
RECUPEL	6,00 EUR
PARTNR.	8120A009
ARTNR.	780353
CCD RESOLUTION	4 Megapixel
VIEWFINDER	Real-image zoom viewfinder with dioptre correction)
LCD MONITOR	1,8" tft lcd
MEMORY INCLUDED	32MB CF card
MEMORY TYPE	Compact Flash Type I & II (Microdrive compatible)
NUMBER OF IMAGES	
FILE FORMAT	Still: JPEG or RAW; Movie: AVI
DIGITAL/OPTICAL ZOOM	3,6x (max. 14x digital zoom combined with optical zoom)
LENS FOCAL LENGTH	35 - 140 mm; Normal AF: 50 cm - infinity, macro AF: 5 cm (W), 15 cm (T) - 50 cm,
FOCUS DISTANCE	manual focus : 5 cm (W), 15 cm (T) - infinity
SHUTTER SPEED	15 - 1/2000 sec
POWER	BP-511/BP-512 Li-ion rechargeable battery*, AC adapter* and car battery adapter (*BP-511 Li-ion rechargeable battery and AC adapter are supplied)
VIDEO OUT	PAL / NTSC
INTERFACE	USB, Audio/Video output, Compact Flash type I & II
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.canon.be
PACKAGE CONTENTS	Camera, lens cap with string, neck strap NS-DC1, wireless controller WL-DC100, CR-2025 Lithium battery, battery pack BP-511, compact power adapter, AC cable, AV cable, interface cable IFC-300PCU, 32MB CF-card, case for CF-card
WHY BUY?	*High-performance DIGIC processor* *Choice of 12 shooting modes* *Optional speedlite flash units and lens accessories*

FUJI

MODEL	FinePix S602 Zoom
PRICE EUR	1.059,00 EUR
RECUPEL	6,00 EUR
PARTNR.	44883
ARTNR.	746823
CCD RESOLUTION	3,3 Megapixel; 6,03 Megapixel output
VIEWFINDER	Optical & LCD
LCD MONITOR	1,8" low temp. colour TFT, 110.000 pixels
MEMORY INCLUDED	16 MB
MEMORY TYPE	SmartMedia Card / CompactFlash / Microdrive
NUMBER OF IMAGES	1 - 275 (with 128 MB SmartMedia Card)
FILE FORMAT	Still image: JPEG (Exif), TIFF-RGB Movie: AVI (Motion JPEG)
DIGITAL/OPTICAL ZOOM	6 x optical zoom ; 4,4 x digital zoom
LENS FOCAL LENGTH	35 - 210 mm; Normal: 50 cm - infinity;
FOCUS DISTANCE	Macro: 10 cm - 80 cm; Super Macro: 1 cm - 20 cm
SHUTTER SPEED	15 - 1/10000 seconds
POWER	4 AA alkaline batteries (included), 4 AA type Ni-MH batteries, AC Power Adapter AC-5VH/5VHS (optional)
VIDEO OUT	NTSC, PAL
INTERFACE	USB
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	home.fujifilm.com
PACKAGE CONTENTS	FinePix S602 Zoom, 16 MB SmartMedia Card, 4 AA type alkaline batteries, Shoulder Strap, Lens Cap, Lens Cap Holder, AV Cable, USB Cable, CD-ROM
WHY BUY?	*Storage : SmartMedia and CF / Microdrive* *Connection possibility : external flash & wide-angle or tele-objectif* *Supermacro function till 1cm*

DIGITAL CAMERAS

OVERVIEW

SONY

MODEL	DSC-F717
PRICE EUR	1.160,00 EUR
RECUPEL	6,00 EUR
PARTNR.	DSC-F717
ARTNR.	770963
CCD RESOLUTION	5.0 Megapixel
VIEWFINDER	Optical & LCD
LCD MONITOR	1, 8" TFT LCD
MEMORY INCLUDED	32MB Memory Stick
MEMORY TYPE	Memory Stick / Memorystick Pro
NUMBER OF IMAGES	10-240/16MB 20-488/ 32MB 40-983/64MB 80-1966/128MB
FILE FORMAT	JPEG, MPEG1, TIFF,GIF, HQX
DIGITAL/OPTICAL ZOOM	5x optical (10 x digital precision) zoom
LENS FOCAL LENGTH	9,7-48,5mm (35mm conversion: 38-190mm)
FOCUS DISTANCE	AF: W:500mm- infinity T:900mm-infinity Macro AF: W:20mm-infinity T:900mm-infinity
SHUTTER SPEED	Auto (30-1/2000)/Shutter priority (30-1/1000)/Manual (30-1/1000)
POWER	InfoLithium NP-FM-50
VIDEO OUT	AV out
INTERFACE	USB
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.sony.be
PACKAGE CONTENTS	Battery pack NP-FM50, AC Power Adaptor AC-L10, Power Cord, Audio/Video connecting cable, USB cable, Memory Stick (32MB), CD-ROM, Shoulder strap, Lens cap, Operating instructions, PIXELA Imagemixer 1.0, USB driver, Image transfer
WHY BUY?	***Carl Zeiss Lens Vario Sonnar - Rotating lens - Zoom Ring***

OLYMPUS

MODEL	C-5050
PRICE EUR	1.199,00 EUR
RECUPEL	6,00 EUR
PARTNR.	50332138223
ARTNR.	779231
CCD RESOLUTION	5 Megapixel
VIEWFINDER	Optical & LCD
LCD MONITOR	4,5 cm colour TFT LCD, 114.000 pixels
MEMORY INCLUDED	32 MB
MEMORY TYPE	XD-Picture Card (compatible with XD-Picture Card, SmartMedia, CompactFlash, Microdrive)
NUMBER OF IMAGES	1 - 331 (with 32 MB XD-Picture Card)
FILE FORMAT	Still image: TIFF,JPEG,DPOF/ Motion picture: QuickTime Motion JPEG/ Sound: Wave format support
DIGITAL/OPTICAL ZOOM	3 x optical zoom ; 3,3 x digital zoom
LENS FOCAL LENGTH	35 mm - 105 mm
FOCUS DISTANCE	Standard: 80 cm - infinity; Macro: 20 cm - 80 cm; Super Macro: up to 3 cm
SHUTTER SPEED	4 - 1/1000 seconds (with mechanical shutter)
POWER	4 x AA Ni-MH batteries, 4 x AA Ni-Cd rechargeable batteries, 2 x lithium batteries LB-01, 4 x AA lithium batteries, 4 x AA alkaline batteries, AC adaptor (optional)
VIDEO OUT	PAL
INTERFACE	USB
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.olympus.be
PACKAGE CONTENTS	32 MB xD-Picture Card, USB Cable, Video Cable, 2 rechargeable batteries, Battery Charger, AC Cable for charger, Strap, Camedia Master 4.0, and Photo Impact
WHY BUY?	***Bright High Quality 3x zoom lens*** ***Tilting LCD Monitor*** ***Hot Shoe for connecting an external flash***

NIKON

MODEL	CoolPix 5700
PRICE EUR	1.699,00 EUR
RECUPEL	6,00 EUR
PARTNR.	18208899456
ARTNR.	756398
CCD RESOLUTION	5,24 Megapixel
VIEWFINDER	Optical & LCD
LCD MONITOR	1,5 inch colour TFT LCD, 110.000 pixels
MEMORY INCLUDED	32 MB
MEMORY TYPE	CompactFlash
NUMBER OF IMAGES	1 - 51 (with 32 MB CompactFlash)
FILE FORMAT	Still image: TIFF, JPEG, DCF, DPOF; Movie picture: QuickTime Motion JPEG
DIGITAL/OPTICAL ZOOM	8 x optical zoom; 4 x digital zoom
LENS FOCAL LENGTH	35 mm - 280 mm
FOCUS DISTANCE	Standard: 50 cm - infinity; Macro: 3 cm - infinity
SHUTTER SPEED	1/4000 - 8 seconds
POWER	1 x Li-ion battery EN-EL1, 1 x 6V 2CR5/DL245 lithium batterie, 6 x 1.5V LR6 AA batteries, Battery Pack MB-E5700, AC adaptor (optional)
VIDEO OUT	NTSC/PAL
INTERFACE	USB
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	www.nikon.be
PACKAGE CONTENTS	CoolPix 5700, 32 MB CompactFlash Card, Lens Cap LC-CP10, Camera Strap, AV Cable, USB Cable UC-E1, Rechargeable Li-ion Battery EN-EL1, Battery Charger MH-53, Nikon View 5 CD-ROM
WHY BUY?	***8x Optical Zoom*** ***Tilting LCD Monitor*** ***Electronic view finder***

CANON

MODEL	EOS 10D
PRICE EUR	2.392,99 EUR
RECUPEL	6,00 EUR
PARTNR.	8363A016
ARTNR.	817223
CCD RESOLUTION	6,3 Megapixel, CMOS sensor
VIEWFINDER	Optical
LCD MONITOR	1,8' TFT LCD
MEMORY INCLUDED	N/A
MEMORY TYPE	Compact Flash type I/II & Microdrive
NUMBER OF IMAGES	N/A
FILE FORMAT	JPEG, RAW
DIGITAL/OPTICAL ZOOM	depending on EF lens
LENS FOCAL LENGTH	N/A
FOCUS DISTANCE	7-points AiAF
SHUTTER SPEED	30-1/4000th sec.
POWER	1x BP-511
VIDEO OUT	PAL/NTSC
INTERFACE	USB, video out
PLATFORM	Win 98/2000/ME/XP, Mac OS X(v10.1/10.2)
WARRANTY	1 year carry-in
WEBSITE	www.canon.be
PACKAGE CONTENTS	EOS 10D, neck strap, camera cover, battery, battery charger, USB cable, IB's, software
WHY BUY?	***Direct Printing*** ***Fully specs to satisfy hi-amateurs*** ***35 point metering***

FUJI

MODEL	FinePix S2 Pro
PRICE EUR	2.959,00 EUR
RECUPEL	6,00 EUR
PARTNR.	44860
ARTNR.	746824
CCD RESOLUTION	6,17 Megapixel (Super CCD)
VIEWFINDER	Optical & LCD
LCD MONITOR	1,8" low temp. colour TFT, 117.600 pixels
MEMORY INCLUDED	N/A
MEMORY TYPE	SmartMedia Card / Microdrive
NUMBER OF IMAGES	N/A
FILE FORMAT	JPEG (Exif Ver. 1.0 to 2.2)/ DPOF compatible/ TIFF-RGB/CCD-Raw
DIGITAL/OPTICAL ZOOM	N/A
LENS FOCAL LENGTH	Interchange. Lens SLR-type
FOCUS DISTANCE	N/A
SHUTTER SPEED	30 - 1/4000 seconds
POWER	4 x AA type batteries : Alkaline, Ni-MH batteries/ AC power adapter, 2 x 3V Lithium batteries : CR123A or DL123A
VIDEO OUT	N/A
INTERFACE	USB for data storage, IEEE1394 for data storage and shooting
PLATFORM	Windows / Mac
WARRANTY	1 year carry-in
WEBSITE	home.fujifilm.com
PACKAGE CONTENTS	FinePix S2 Pro, USB Cable, IEEE1394 Cable, Video Cable, Shoulder Strap, Body Cap, Eye Piece Cap, LCD Cover, 4 x AA alkaline batteries, 2 x CR123A Lithium batteries, Owner's manual, Software Installation Manual, CD-ROM
WHY BUY?	***Pixel output: 12 mio pixels !!!*** ***Build upon the Nikon F80 body*** ***Save your files in ccd-raw mode***

SCANNERS

OVERVIEW

hp

MODEL	scanjet 2300c
PRICE EUR	90,00 EUR
RECUPEL	2,00 EUR
PARTNR.	Q2957A
ARTNR.	759707
SCANNER TYPE	A4 Flatbed colorscanner
RESOLUTION OPTICAL	600x600dpi
RESOLUTION INTERPOLATED	unlimited enhanced
COLOR DEPTH	48-bit
SCANNING AREA	216 x 297 mm
SCANNING SPEED	<49s for 10x15cm photo into Word <75s for page of text into Word
INTERFACE	USB (cable included)
OS	W98/Me/2000/XP
FEATURES	2-button: scan & copy
SOFTWARE	CD-ROM with hp photo & imaging software with integrated OCR for Windows/HP Copy Utility
OPTIONS	3 year warranty On-Site
WARRANTY	1 year carry-in
WEBSITE	www.hp.be
WHY BUY?	***Ease of use hp photo & imaging software - scan-to-button via scan & copy***

CANON

MODEL	LiDE 20
PRICE EUR	95,50 EUR
RECUPEL	2,00 EUR
PARTNR.	7888A003
ARTNR.	760242
SCANNER TYPE	Desktop Colour Flatbed scanner
RESOLUTION OPTICAL	600 x 1200 dpi
RESOLUTION INTERPOLATED	25 - 9600 dpi
COLOR DEPTH	42-bit input, 24-bit output
SCANNING AREA	A4/Letter, 216 x 297 mm (8,5" x 11,7")
SCANNING SPEED	16 msec/line (600 dpi) in colour - 5,3 msec/line (600 dpi) grey/black-white * Scan time only, data transfer time not included
INTERFACE	USB 2.0 Full Speed
OS	PC: Win 98, 2000, Pro, ME, XP - Mac : Mac OS 9 or higher/10.1 or higher (classic & native* mode) *Mac native mode supported in ScanGear CS driver only
FEATURES	3 "EZ"-buttons (scan/copy/email), no AC-adapter, Z-lid makes books & magazines as easy to scan as single sheet of paper
SOFTWARE	Canon's Scangear CS-U (Win) en plug-in module (Mac); Arcsoft PhotoStudio 2000 (PC/Mac) for editing images; Omnipage SE OCR (PC/Mac) for optical character recognition
OPTIONS	N/A
WARRANTY	1 year carry-in
WEBSITE	www.canon.be
WHY BUY?	***Stylish design*** ***3 "EZ" buttons for scan/copy/email*** ***Advanced Z-lid makes scanning of books/magazines easy***

hp

MODEL	photosmart 1200
PRICE EUR	99,00 EUR
RECUPEL	2,00 EUR
PARTNR.	Q2717A
ARTNR.	809538
SCANNER TYPE	10x15 cm Flatbed photo color scanner
RESOLUTION OPTICAL	1200x1200dpi
RESOLUTION INTERPOLATED	N/A
COLOR DEPTH	36-bit
SCANNING AREA	10x15cm
SCANNING SPEED	+/- 14sec voor 10x15cm photo at 300dpi - +/ -90sec at 1200dpi
INTERFACE	USB 2.0 + slot for Cflash/SDigital or MMC
OS	W98/Me/2000/XP
FEATURES	N/A
SOFTWARE	CD-ROM with hp photo & imaging software/hp share-to-web software/hp memories disk creator/ArcSoft Panorama Maker for Windows
OPTIONS	N/A
WARRANTY	1 year carry-in
WEBSITE	www.hp.be
WHY BUY?	***Unique portable 10x15cm photo scanner - delivered with usb cable - scan bigger document in parts & reasemble them with ArcSoft Panorama Maker software***

hp

MODEL	scanjet 3500/3530/3570-serie
PRICE EUR	99,00 EUR - 109,00 EUR 139,00 EUR
RECUPEL	2,00 EUR
PARTNR.	Q2807A - Q2907A - Q2707A
ARTNR.	749264 - 749265-749266
SCANNER TYPE	A4 Flatbed Colorscanner
RESOLUTION OPTICAL	1200x1200dpi
RESOLUTION INTERPOLATED	9600x9600dpi
COLOR DEPTH	48 bit
SCANNING AREA	216x297 mm
SCANNING SPEED	<38 sec for 10x15cm photo into Word - <50sec for page of text into Word
INTERFACE	USB (cable included)
OS	W98/Me/2000/XP - Mac 9.1 and higher/X/10.1 and higher
FEATURES	q2807: 3-button: scan-copy-e-mail; q2907: 4-button: scan-copy-e-mail-hp memories disk creator; q2707: 4-button: scan-copy-e-mail-hp memories disk creator & built-in adapter for 35mm slides/negatives
SOFTWARE	CD-ROM with hp photo & imaging software with integrated OCR for Windows (Mac = Readiris)/hp share-to-web software/Hemera Jigsaw Puzzler & CD Designs Creator (Windows only)
OPTIONS	3 year warranty On-Site/ Transparency adapter
WARRANTY	1 year carry-in
WEBSITE	www.hp.be
WHY BUY?	***Ease of use hp photo& imaging software 3 or 4 scan-to-buttons build-in 35mm adapter on hp scanjet 3570***

CANON

MODEL	CanoScan 3000(F)
PRICE EUR	107,00 EUR - CanoScan 3000 157,00 EUR - CanoScan 3000F
RECUPEL	2,00 EUR
PARTNR.	8659A001: CanoScan 3000; 8658A003:CanoScan 3000F
ARTNR.	810201: CanoScan 3000 810202: CanoScan 3000F
SCANNER TYPE	Desktop colour flatbed scanner
RESOLUTION OPTICAL	1200 x 2400 dpi
RESOLUTION INTERPOLATED	25 - 9600 dpi
COLOR DEPTH	48 bit input, 24 bit output
SCANNING AREA	216 x 297 mm
SCANNING SPEED	Colour, greyscale, B&W : 4msec/line (600dpi), 8msec/line (1200dpi)
INTERFACE	USB 2.0 Hi-Speed
OS	Win 98, Win 2000, Pro, ME, XP (Home/Pro)
FEATURES	3 "EZ-buttons for ultimate ease of use; advanced Z-lid for scanning books and magazines
SOFTWARE	Powerful software including ArcSoft image editingplus OmniPage OCR software
OPTIONS	N/A
WARRANTY	1 year carry-in
WEBSITE	www.canon.be
WHY BUY?	***USB 2.0 Hi-Speed for fast scans*** ***Stylish design***

EPSON

MODEL	Perfection 1260 (Photo)
PRICE EUR	110,00 EUR Perfection 1260 140,00 EUR Perfection 1260 Photo
RECUPEL	N/A
PARTNR.	B11B154181: Perfection 1260 B11B154191: Perfection 1260Photo
ARTNR.	764280: Perfection 1260 764281: Perfection 1260 Photo
SCANNER TYPE	A4 flatbed, single pass image scanner
RESOLUTION OPTICAL	1200 x 2400 dpi
RESOLUTION INTERPOLATED	9600 dpi
COLOR DEPTH	48-bit input, 24-bit output
SCANNING AREA	216 mm x 297 mm (max)
SCANNING SPEED	Monochrome: 32 msec/line; Colour: 32 msec/line
INTERFACE	USB 1.1 (Equivalent to USB 2.0 Full Speed)
OS	Microsoft Win 98/Me/2000/Professional/XP Home Edition/XP Professional ; Mac OS 8.6 to 9.X, Mac OS X 10.1.2 or later Classic Mode
FEATURES	Photo version with built-in 35mm transparancy unit
SOFTWARE	EPSON Twain driver, Presto OCR, ARCsoft Photoimpression
OPTIONS	Optional extension to 3 years (upgrade 3 years on site or carry-in)
WARRANTY	1 year carry-in
WEBSITE	www.epson.be
WHY BUY?	***New design*** ***User-friendly full auto mode simplifies and automates advanced scanning tasks*** ***PRINT Image Matching Technology for brighter, more vibrant prints from your film scans***

CANON

MODEL	LiDE 30
PRICE EUR	117,00 EUR
RECUPEL	2,00 EUR
PARTNR.	7890A003
ARTNR.	760267
SCANNER TYPE	Desktop Colour Flatbed scanner
RESOLUTION OPTICAL	1200 x 2400 dpi
RESOLUTION INTERPOLATED	25 - 9600 dpi
COLOR DEPTH	42-bit input, 24-bit output
SCANNING AREA	A4/Letter, 216 x 297 mm (8,5" x 11,7")
SCANNING SPEED	16 msec/line (600 dpi), 32 msec/line (1200 dpi) in colour - 5,3 msec/line (600 dpi), 10,6 msec/line grey/black-white * Scan time only, data transfer time not included
INTERFACE	USB 2.0 Full Speed
OS	PC: Win 98, 2000, Pro, ME, XP - Mac: Mac OS 9 or higher/10.1 or higher (classic & native* mode) *Mac native mode supported in ScanGear CS driver only
FEATURES	3 "EZ"-buttons (scan/copy/email), no AC-adapter, Z-lid makes books & magazines as easy to scan as single sheet of paper
SOFTWARE	*Canon's Scangear CS-U (Win) en plug-in module (Mac) * Arcsoft PhotoStudio 2000 (PC/Mac) for editing images * Omnipage SE OCR (PC/Mac) for optical character recognition
OPTIONS	N/A
WARRANTY	1 year carry-in
WEBSITE	www.canon.be
WHY BUY?	***Stylish design*** ***3 "EZ" buttons for scan/copy/email*** ***Advanced Z-lid makes scanning of books/magazines easy***

CANON

MODEL	LiDE 50
PRICE EUR	167,00 EUR
RECUPEL	2,00 EUR
PARTNR.	7876A003
ARTNR.	768951
SCANNER TYPE	Desktop Colour Flatbed scanner
RESOLUTION OPTICAL	1200 x 2400 dpi
RESOLUTION INTERPOLATED	25 - 9600 dpi
COLOR DEPTH	48-bit input/48-bit output
SCANNING AREA	A4/Letter, 216 x 297 mm (8,5" x 11,7")
SCANNING SPEED	6,4msec/line (600dpi), 12,7msec/line (1200dpi) in colour - 3,1msec/line (600dpi), 4,2msec/line (1200dpi) in grey/black-white
INTERFACE	USB 2.0 High Speed
OS	PC: Win 98, 2000, Pro, ME, XP - Mac: Mac OS 9 or higher/10.1 or higher (classic & native* mode) *Mac native mode supported in ScanGear CS driver only
FEATURES	4 "EZ"-buttons (scan/copy/email/archive), no AC-adapter, Z-lid makes books & magazines as easy to scan as single sheet of paper
SOFTWARE	*Canon's Scangear CS-U (Win) en plug-in module (Mac) * Arcsoft PhotoStudio 2000 (PC/Mac) for editing images * Omnipage SE OCR (PC/Mac) for optical character recognition
OPTIONS	N/A
WARRANTY	1 year carry-in
WEBSITE	www.canon.be
WHY BUY?	***Stylish design*** ***4 "EZ" buttons for scan/copy/email/archive*** ***High Speed USB 2.0***

OVERVIEW

hp

MODEL	scanjet 4500c
PRICE EUR	199,00 EUR
RECUPEL	2,00 EUR
PARTNR.	C9917A
ARTNR.	768235
SCANNER TYPE	A4 Flatbed Colorscanner
RESOLUTION OPTICAL	2400x2400dpi
RESOLUTION INTERPOLATED	unlimited enhanced
COLOR DEPTH	48 bit
SCANNING AREA	216x297 mm
SCANNING SPEED	+/- 28sec for 10x15cm photo into Word - +/- 48 sec for page of text into Word
INTERFACE	USB 2.0 (cable included)
OS	W98/Me/2000/XP - Mac 9.1 and higher/X/10.1 and higher
FEATURES	5-button: scan - copy - e-mail - share-to-web - copy center
SOFTWARE	CD-ROM with hp photo & imaging software with integrated OCR for Windows (Mac = Readiris)/hp share-to-web software/copy utility/ScanSoft PaperPort LE
OPTIONS	3 year warranty On-Site/ADF A4/transparency adapter
WARRANTY	1 year carry-in
WEBSITE	www.hp.be
WHY BUY?	***Ease of use hp photo & imaging software - 5 scan-to-buttons - hp memories disk creator - copier like format for comfort scannings***

CANON

MODEL	CanoScan 5000F
PRICE EUR	207,00 EUR
RECUPEL	2,00 EUR
PARTNR.	7879A003
ARTNR.	768678
SCANNER TYPE	Desktop Colour Flatbed Film scanner
RESOLUTION OPTICAL	2400 x 4800 dpi
RESOLUTION INTERPOLATED	25 - 9600 dpi
COLOR DEPTH	48-bit input/48-bit output
SCANNING AREA	A4/Letter, 216 x 297 mm (8,5" x 11,7")
SCANNING SPEED	7,2 msec/line (1200 dpi) 11,6 msec/line (2400 dpi) in colour; 7,2 msec/line (1200 dpi) 11,6 msec/line (2400 dpi) in grey/black-white 7,2-115,2 msec/line in film
INTERFACE	USB 2.0 High Speed
OS	PC: Win 98, 2000, Pro, ME, XP - Mac: Mac OS 9 or higher/10.1 or higher (classic & native* mode) *Mac native mode supported in ScanGear CS driver only
FEATURES	Film handling: negative & positive; 35 mm film (batch scanning up to 3 frames), positive slide mount x 2. Features: Canon FARE* level 1 *Film image automatic retouching & enhancement technology
SOFTWARE	ArcSoft PhotoStudio, PhotoBase, ScanSoft OmniPage SE for OCR
OPTIONS	N/A
WARRANTY	1 year carry-in
WEBSITE	www.canon.be
WHY BUY?	***FARE Level 1 dust & scratch removal technology Integrated film adapter scans up to 3 frames of 35mm film in one pass Powerful Canon "fast multi photo mode" scans many photos in one***

hp

MODEL	scanjet 4570c
PRICE EUR	249,00 EUR
RECUPEL	2,00 EUR
PARTNR.	C9927A
ARTNR.	768236
SCANNER TYPE	A4 Flatbed Colorscanner
RESOLUTION OPTICAL	2400x2400dpi
RESOLUTION INTERPOLATED	unlimited enhanced
COLOR DEPTH	48 bit
SCANNING AREA	216x297 mm
SCANNING SPEED	+/- 25sec for 10x15cm photo into Word - +/- 41 sec for page of text into Word
INTERFACE	USB 2.0 (cable included)
OS	W98/Me/2000/XP - Mac 9.1 and higher/X/10.1 and higher
FEATURES	5-button: scan - copy - e-mail - share-to-web - hp memories disk creator
SOFTWARE	CD-ROM with hp photo & imaging software with integrated OCR for Windows (Mac = Readiris)/hp share-to-web software/copy utility
OPTIONS	3 year warranty On-Site
WARRANTY	1 year carry-in
WEBSITE	www.hp.be
WHY BUY?	***No warm-up time - ease of use hp photo & imaging software - 5 scan-to-buttons***

EPSON

MODEL	Perfection 2400 Photo
PRICE EUR	295,00 EUR
RECUPEL	N/A
PARTNR.	B11B152027
ARTNR.	764283
SCANNER TYPE	A4 flatbed, colour image scanner, single pass scanning
RESOLUTION OPTICAL	2400 x 4800 dpi
RESOLUTION INTERPOLATED	12800 dpi
COLOR DEPTH	48 bit in/out
SCANNING AREA	216 mm x 297 mm (max)
SCANNING SPEED	Monochrome: 2,6 msec/line Colour: 11,0 msec/line
INTERFACE	USB 2.0 Hi-Speed and Full Speed mode, USB 1.1 compatible
OS	Microsoft Win 98/Me/2000/Professional/XP Home Edition/XP Professional; Mac OS 8.6 to 9.X, Mac OS X 10.1.2 or later Classic Mode
FEATURES	Built-in 35mm x 6 frame transparancy unit (optional 5" x 4" film adapter)
SOFTWARE	EPSON Twain driver , TET, AAS, Adobe Photoshop elements,,,
OPTIONS	Optional extension to 3 years (upgrade 3 years on site or carry-in)
WARRANTY	1 year carry-in
WEBSITE	www.epson.be
WHY BUY?	***Intelligent Twain driver automatically straightens & crops your photos USB 2.0 High Speed for fast scans***



hp

MODEL	hp scanjet 7400/7450/7490-serie
PRICE EUR	599,00 EUR 799,00 EUR 1199,00 EUR
RECUPEL	2,00 EUR
PARTNR.	C7717A - C7718a - C7719A
ARTNR.	NL/FR: 593044-593046-593048
SCANNER TYPE	A4 Flatbed colorscanner
RESOLUTION OPTICAL	2400x2400dpi
RESOLUTION INTERPOLATED	unlimited enhanced
COLOR DEPTH	48 Bit
SCANNING AREA	216x297 mm
SCANNING SPEED	+/- 25sec for 10x15cm photo into Word - +/- 50sec for page of text into Word
INTERFACE	C7717/7718: USB (cable included) - SCSI II (no card supplied) C7719: USB (cable included) - SCSI II (card & cable included)
OS	SCSI: Windows 95/98/2000/Me/ NT 4.0 USB: Windows 98/2000/Me
FEATURES	transparency adapter for 35mm negatives, slides and transparencies up to 12.7 x 12.7 cm
SOFTWARE	Corel Print Office2000; Adobe Acroba Reader 4.0, ScanSoft OmniForm 4.0, Boomerang Internet DesignShop Gold 2000 Web site-creation software; Boomerang WebSho 2000 Web site creation software (English only), I.R.I.S. CardIris 2.0 OCR software
OPTIONS	3 year warranty On-Site/SCSI card & cable/ADF 50 pag A4
WARRANTY	1 year carry-in
WEBSITE	www.hp.be
WHY BUY?	***Ease of use hp precisionscan 3.0 software - dual sensor for speed & quality - a lot of top software titles - 6 easy scan-to-buttons - Mac & pc compatible - all cables included***



CANON

MODEL	FS4000US
PRICE EUR	1097,99 EUR
RECUPEL	2,00 EUR
PARTNR.	6735A003
ARTNR.	617539
SCANNER TYPE	Desktop Film Scanner
RESOLUTION OPTICAL	4000 x 4000 dpi
RESOLUTION INTERPOLATED	125 - 4000 dpi
COLOR DEPTH	42-bit input/24-bit output
SCANNING AREA	24.0 x 36.0mm (35mm film), 15.6 x 27.4mm (APS film);
SCANNING SPEED	Colour 1000 dpi: 12 - 72 sec; Colour 2000 dpi: 24 - 144 sec; Colour 4000 dpi: 48 – 287 sec (Not including transfer times and depends on the film type)
INTERFACE	USB 1.1/SCSI-2
OS	Windows 98, 2000, ME Macintosh OS 8.6 or later, OS X
FEATURES	N/A
SOFTWARE	FilmGet FS (Win/Mac)-Adobe Photoshop 5.0LE (Win/Mac)
OPTIONS	N/A
WARRANTY	1 year carry-in
WEBSITE	www.canon.be
WHY BUY?	***Desktop 35mm/APS film scanner - Fare-technology (removes dust & scratches on the original) - Batch scanning :APS scanning till 40 frames, 35mm filmstrips till 6 frames***



EPSON

MODEL	Expression 1680 (Pro)
PRICE EUR	1182,17 EUR Expression 1680 1586,31 EUR Expression 1680 (Pro)
RECUPEL	N/A
PARTNR.	Expression 1680: B11B138021GA Expression 1680 Pro: B11B138041GA
ARTNR.	Expression 1680: 621122 Expression 1680 Pro: 621123
SCANNER TYPE	Flatbed A4
RESOLUTION OPTICAL	1600 x 3200 dpi
RESOLUTION INTERPOLATED	12800 dpi
COLOR DEPTH	48/48bit
SCANNING AREA	216 x 297 mm
SCANNING SPEED	Monchrome: 3,1 msec/line Colour: 9,2 msec/line
INTERFACE	USB / SCSI x 2
OS	Windows 98, 2000, ME Macintosh OS 8.1 or later
FEATURES	Text Enhancement Technology; Auto Area Segmentation; dia adapter included (1680 Pro)
SOFTWARE	Lasersoft Silverfast 5.0 Epson Scan Server Epson Netwerk Twain
OPTIONS	hardware-netwerkbox IEEE 1394, transparancy unit, aut. doc. feeder
WARRANTY	1 year carry-in
WEBSITE	www.epson.be
WHY BUY?	***Automatic document feeder (30 pages) possible in option - Network capable Includes SilverFast Ai5 with IT8 calibration for graphics professionals***



EPSON

MODEL	Expression 1640XL
PRICE EUR	3896,20 EUR
RECUPEL	N/A
PARTNR.	B11B121021GA
ARTNR.	540164
SCANNER TYPE	A3+ Flatbed colorscanner
RESOLUTION OPTICAL	1600x3200 dpi
RESOLUTION INTERPOLATED	6400 dpi
COLOR DEPTH	42-bit
SCANNING AREA	297 x 432 mm
SCANNING SPEED	Monochroom: 4,5 ms/regel = circa 120 sec voor DIN A3, 1600 dpi, High-Speed-modus; Kleur: 13,2 ms/regel - circa 6 minuten voor DIN A3, 1600 dpi, High-Speed-modus
INTERFACE	1 x USB standard, 2 x SCSI standard
OS	Windows 98, Windows 2000, Windows Millennium, Macintosh System 8.1 of hoger, WIN 95, NT 4.0, Mac System 7.5 of hoger alleen via de SCSI-aansluiting
FEATURES	N/A
SOFTWARE	EPSON Scan Server; EPSON Network TWAIN; Adobe Photoshop LE; Scansoft Textbride Pro; Lasersoft Silverfast 5.0
OPTIONS	Network-hardware; 3 year warranty On-Site
WARRANTY	1 year carry-in
WEBSITE	www.epson.be
WHY BUY?	***A3+ scanner SCSI & USB interfaces as standard Includes SilverFast Ai5 with IT8 Calibration for graphics professionals***

CANON

MODEL	CanoScan 8000F
PRICE EUR	297,00 EUR
RECUPEL	2,00 EUR
PARTNR.	8131A003
ARTNR.	768680
SCANNER TYPE	Desktop Colour Flatbed Film scanner
RESOLUTION OPTICAL	2400 x 4800 dpi
RESOLUTION INTERPOLATED	25 - 9600 dpi
COLOR DEPTH	48-bit input/48-bit output
SCANNING AREA	A4/Letter, 216 x 297 mm (8,5" x 11,7")
SCANNING SPEED	10,8 msec/line (1200/2400 dpi) in colour, grey, black/white; 5,4-172,8 msec/line in film
INTERFACE	USB 2.0 High Speed
OS	PC: Win 98, 2000, Pro, ME, XP - Mac: Mac OS 9 or higher/10.1 or higher (classic & native* mode) *Mac native mode supported in ScanGear CS driver only
FEATURES	Film handling: negative & positive ; 35 mm film (batch scanning up to 12 frames), positive slide mount x 4. Features : Canon FARE* level 1 *Film image automatic retouching & enhancement technology
SOFTWARE	ArcSoft PhotoStudio, PhotoBase, ScanSoft OmniPage SE for OCR, Adobe Photoshop Elements & Canon PhotoRecord
OPTIONS	N/A
WARRANTY	1 year carry-in
WEBSITE	www.canon.be
WHY BUY?	***Scanner for the professional Slim-line integrated FAU scans up to 12-35mm negatives in one pass FARE Level 1 dust & scratch removal technology***

hp

MODEL	scanjet 5500c
PRICE EUR	399,00 EUR
RECUPEL	2,00 EUR
PARTNR.	C9929A
ARTNR.	768237
SCANNER TYPE	A4 Flatbed Colorscanner
RESOLUTION OPTICAL	2400x2400dpi
RESOLUTION INTERPOLATED	unlimited enhanced
COLOR DEPTH	48 bit
SCANNING AREA	216x297 mm
SCANNING SPEED	+/- 25sec for 10x15cm photo into Word - +/- 41 sec for page of text into Word
INTERFACE	USB 2.0 (cable included)
OS	W98/Me/2000/XP - Mac 9.1 and higher/X/10.1 and higher
FEATURES	5-button: scan - copy - e-mail - share-to-web - hp memories disk & transparency adapter for 35mm slides/negatives + 24sh automatic photo feeder (9x13 or 10x15cm)
SOFTWARE	CD-ROM with hp photo & imaging software with integrated OCR for Windows (Mac = Readiris)/hp share-to-web software/copy utility
OPTIONS	3 year warranty On-Site
WARRANTY	1 year carry-in
WEBSITE	www.hp.be
WHY BUY?	***Ease of use hp photo & imaging software - 5 scan-to-buttons - no warm-up time - unique automatic photo feeder***

hp

MODEL	scanjet 5550c
PRICE EUR	469,00 EUR
RECUPEL	2,00 EUR
PARTNR.	C9919A
ARTNR.	768238
SCANNER TYPE	A4 Flatbed Colorscanner
RESOLUTION OPTICAL	2400x2400dpi
RESOLUTION INTERPOLATED	unlimited enhanced
COLOR DEPTH	48 bit
SCANNING AREA	216x297 mm
SCANNING SPEED	+/- 28sec for 10x15cm photo into Word - +/- 31 sec for page of text into Word
INTERFACE	USB 2.0 (cable included)
OS	W98/Me/2000/XP - Mac 9.1 and higher/X/10.1 and higher
FEATURES	5-button: scan - copy - e-mail - share-to-web - copy center & ADF 35sh
SOFTWARE	CD-ROM with hp photo & imaging software with integrated OCR for Windows (Mac = Readiris)/hp share-to-web software/copy utility/ScanSoft PaperPort LE
OPTIONS	3 year warranty On-Site/transparancy adapter
WARRANTY	1 year carry-in
WEBSITE	www.hp.be
WHY BUY?	***High speed scanning up to 8 ppm with ADF - hp photo & imaging software - copier like format for comfort scanning***

CANON

MODEL	CanoScan 9900F
PRICE EUR	527,00 EUR
RECUPEL	2,00 EUR
PARTNR.	8132A003
ARTNR.	810203
SCANNER TYPE	Desktop colour flatbed scanner
RESOLUTION OPTICAL	3200 x 6400 dpi
RESOLUTION INTERPOLATED	25 - 9600 dpi
COLOR DEPTH	48 bit in/out
SCANNING AREA	216 x 297 mm
SCANNING SPEED	Colour, Greyscale, B&W: 8.64 msec/line (1600x3200dpi); film: 2.16-146.88 msec/line
INTERFACE	USB 2.0 Hi-Speed, IEEE 1394 FireWire
OS	Win 98, Win 2000, Pro, ME, XP (Home/Pro), Mac OS
FEATURES	FARE Level 2 (Film Automatic Retouching en Enhancement) with Reconstruction of colour, Grain Equalisation and Management
SOFTWARE	Adobe PhotoShop Elements v2.0, ArcSoft image editing & photo album software, OmniPage OCR software
OPTIONS	N/A
WARRANTY	1 year carry-in
WEBSITE	www.canon.be
WHY BUY?	***Film adapter unit as standard, supports 35mm x 24, positive slide mount x 8,120 roll film & 4x5" film Super-galileo 2 lens gives high quality USB en firewire interfaces for ultrafast scanning speeds (PC & Mac)***

EPSON

MODEL	Perfection 3200 Photo
PRICE EUR	550,00 EUR
RECUPEL	N/A
PARTNR.	B11B156033
ARTNR.	793815
SCANNER TYPE	A4 Flatbed colour image scanner single pass scanning
RESOLUTION OPTICAL	3200 x 6400 dpi
RESOLUTION INTERPOLATED	12800 dpi
COLOR DEPTH	48 bit in/out
SCANNING AREA	8.5" x 11.7" (216x297mm)
SCANNING SPEED	Monochrome: 3.8 msec/line Colour: 11.0 msec/line
INTERFACE	USB 2.0 and IEEE1394 (Firewire)
OS	Windows 98, Windows 2000 or upgrade from Windows 98, Windows Me Pre-Installed, Windows XP, OS 8.6 - 9.x, Mac OS X 10.1.2 or later for G3 or later with built in USB port
FEATURES	Built-in 4"x9" Transparency Unit with new Prism Sheet, supports all common film formats
SOFTWARE	EPSON Smart Panel for Scanner, Adobe Photoshop Elements, EPSON Scan scanner software
OPTIONS	Optional extension to 3 years (upgrade 3 years on site or carry-in)
WARRANTY	1 year carry-in
WEBSITE	www.epson.be
WHY BUY?	***Including Silverfast software, high DMAX for professional filmscanning***



SONY

MODEL	VPL-CS5
PRICE EUR	2170,00 EUR
ARTNR.	763842
PARTNR	VPL-CS5
TECHNOLOGY	3 x 0,7 inch p-Si TFT LCD Panel
BRIGHTNESS	1800 ANSI-LUMEN
LAMP	165 W UHP Lamp
LENS	1.2 times manual zoom lens F 1.8 to 2.5, f28.2 to 33.8 mm
CONTRAST RATIO	300:1
MAXIMUM RESOLUTION	XGA (1024 x 768)
RECOMMENDED RESOLUTION	SVGA (800 x 600)
IMAGE SIZE	1m to 3.8m (viewable area, measured diagonally)
WEIGHT	2,7 kg
FAN NOISE	42 dB / 38 dB (low)
POWER CONSUMPTION	Max. 240W, Standby 5W
VIDEO INPUTS	Video (PAL, SECAM, NTSC, NTSC 4.43, PAL-M, PAL-N), RGB/Component, Y/C Video, Composite Video, USB type B
PLATFORM	Windows / Mac
WARRANTY	2 year warranty
WEBSITE	www.sonypresentations.com
PACKAGE CONTENTS	VPL-CS5, Remote Commander RM-PJM12, AA-size Battery X 2, Signal Cable (HD D-sub 15pin to D-sub 15pin, 2m), USB Cable (A type to B type, 2m), Air filter, AC Power Cord, Carry Case, Operation Manual, Quick Reference Sheet
WHY BUY?	***Easy to use: Intelligent Auto Setup, Tilt Adjustment, Keystone Adjustment and Input Selection are all done automatically Brigher: 1800 ANSI-LUMEN Lighter : 2,7 kg***

CANON

MODEL	LV-X2/LV-S2
PRICE EUR	2292,95 EUR LV-S2 3158,10 EUR LV-X2
ARTNR.	789129 (LV-S2) - 789116 (LV-X2) 8126A003 (LV-S2) - 8125A003 (LV-X2)
PARTNR	LCD 1000 ANSI lumens (LV-S2) - 1300 ANSI lumens (LV-X2)
TECHNOLOGY	132 W UHP (LV-X2) - 150W UHP (LV-S2)
BRIGHTNESS	19:01 (100": 2.8m 1.4x)
LAMP	
LENS	
CONTRAST RATIO	300:1 (LV-X2) - 350:1 (LV-S2)
MAXIMUM RESOLUTION	XGA (LV-X2) - SVGA (LV-S2)
RECOMMENDED RESOLUTION	XGA LV-X2) - SVGA (LV-S2)
IMAGE SIZE	29" to 200"
WEIGHT	2,8 kg
FAN NOISE	37dB (LV-X2) - 35 dB (LV-S2)
POWER CONSUMPTION	210 W (LV-X2) - 250 W (LV-S2)
VIDEO INPUTS	1 mini jack (LV-X2), Video en S-Video signals, such as an S-VHS VCR output signals, 3 RCA (LV-X2)
PLATFORM	Windows / Mac
WARRANTY	1 year standard
WEBSITE	www.canon.be
PACKAGE CONTENTS	LV-X2 or LV-S2 Multimedia Projector, XGA (LV-X2), SVGA (LV-S2) (delivered with: remote control unit & AA alkaline batteries, AC cable)
WHY BUY?	***Quiet, compact, versatile Easy to set up Stylish design***

PHILIPS

MODEL	b-Sure SV2
PRICE EUR	2418,79 EUR
ARTNR.	816815
PARTNR	LC 3132
TECHNOLOGY	LCD - 4:3 -SVGA
BRIGHTNESS	1500 ANSI lumen
LAMP	132W UHP
LENS	F1.8 - 2.2 f=28.4 - 34; 1.2x manual zoom/focus
CONTRAST RATIO	300:1
MAXIMUM RESOLUTION	1280 x 1024 SXGA
RECOMMENDED RESOLUTION	SVGA 800 x 600
IMAGE SIZE	Minimum image diagonal: N/A
WEIGHT	Maximum image diagonal: N/A 3,7 kg
FAN NOISE	27dB
POWER CONSUMPTION	170W
VIDEO INPUTS	1x DSUB VGA (Data), 1x S-video (YC-Din), 1x CVBS (RCA-cinch), component video (3x xRCA cinch), 1 x audio in (2 x RCA cinch - 1x mini jack for PC); PAL 4.43, Pal 3.58, NTSC 4.43, NTSC 3.58, Secam, HDTV
PLATFORM	Windows / Mac
WARRANTY	3 years; 1 year on-site
WEBSITE	www.philips.be/pcp-partner
PACKAGE CONTENTS	Compact remote control, Power cord, Combined VGA-USB table (1.5m), Audio/Video cable (2m), Scart adapter (scart to RCA audio/video), Lenscap, CD-rom user guide, Quick Setup card, warranty card
WHY BUY?	***Most silent projector, < 27dB High lamp life of 6000hrs. Protected with SecurityMax***

NEC

MODEL	VT460
PRICE EUR	2452,67 EUR
ARTNR.	809758
PARTNR	50022670
TECHNOLOGY	3x0,7" p-Si LCD
BRIGHTNESS	1500 ANSI-LUMEN
LAMP	200 W NSH Lamp
LENS	Manual zoom/focus,F=1.7-2.0,F=21.6-25.9mm
CONTRAST RATIO	400:1
MAXIMUM RESOLUTION	1600 x 1200 (UXGA)
RECOMMENDED RESOLUTION	800 x 600 (SVGA)
IMAGE SIZE	Minimum Image Diagonal: 50 cm
WEIGHT	Maximum Image Diagonal: 7,6m 2,9 kg
FAN NOISE	29 dB
POWER CONSUMPTION	260 W
VIDEO INPUTS	RGB: VGA, SVGA, XGA, SXGA, UXGA; Video: NTSC, NTSC 4.43, PAL, PAL-60, PAL-M, PAL-N, SECAM; Component: HDTV (1080i, 720p, 480p, 480i/60Hz, Progressive PAL-Scan/50Hz)
PLATFORM	Windows / Mac
WARRANTY	3 years warranty - 6 months on the lamp
WEBSITE	www.nec-pj.com
PACKAGE CONTENTS	User's Manual (CD-ROM), PJ/PC Remote, Batteries, Power Cable, 15-pin mini D-sub Cable, USB Cable, A & B Quick Connect Guide, Registration Card, Lens Cap with attachment string & rivet
WHY BUY?	***Ultraportable Complete warranty on projector and lamp Carrying handle***

CANON

MODEL	LV-5200
PRICE EUR	2463,35 EUR
ARTNR.	N/A
PARTNR	8609A003
TECHNOLOGY	LCOS
BRIGHTNESS	1700 AL
LAMP	180W UHP
LENS	26:1 shift fixed
CONTRAST RATIO	400:01:00
MAXIMUM RESOLUTION	1700 AL
RECOMMENDED RESOLUTION	SVGA
IMAGE SIZE	(0,49mx0,37m)-(6,10mx4,57m)
WEIGHT	4,3kg
FAN NOISE	34 dB
POWER CONSUMPTION	260W
VIDEO INPUTS	Composite(RCA)+S-video 331,5x244,1x89,5mm
PLATFORM	N/A
WARRANTY	1 year to 3 years (opt)
WEBSITE	www.canon.be
PACKAGE CONTENTS	(delivered with: remote control unit & AA alkaline batteries, AC cable, VGA cable,lens cover, soft case & Instruction Books)
WHY BUY?	*Designed for classrooms, offices & home theaters* *Class-leading zoom magnifcation* *Wide compatibility (auto fleshtone, auto grayscale, customizable gamma, keystone correction)*

hp

MODEL	mp1200
PRICE EUR	2479,00 EUR
ARTNR.	782589
PARTNR	L1547A
TECHNOLOGY	LCD/XGA
BRIGHTNESS	1000 Lumens
LAMP	130W
LENS	F/1.73-2.17 (f=7,8-4,92mm)
CONTRAST RATIO	400:1
MAXIMUM RESOLUTION	XGA
RECOMMENDED RESOLUTION	N/A
IMAGE SIZE	Minimum Image Diagonal: 0,7m Maximum Image Diagonal: 3,8m
WEIGHT	3 kg
FAN NOISE	36dB (normal mode)
POWER CONSUMPTION	200W/Standby 15W
VIDEO INPUTS	Standard analog VGA in/out, DVI, HDTV (480p, 480i, 720p, 1080i), S-video, composite video, and component video
PLATFORM	Windows / Mac
WARRANTY	3 year pick-up & return
WEBSITE	www.hp.be/projectors
PACKAGE CONTENTS	N/A
WHY BUY?	*One of the best value XBA projectors in the industry* *ease multimedia integration* *crisp images at a throw dustance up to 10m*

PHILIPS

MODEL	Garbo
PRICE EUR	2529,01 EUR
ARTNR.	770575
PARTNR	LC6231
TECHNOLOGY	LCD - 16:9 - SVGA
BRIGHTNESS	1000 ANSI Lumen
LAMP	132 UHP
LENS	F/1.8-2.2; f=28.4-34mm
CONTRAST RATIO	400:1
MAXIMUM RESOLUTION	1280x1024 SXGA
RECOMMENDED RESOLUTION	SXGA 858x484
IMAGE SIZE	N/A
WEIGHT	3,7 kg
FAN NOISE	27 dB
POWER CONSUMPTION	170 W
VIDEO INPUTS	1x DSUB VGA (Data), 1x S-video (YC-Din), 1x CVBS (RCA-cinch), component video (3x xRCA cinch), 1 x audio in (2 x RCA cinch - 1x mini jack for PC); PAL 4.43, Pal 3.58, NTSC 4.43, NTSC 3.58, Secam, HDTV
PLATFORM	Windows / Mac
WARRANTY	3 years; 1 year on-site
WEBSITE	www.philips.be/pcp-partner
PACKAGE CONTENTS	Compact remote control; Power cord; VGA cable (2m); Audio/Video cable (2m); S-Video cable (2m); Scart adapter (scart to RCA audio/video); Lenscap; Printed User Guide and CD-ROM User Guide (UK, D, F, E, PT, NL, I). with projection Assistent; Quick Setup Card (UK, D, F, E, PT, NL, I); Warranty card; Optional accessories 132W UHPTM; replacement lamp (LCA3116/00); Softbag (LCA 1120/00); Ceiling mount (LCA2211/00); VGA extension cable, 15 metres (LCA5300/00); Scart/RCA component video LCA 5312/00 adapter
WHY BUY?	*Home cinema projector* *PIP / real 16:9 panels* *Supersilent <27 dB 4. Lamp life cycle of 6000 hours*

SONY

MODEL	VPL-HS2
PRICE EUR	2545,00 EUR
ARTNR.	780987
PARTNR	VPL-HS2
TECHNOLOGY	WVGA
BRIGHTNESS	1000 ANSI lumen
LAMP	LMP-H150
LENS	N/A
CONTRAST RATIO	600:1
MAXIMUM RESOLUTION	858x484 WVGA
RECOMMENDED RESOLUTION	N/A
IMAGE SIZE	40"-150"
WEIGHT	4,5kg
FAN NOISE	N/A
POWER CONSUMPTION	N/A
VIDEO INPUTS	Video in , S-video-in, Component, RGB-Computer
PLATFORM	Windows / Mac
WARRANTY	2 year warranty
WEBSITE	www.sony.be
PACKAGE CONTENTS	Remote, Signal Interface Cable, Cinema Filter, Air Filter (For Replacement)
WHY BUY?	*Unique, interior-conscious design - Low fan noise - Side Shot 2 - Cineza*

EPSON

MODEL	EMP-53/73
PRICE EUR	2597,33 EUR EMP-53 3327,50 EUR EMP-73
ARTNR.	808326: EMP-53; 808341: EMP-73
PARTNR	V11H112040: EMP53; V11H106040: EMP73
TECHNOLOGY	RGB Liquid Crystal Shutter Projection System
BRIGHTNESS	1700 ANSI Lumens - EMP-53; 1500 ANSI Lumens EMP-73
LAMP	165W UHE lamp
LENS	Manual adjustment
CONTRAST RATIO	500:1
MAXIMUM RESOLUTION	SVGA - EMP-53 , XGA - EMP-73
RECOMMENDED RESOLUTION	800 x 600 (EMP-53) ; 1024 x 768 (EMP-73)
IMAGE SIZE	N/A
WEIGHT	2.9 kg
FAN NOISE	33 dBA
POWER CONSUMPTION	100-120V/200V-240V +/- 10%, 50/60Hz AC
VIDEO INPUTS	S-Video input: 1 x Mini DIN; composite video input: 1 x RCA Jack; component video: Mini D-sub 15 pin x 1
PLATFORM	Windows / Mac
WARRANTY	3 year carry-in
WEBSITE	www.epson.be
PACKAGE CONTENTS	N/A
WHY BUY?	*Stylish & compact (2,9 kg)* *Monitor output connection* *New card-type remote*

hp

MODEL	sb21
PRICE EUR	2669,00 EUR
ARTNR.	773064
PARTNR	L1510A
TECHNOLOGY	DLP/SVGA
BRIGHTNESS	1500 Lumens
LAMP	120W
LENS	F/2.4 (f=21.9mm)
CONTRAST RATIO	1800:1
MAXIMUM RESOLUTION	SVGA
RECOMMENDED RESOLUTION	N/A
IMAGE SIZE	Minimum Image Diagonal: 0,6m Maximum Image Diagonal: 6,2m
WEIGHT	1 kg
FAN NOISE	32dB (peak)
POWER CONSUMPTION	160W
VIDEO INPUTS	VGA, DVI, S-video, HDTV & component video
PLATFORM	Windows / Mac
WARRANTY	2 year return hp, repair
WEBSITE	www.hp.be/projectors
PACKAGE CONTENTS	Standard accessories: AC power cord (1.8 m); VESA M1-A-to-D sub and USB cable (1.8 m); USB Mini-B 5-pin-to-4-pin S-video cable (1.8 m); 2.5 mm phonejack-to-RCA composite video cable; wireless remote control with mouse function and laser pointer; two batteries; tethered lens cap; carrying bag; multi-language user's guide (CD-ROM); multi-language quick start card
WHY BUY?	*Featherweight combined whit powerfull presantations*

PHILIPS

MODEL	UGO s - lite impact
PRICE EUR	2722,50 EUR
ARTNR.	727235
PARTNR	LC5231
TECHNOLOGY	DLP- 4:3 - SVGA
BRIGHTNESS	1000 ANSI lumen
LAMP	130 W UHP
LENS	F2.4-2.6; f= 28-33 mm; 1.2x manual zoom/ focus
CONTRAST RATIO	650:1
MAXIMUM RESOLUTION	1280x1024; SXGA
RECOMMENDED RESOLUTION	SVGA 800x600
IMAGE SIZE	Minimum Image Diagonal: 25 cm Maximum Image Diagonal: 200 cm
WEIGHT	1,5 kg
FAN NOISE	39dB
POWER CONSUMPTION	180 W
VIDEO INPUTS	1x DSUB VGA (Data), S-Video (Y/C DIN)/Video (RCA)/ Stereo Audio (2x RCA)/ YCbCr (15 pin)
PLATFORM	Windows / Mac
WARRANTY	3 years, 1 year on-site
WEBSITE	www.philips.be/pcp-partner
PACKAGE CONTENTS	Remote Control + 2x AAA batteries, Power cord (1,8m) (2 cords, Continental Europe and USA), VGA Cable (1m), PC Audio cable, Mouse cable set; 1m, PS/2 ; 1m, USB, Audio/Video RCA Cable (1m,Video/Audio stereo), S-Video cable (1m), Soft carrying bag, User Guide (CD-Rom, Quick Reference Guide)
WHY BUY?	*High contrast ratio 650:1* *ultra light - only 1,5 kg*

EPSON

MODEL	EMP-TS10
PRICE EUR	2896,70 EUR
ARTNR.	738097
PARTNR	V11H105040
TECHNOLOGY	3 x polysilicon TFT Extended High Aperture 0.9" LCD panels
BRIGHTNESS	700 ANSI Lumens
LAMP	150W UHE Lamp
LENS	Manual adjustment
CONTRAST RATIO	500:1
MAXIMUM RESOLUTION	SVGA
RECOMMENDED RESOLUTION	800 x 600
IMAGE SIZE	30" to 300"
WEIGHT	4.2 kg
FAN NOISE	31 dBA
POWER CONSUMPTION	100-120V 2.7-1.3A 50/60Hz
VIDEO INPUTS	Composite Video: RCA x 1-Component Video: Mini D-sub 15 PINX1.-S Video: Mini DIN x 1
PLATFORM	Windows / Mac
WARRANTY	3 year carry-in
WEBSITE	www.epson.be
PACKAGE CONTENTS	Streamcable 3 m , remote control incl batteries, manual, video and-audiocable, component video cable : 3RCA-HD15
WHY BUY?	*Horizontal & vertical keystone correction for uniform projection at any angle* *Five colour settings - Easy to use and setup*

PHILIPS

MODEL	Garbo Matchline
PRICE EUR	3193,01 EUR
ARTNR.	770587
PARTNR	LC7181
TECHNOLOGY	LCD - 16:9 - SVGA
BRIGHTNESS	1100 ANSI Lumen
LAMP	132 UHP
LENS	F/1.8-2.2; f=28.4-34mm
CONTRAST RATIO	500:1
MAXIMUM RESOLUTION	1280x1024 SXGA
RECOMMENDED RESOLUTION	SXGA 858x484
IMAGE SIZE	N/A
WEIGHT	3,7 kg
FAN NOISE	27 dB
POWER CONSUMPTION	170 W
VIDEO INPUTS	1x DSUB VGA (Data), 1x S-video (YC-Din), 1x CVBS (RCA-cinch), component video (3x xRCA cinch), 1 x audio in (2 x RCA cinch - 1x mini jack for PC); PAL 4.43, Pal 3.58, NTSC 4.43, NTSC 3.58, Secam, HDTV
PLATFORM	Windows / Mac
WARRANTY	3 years, 1 year on-site
WEBSITE	www.philips.be/pcp-partner
PACKAGE CONTENTS	Pronto Neo remote control; Power cord: VGA cable (2m); Audio/Video cable (2m): S-Video cable (2m); Scart adapter (scart to RCA audio/video); Lenscap; Printed User Guide and CD-ROM User Guide (UK, D, F, E, PT, NL, I). with projection Assistent; Quick Setup Card (UK, D, F, E, PT, NL, I); Warranty card; Optional accessories 132W UHPTM replacement lamp (LCA3116/00); Softbag (LCA 1120/00); Ceiling mount (LCA2211/00); VGA extension cable, 15 metres (LCA5300/00); Scart/RCA component video LCA 5312/00 adapter
WHY BUY?	*Home cinema projector* *PIP / real 16:9 panels* *Supersilent <27 dB 4. Lamp life cycle of 6000 hours*

PHILIPS

MODEL	b-Sure XG2
PRICE EUR	3206,50 EUR
ARTNR.	819803
PARTNR	LC 3142
TECHNOLOGY	LCD -4:3 -XGA
BRIGHTNESS	1500 ANSI lumen
LAMP	150W UHP
LENS	F1.8 - 2.2 f=28.4 - 34; 1.2x manual zoom/focus
CONTRAST RATIO	300:1
MAXIMUM RESOLUTION	1280 x 1024 SXGA
RECOMMENDED RESOLUTION	XGA 1024 x 768
IMAGE SIZE	Minimum image diagonal: N/A Maximum image diagonal: N/A
WEIGHT	3,7 kg
FAN NOISE	29dB
POWER CONSUMPTION	210W
VIDEO INPUTS	1x DSUB VGA (Data), 1x S-video (YC-Din), 1x CVBS (RCA-cinch), component video (3x xRCA cinch), 1 x audio in (2 x RCA cinch - 1x mini jack for PC); PAL 4.43, Pal 3.58, NTSC 4.43, NTSC 3.58, Secam, HDTV
PLATFORM	Windows / Mac
WARRANTY	3 years, 1 year on-site
WEBSITE	www.philips.be/pcp-partner
PACKAGE CONTENTS	Compact remote control, Power cord, Combined VGA-USB table (1.5m), Audio/Video cable (2m), Scart adapter (scart to RCA audio/video), Lenscap, CD-rom user guide, Quick Setup card, warranty card
WHY BUY?	*Silent projector, < 29dB* *High lamp life of 3000hrs.* *Protected with SecurityMax*

PHILIPS

MODEL	b-Sure SV2 Brilliance
PRICE EUR	3265,79 EUR
ARTNR.	N/A
PARTNR	LC3136
TECHNOLOGY	LCD - 4:3 -SVGA
BRIGHTNESS	2200 ANSI lumen
LAMP	200W UHP
LENS	F1.8 - 2.2 f=28.4 - 34 1.2x manual zoom/focus
CONTRAST RATIO	400:1
MAXIMUM RESOLUTION	1280 x 1024 SXGA
RECOMMENDED RESOLUTION	SVGA 800 x 600
IMAGE SIZE	Info not known
WEIGHT	3,7 kg
FAN NOISE	27dB
POWER CONSUMPTION	170W
VIDEO INPUTS	1x DSUB VGA (Data), 1x S-video (YC-Din), 1x CVBS (RCA-cinch), component video (3x xRCA cinch), 1 x audio in (2 x RCA cinch - 1x mini jack for PC); PAL 4.43, Pal 3.58, NTSC 4.43, NTSC 3.58, Secam, HDTV
PLATFORM	Windows / Mac
WARRANTY	3 years; 1 year on-site
WEBSITE	www.philips.be/pcp-partner
PACKAGE CONTENTS	Compact remote control, Power cord, Combined VGA-USB table (1.5m), Audio/Video cable (2m), Scart adapter (scart to RCA audio/video), Lenscap, CD-rom user guide, Quick Setup card, warranty card
WHY BUY?	*Ideal solution for conferences, training sessions and in hotels*

NEC

MODEL	VT560
PRICE EUR	3344,44 EUR
ARTNR.	809792
PARTNR	50022922
TECHNOLOGY	3x0,7" p-Si LCD
BRIGHTNESS	1300 ANSI-LUMEN
LAMP	200W NHS lamp
LENS	Manual zoom/focus, F=2.0-2.3,F=35.8-43.0mm
CONTRAST RATIO	400:1
MAXIMUM RESOLUTION	1600 x 1200 (UXGA)
RECOMMENDED RESOLUTION	1024 x 768 (XGA)
IMAGE SIZE	Minimum Image Diagonal: 50 cm Maximum Image Diagonal: 7,6m
WEIGHT	2,9 kg
FAN NOISE	29 dB
POWER CONSUMPTION	260 W
VIDEO INPUTS	RGB: VGA, SVGA, XGA, SXGA, UXGA Video: NTSC, NTSC 4.43, PAL, PAL-60, PAL-M, PAL-N, SECAM; Component: HDTV (1080i, 720p, 480p, 480i/60Hz, Progressive PAL-Scan/50Hz)
PLATFORM	Windows / Mac
WARRANTY	3 years warranty - 6 months on lamp
WEBSITE	www.nec-pj.com
PACKAGE CONTENTS	User's Manual (CD-ROM), PJ/PC Remote, Batteries, Power Cable, 15-pin mini D-sub Cable, USB Cable, A & B Quick Connect Guide, Registration Card, Lens Cap with attachment string & rivet
WHY BUY?	*Ultraportable* *Complete warranty on projector and lamp* *Carrying handle*

PHILIPS

MODEL	UGO x - lite impact
PRICE EUR	3448,50 EUR
ARTNR.	733665
PARTNR	LC5241
TECHNOLOGY	DLP - 4:3 - XGA
BRIGHTNESS	1000 ANSI lumen
LAMP	130 W UHP
LENS	F2.4-2.6 ; f= 28-33mm 1.2x manual zoom/ focus
CONTRAST RATIO	650:1
MAXIMUM RESOLUTION	1280x1024 SXGA
RECOMMENDED RESOLUTION	XGA 1280x1024
IMAGE SIZE	Minimum Image Diagonal: 25 cm Maximum Image Diagonal: 200 cm
WEIGHT	1,5 kg
FAN NOISE	39dB
POWER CONSUMPTION	180 W
VIDEO INPUTS	1x DSUB VGA (Data), S-Video (Y/C DIN)/Video (RCA)/ Stereo Audio (2x RCA)/ YCbCr (15 pin)
PLATFORM	Windows / Mac
WARRANTY	3 years; 1 year on-site
WEBSITE	www.philips.be/pcp-partner
PACKAGE CONTENTS	Remote Control + 2x AAA batteries, Power cord (1,8m) (2 cords, Continental Europe and USA), VGA Cable (1m), PC Audio cable, Mouse cable set; 1m, PS/2; 1m, USB, Audio/Video RCA Cable (1m,Video/Audio stereo), S-Video cable (1m), Soft carrying bag, User Guide (CD-Rom, Quick Reference Guide)
WHY BUY?	*High contrast ratio 650:1* *ultra light - only 1,5 kg*

PHILIPS

MODEL	b-Sure XG2 Brilliance
PRICE EUR	3628,79 EUR
ARTNR.	N/A
PARTNR	LC3146
TECHNOLOGY	LCD - 4:3 - XGA
BRIGHTNESS	2000 ANSI lumen
LAMP	200W UHP
LENS	F1.8 - 2.2 f=28.4 - 34: 1.2x manual zoom/focus
CONTRAST RATIO	400:1
MAXIMUM RESOLUTION	1280 x 1024 SXGA
RECOMMENDED RESOLUTION	XGA 1024x768
IMAGE SIZE	N/A
WEIGHT	3,7 kg
FAN NOISE	33 dB
POWER CONSUMPTION	210W
VIDEO INPUTS	1x DSUB VGA (Data), 1x S-video (YC-Din), 1x CVBS (RCA-cinch), component video (3x xRCA cinch), 1 x audio in (2 x RCA cinch - 1x mini jack for PC); PAL 4.43, Pal 3.58, NTSC 4.43, NTSC 3.58, Secam, HDTV
PLATFORM	Windows / Mac
WARRANTY	3 years, 1 year on-site
WEBSITE	www.philips.be/pcp-partner
PACKAGE CONTENTS	Compact remote control, Power cord, Combined VGA-USB table (1.5m), Audio/Video cable (2m), Scart adapter (scart to RCA audio/video), Lenscap, CD-rom user guide, Quick Setup card, warranty card
WHY BUY?	*Ideal solution for conferences, training sessions and in hotels*

SONY

MODEL	VPL-CX5
PRICE EUR	3865,00 EUR
ARTNR.	763843
PARTNR	VPL-CX5
TECHNOLOGY	3 x 0,7 inch p-Si TFT LCD Panel with Micro Lens Array
BRIGHTNESS	2000 ANSI-LUMEN
LAMP	165 W UHP Lamp
LENS	1.2 times manual zoom lens F 1.8 to 2.5, f28.2 to 33.8 mm
CONTRAST RATIO	300:1
MAXIMUM RESOLUTION	SXGA (1280 x 1024)
RECOMMENDED RESOLUTION	XGA (1024 x 768)
IMAGE SIZE	1m to 3.8m (viewable area, measured diagonally)
WEIGHT	2,7 kg
FAN NOISE	42 dB / 38 dB (low)
POWER CONSUMPTION	Max. 240W, Standby 7W
VIDEO INPUTS	Video (PAL, SECAM, NTSC, NTSC 4.43, PAL-M, PAL-N), RGB/Component, Y/C Video, Composite Video, USB type B
PLATFORM	Windows / Mac
WARRANTY	2 year warranty
WEBSITE	www.sonypresentations.com
PACKAGE CONTENTS	VPL-CX5, Remote Commander RM-PJM12, AA-size Battery X 2, Signal Cable (HD D-sub 15pin to D-sub 15pin, 2m), USB Cable (A type to B type, 2m), Air filter, AC Power Cord, Carry Case, Operation Manual, Quick Reference Sheet, 8 MB Memory Stick, CD-ROM
WHY BUY?	*Easy to use: Intelligent Auto Setup, Tilt Adjustment, Keystone Adjustment and Input Selection are all done automatically* *Brigher: 2000 ANSI-LUMEN* *Lighter: 2,7 kg*

NEC

MODEL	VT660
PRICE EUR	3956,70 EUR
ARTNR.	09793
PARTNR	50022672
TECHNOLOGY	3x0,7" p-Si LCD
BRIGHTNESS	1700 ANSI-LUMEN
LAMP	200 W NSH Lamp
LENS	Manual zoom/focus, F=1.7-2.0,F=33.5-40.1mm
CONTRAST RATIO	400:1
MAXIMUM RESOLUTION	1600 x 1200 (UXGA)- 1024 x 768 (XGA)
RECOMMENDED RESOLUTION	Minimum Image Diagonal: 50 cm
IMAGE SIZE	Maximum Image Diagonal: 7,6m
WEIGHT	2.9 kg
FAN NOISE	29 dB
POWER CONSUMPTION	260 W
VIDEO INPUTS	RGB: VGA, SVGA, XGA, SXGA, UXGA Video: NTSC, NTSC 4.43, PAL, PAL-60, PAL-M, PAL-N, SECAM; Component: HDTV (1080i, 720p, 480p, 480i/60Hz, Progressive PAL-Scan/50Hz)
PLATFORM	Windows / Mac
WARRANTY	3 years warranty - 6 months on lamp
WEBSITE	www.nec-pj.com
PACKAGE CONTENTS	User's Manual (CD-ROM), PJ/PC Remote, Batteries, Power Cable, 15-pin mini D-sub Cable, USB Cable, A & B Quick Connect Guide, Registration Card, Lens Cap with attachment string & rivet
WHY BUY?	*Ultraportable* *Complete warranty on projector and lamp* *Carrying handle*

NEC

MODEL	LT220
PRICE EUR	3972,43 EUR
ARTNR.	780555
PARTNR	50022350
TECHNOLOGY	0,7 inch DLP-projector
BRIGHTNESS	1800 ANSI-LUMEN
LAMP	220 W NSH Lamp
LENS	Manual zoom/focus, F=2.5-2.8,F=22.4-27.0mm
CONTRAST RATIO	600:1
MAXIMUM RESOLUTION	1600x1200 (UXGA)
RECOMMENDED RESOLUTION	800 x 600 (SVGA)
IMAGE SIZE	Minimum Image Diagonal: 76 cm Maximum Image Diagonal: 12,7m
WEIGHT	3,2 kg
FAN NOISE	29 dB
POWER CONSUMPTION	280 W
VIDEO INPUTS	RGB: VGA, SVGA, XGA, SXGA; Video: NTSC, NTSC 4.43, PAL, PAL-60, PAL-M, PAL-N, SECAM; Component: 480i, 480p, 720p, 1080i, DTV/HDTV (option), YCbCr (option)
PLATFORM	Windows / Mac
WARRANTY	3 years warranty - 6 months on lamp
WEBSITE	www.nec-pj.com
PACKAGE CONTENTS	User's Manual, Full Remote, Batteries, Power Cable, 15-pin mini D-Sub Cable, Quick Connect Guide, Registration Card, Lens Cap with attachment string, Non-slip rubber pads, Protective Lens Pad
WHY BUY?	*W-Lan, PC card viewer* *3-D reform, improved dusk and smoke protection* *Scart-rgb compatible*

SONY

MODEL	VPL-HS10
PRICE EUR	4074,00 EUR
ARTNR.	780988
PARTNR	VPL-HS10
TECHNOLOGY	WXGA
BRIGHTNESS	1200 ANSI lumen
LAMP	LMP-H180
LENS	N/A
CONTRAST RATIO	700:1
MAXIMUM RESOLUTION	1366x768 WXGA
RECOMMENDED RESOLUTION	N/A
IMAGE SIZE	40"-300"
WEIGHT	5,4kg
FAN NOISE	N/A
POWER CONSUMPTION	N/A
VIDEO INPUTS	Video in , S-video-in, Component, RGB-Computer
PLATFORM	Windows / Mac
WARRANTY	2 year warranty
WEBSITE	www.sony.be
PACKAGE CONTENTS	Remote, Signal Interface Cable, Cinema Filter, Air Filter (For Replacement)
WHY BUY?	*Home cinema - Side Shot 2- Horizontal adjustement - Memorystick slot - 16:9 aspect ratio - Cineza*

OVERVIEW

hp

MODEL	mp3800
PRICE EUR	4159,00 EUR
ARTNR.	782590
PARTNR	L1548A
TECHNOLOGY	DLP/XGA
BRIGHTNESS	1300 Lumens
LAMP	N/A
LENS	F/2.44-2.69 (f=28.8–34.5 mm)
CONTRAST RATIO	800:1
MAXIMUM RESOLUTION	XGA
RECOMMENDED RESOLUTION	N/A
IMAGE SIZE	Minimum Image Diagonal: 0,6m Maximum Image Diagonal: 6,2m
WEIGHT	1,6kg
FAN NOISE	37dB (normal mode)
POWER CONSUMPTION	200W/Standby 5W
VIDEO INPUTS	VGA or DVI source (example: DVD on Portable or Desktop PC). Video and S-video capability (from DVD, Camcorder, or VCR), HDTV signals (480p, 480i, 720p, 1080i), and component video
PLATFORM	Windows / Mac
WARRANTY	3 year pick-up & return
WEBSITE	www.hp.be/projectors
PACKAGE CONTENTS	N/A
WHY BUY?	***Low weight/size but high image performance - integrated dual 2-watt stereo speakers - unique design***

hp

MODEL	xb31
PRICE EUR	4279,00 EUR
ARTNR.	773065
PARTNR	L1511A
TECHNOLOGY	DLP/XGA
BRIGHTNESS	1800 Lumens
LAMP	150W
LENS	F/2.44-2.69 (f=2.8-34.5mm)
CONTRAST RATIO	1800:1
MAXIMUM RESOLUTION	XGA
RECOMMENDED RESOLUTION	N/A
IMAGE SIZE	Minimum Image Diagonal: 0,7m Maximum Image Diagonal: 7,5m
WEIGHT	1.6kg
FAN NOISE	32dB (peak)
POWER CONSUMPTION	220W
VIDEO INPUTS	VGA, DVI, S-video, HDTV & component video
PLATFORM	Windows / Mac
WARRANTY	3 year pick-up & return
WEBSITE	www.hp.be/projectors
PACKAGE CONTENTS	Standard accessories: VESA M1-A-to-D sub and USB cable (1.8 m); 4-pin S-video-to-4-pin S-video cable (1.8 m); RCA jack-to-RCA composite video cable (1.8 m); 2.5 mm phonejack-to-2.5 mm phonejack audio cable; wireless remote control with mouse function and laser pointer; two batteries; tethered lens cap; carrying bag; multi-language user's guide (CD-ROM); multi-language quick start card
WHY BUY?	***Easy set up for high-impact presentations even under difficult conditions***

hp

MODEL	mp4800
PRICE EUR	4589,00 EUR
ARTNR.	782591
PARTNR	L1549A
TECHNOLOGY	DLP/XGA
BRIGHTNESS	2000 Lumens
LAMP	200W
LENS	N/A
CONTRAST RATIO	800:1
MAXIMUM RESOLUTION	XGA
RECOMMENDED RESOLUTION	N/A
IMAGE SIZE	Minimum Image Diagonal: 0,6m Maximum Image Diagonal: 7,6m
WEIGHT	2,63 kg
FAN NOISE	36dB (normal mode)
POWER CONSUMPTION	250W/Standby 15W
VIDEO INPUTS	VGA or DVI source (example: DVD on Portable or Desktop PC). Video and S-Video capability (from DVD, Camcorder, or VCR) , HDTV signals (480p, 480i, 720p, 720i, 1080i), and component video
PLATFORM	Windows / Mac
WARRANTY	3 year pick-up & return
WEBSITE	www.hp.be/projectors
PACKAGE CONTENTS	N/A
WHY BUY?	***Remote control with laserbeam integrated dual 2-watt stereo speakers optional ceiling mounting kit***

NEC

MODEL	LT240
PRICE EUR	5163,07 EUR
ARTNR.	780554
PARTNR	50022351
TECHNOLOGY	0,7 inch DLP-projector
BRIGHTNESS	1600 ANSI-LUMEN
LAMP	220 W NSH Lamp
LENS	Manual zoom/focus, F=2.5-2.8,F=22.4-27.0mm
CONTRAST RATIO	2000:1
MAXIMUM RESOLUTION	1600 x 1200 (UXGA)
RECOMMENDED RESOLUTION	1024 x 768 (XGA)
IMAGE SIZE	Minimum Image Diagonal: 76 cm Maximum Image Diagonal: 12,7m
WEIGHT	3,2 kg
FAN NOISE	29 dB
POWER CONSUMPTION	280 W
VIDEO INPUTS	RGB: VGA, SVGA, XGA, SXGA, UXGA; Video: NTSC, NTSC 4.43, PAL, PAL-60, PAL-M, PAL-N, SECAM; Component: HDTV (1080i, 720p, 480p, 480i/60Hz, Progressive PAL-Scan/50Hz)
PLATFORM	Windows / Mac
WARRANTY	3 years warranty - 6 months on lamp
WEBSITE	www.nec-pj.com
PACKAGE CONTENTS	User's Manual (CD-ROM), PJ/PC Remote, Batteries, Power Cable, 15-pin mini D-sub Cable, USB Cable, A & B Quick Connect Guide, Registration Card, Lens Cap with attachment string & rivet
WHY BUY?	***W-Lan, PC card viewer 3-D reform, improved dusk and smoke protection - Scart-rgb compatible***

EPSON

MODEL	EMP-TW100H
PRICE EUR	5726,64 EUR
ARTNR.	797672
PARTNR	V11H104040
TECHNOLOGY	LCD, 3 x 0,87" Polysilicon TFT Aktiv-Matrix
BRIGHTNESS	700 ANSI Lumens
LAMP	150W UHE Lamp
LENS	Manual adjustment
CONTRAST RATIO	800:1
MAXIMUM RESOLUTION	W-XGA
RECOMMENDED RESOLUTION	1280 x 720
IMAGE SIZE	30" to 300"
WEIGHT	4.2 kg
FAN NOISE	30 dBA
POWER CONSUMPTION	100-120V 2.7-1.3A 50/60Hz
VIDEO INPUTS	Composite Video: RCA x 1-Component Video: Mini D-sub 15 PINX1. RCA x 3-S Video: Mini DIN x 1
PLATFORM	Windows / Mac
WARRANTY	3 year carry-in
WEBSITE	www.epson.be
PACKAGE CONTENTS	Streamcable 3 m, remote control incl batteries, manual, video and-audiocable, component video cable: 3RCA-HD15
WHY BUY?	***Superb home-entertainment with wide-screen function and high resolution***

PHILIPS

MODEL	Proscreen PXG30
PRICE EUR	6048,79 EUR
ARTNR.	816813
PARTNR	LC1341
TECHNOLOGY	LCD-4:3-XGA
BRIGHTNESS	2500 ANSI lumen
LAMP	250W UHP
LENS	F1.7 - 2.1; f=34-44mm; 1.3x motor zoom / focus
CONTRAST RATIO	700:1
MAXIMUM RESOLUTION	1280x1024 SXGA
RECOMMENDED RESOLUTION	XGA 1024x768
IMAGE SIZE	Minimum Image Diagonal: 40 cm Maximum Image Diagonal: 300 cm
WEIGHT	7,3 kg
FAN NOISE	31 dB
POWER CONSUMPTION	265 W
VIDEO INPUTS	2x DSUB VGA (Data), 1x 5BNC (Data+Video), 1x S-video (YC-Din), 1x CVBS (RCA-cinch), component video (3x xRCA cinch), 4 x audio in (1x RCA cinch - 3x mini jack for PC); PAL 4.43, Pal 3.58, NTSC 4.43, NTSC 3.58, Secam, HDTV
PLATFORM	All video and PC/Mac data sources up to UXGA
WARRANTY	3 years; 1 year on-site
WEBSITE	www.philips.be/pcp-partner
PACKAGE CONTENTS	Lenscap, 2x Power cord, Remote Control Pronto NEO IR + 3x AA batteries + USB Mouse receiver, VGA cable, RCA cable (Video/Audio stereo) + RCA - BNC adapters (3x), S-Video cable, Scart - RCA adapter, DIN-D sub RS232C cable, User Guide (CD-ROM) plus Quick Reference, Registration card, Extra Air filter
WHY BUY?	***Compatible with UXGA en HDTV suitable for an audience of up to 1000 people 3D noise reduction/3D Y/C separation/Pronto Neo remote control***

NEC

MODEL	LT260
PRICE EUR	6376,70 EUR
ARTNR.	767094
PARTNR	50022234
TECHNOLOGY	0,7 inch DLP-projector
BRIGHTNESS	2100 ANSI-LUMEN
LAMP	200 W NSH Lamp
LENS	Manual zoom/focus, F=2.2-2.5,F=28.4-34.0mm
CONTRAST RATIO	1600:1
MAXIMUM RESOLUTION	1600 x 1200 (UXGA)
RECOMMENDED RESOLUTION	1024 x 768 (XGA)
IMAGE SIZE	Minimum Image Diagonal: 76 cm Maximum Image Diagonal: 12,7m
WEIGHT	2,9 kg
FAN NOISE	29 dB
POWER CONSUMPTION	280 W
VIDEO INPUTS	RGB: VGA, SVGA, XGA, SXGA, UXGA; Video: NTSC, NTSC 4.43, PAL, PAL-60, PAL-M, PAL-N, SECAM; Component : HDTV (1080i, 720p, 480p, 480i/60Hz, Progressive PAL-Scan/50Hz)
PLATFORM	Windows / Mac
WARRANTY	3 years warranty - 6 months on lamp
WEBSITE	www.nec-pj.com
PACKAGE CONTENTS	User's Manual (CD-ROM), PJ/PC Remote, Batteries, Power Cable, 15-pin mini D-sub Cable, USB Cable, A & B Quick Connect Guide, Registration Card, Lens Cap with attachment string & rivet
WHY BUY?	***W-Lan, PC card viewer 3-D reform, improved dusk and smoke protection - Scart-rgb compatible***

PHILIPS

MODEL	Proscreen PXG30 Impact
PRICE EUR	7016,79 EUR
ARTNR.	816814
PARTNR	LC1345
TECHNOLOGY	LCD-4:3-XGA
BRIGHTNESS	3200 ANSI lumen
LAMP	250W UHP
LENS	F1.7 - 2.1; f=34-44mm; 1.3x motor zoom / focus
CONTRAST RATIO	800:1
MAXIMUM RESOLUTION	1280x1024 SXGA
RECOMMENDED RESOLUTION	XGA 1024x768
IMAGE SIZE	Minimum Image Diagonal: 40 cm Maximum Image Diagonal: 300 cm
WEIGHT	7,3 kg
FAN NOISE	31 dB
POWER CONSUMPTION	265 W
VIDEO INPUTS	2x DSUB VGA (Data), 1x 5BNC (Data+Video), 1x S-video (YC-Din), 1x CVBS (RCA-cinch), component video (3x xRCA cinch), 4 x audio in (1x RCA cinch - 3x mini jack for PC); PAL 4.43, Pal 3.58, NTSC 4.43, NTSC 3.58, Secam, HDTV
PLATFORM	All video and PC/Mac data sources up to UXGA
WARRANTY	3 years; 1 year on-site
WEBSITE	www.philips.be/pcp-partner
PACKAGE CONTENTS	Lenscap, 2x Power cord, Remote Control Pronto NEO IR + 3x AA batteries + USB Mouse receiver, VGA cable, RCA cable (Video/Audio stereo) + RCA - BNC adapters (3x), S-Video cable, Scart - RCA adapter, DIN-D sub RS232C cable, User Guide (CD-ROM) plus Quick Reference, Registration card, Extra Air filter
WHY BUY?	***Compatible with UXGA en HDTV suitable for an audience of up to 1000 people 3D noise reduction/3D Y/C separation/Pronto Neo remote control***

VERKLEIN
DE AFSTAND TUSSEN
VERBEELDING EN BEELD.

De Canon MVX150i camcorder is een alleskunner. Onder zijn moderne uiterlijk schuilt een complete digitale fotocamera met een 1,33 megapixel sensor. Of je nu filmt of fotografeert, de originele Canon-lens staat garant voor een haarscherpe afbeelding, die je overigens al direct kunt zien op het grote LCD-scherm. De fotograaf in ons zal blij zijn met het selecteerbare autofocuspunt en de mogelijkheid foto's direct te printen. Terwijl de 16x optische zoom (de grootste in zijn klasse*) zowel fotograaf als filmer zal aanspreken. Met de DV Messenger software kun je via je PC foto's en films uitwisselen en zelfs direct met elkaar communiceren. Net als bij een webcam, maar dan met veel meer mogelijkheden. **Filmen, fotograferen, communiceren.** www.canon.be

*per maart 2003

MVX150i

CAMCORDER
1.33 MEGA PIXELS

CAMERA
DIRECT PRINT
BUBBLE JET DIRECT

GEAVANCEERDE WEBCAM
DV Messenger

you can
Canon

SONY

Het meest compacte gamma MiniDV in een stijlvolle look

De topmodellen van het nieuwe MiniDV gamma bieden de videofan de mogelijkheid een camcorder en digitaal fototoestel te bezitten met een verbazingwekkende beeldkwaliteit, een complete set netwerkfuncties en andere benijdenswaardige mogelijkheden. En dat alles in 1 apparaat.

"Het gamma is stijlvol, ongelooflijk compact en licht. Er is voor elk wat wils."

DCR-TRV60

Zo beschikken ze allemaal over:
Super Steady Shot, Carl Zeiss lens,
USB Streaming, USB Terminal, 120x digitale en 10x optische zoom, Digital Program Editing, Playback zoom,
Advanced HAD Technology, Super NightShot, Touchscreen en Intelligent Accessory Shoe

DCR-TRV60
- 1/3.6" 2.1Megapixel CCD
- 530 lines horizontal resolution
- 1.600x1.200 dots size still picture
- Touch panel operation
- Memorystickslot
- 2.5"LCD Monitor
- DSC-function & MPEG MOVIE EX
- i.Link (DV in/out)
- New intelligent flash
- 180K precision CVF
- Analogue input
- 16:9 mode
- Progressive shutter system
- Infolithium battery

Artnr.: 815627
Partnr.: DCR-TRV60
Richtprijs: 1.665,00 EUR
Recupel: 6 EUR

DCR-TRV33
- 1/4.7" Megapixel CCD (1.070K pixel)
- 2.5" LCD Monitor (123K)
- 113K CVF
- DSC-function & MPEG MOVIE EX
- Memorystickslot
- 16:9 mode
- Progressive shutter system
- Analogue input
- Colour slow shutter
- 14 bit DXP
- High Stamina battery
- i.Link (DV in/out)

Artnr.: 809304
Partnr.: DCR-TRV33
Richtprijs: 1.145,00 EUR
Recupel: 6 EUR

DCR-TRV19
- 800K CCD
- 2.5"LCD Monitor(123K)
- i-Link (DV in/out)
- High Stamina Battery

Artnr.: 809301
Partnr.: DCR-TRV19
Richtprijs: 922,00 EUR
Recupel: 6 EUR

WHY BUY?
- Stijlvol
- Ongelooflijk compact
- Licht
- Netwerkfuncties dankzij de uitgebreide USB Streaming mogelijkheden.

SONY